

ROYAL ENFIELD

Consolidated Knowledge Base

A RAG/AI-ready reference combining official brochure data with current
Royal Enfield India online information

Compiled: 2026-09-06 | Online sources accessed: 2026-09-06

Models covered: Super Meteor 650 · Bullet 350 · Classic 350 · Hunter 350 ·
Scram 440 · Continental GT 650 · Himalayan 440 · Himalayan 450

METHODOLOGY & SOURCE STRATEGY

Tier 1 - Uploaded brochures. Eight official Royal Enfield brochure/specification PDFs were reviewed page by page and are the primary source for all product data: engine, chassis, dimensions, brakes, tyres, electricals, colours, and (where present) accessories. No brochure content was summarized or omitted.

Tier 2 - Current official online information. royalenfield.com (India) was checked for each model on 2026-09-06 for current price, variant lineup, colour availability, and the surrounding ownership ecosystem (Ride Sure extended warranty, Royal Enfield Maestros AMC, Road Side Assistance, Genuine Motorcycle Accessories, Make It Yours configurator, Royal Enfield App, REOwn). Some current price/variant figures were obtained via aggregated search of royalenfield.com pages rather than a full page fetch, and are marked accordingly below.

Historical vs. current. Brochure information is never overwritten by current information. Where the two differ — prices, colour names, variant line-ups — both are preserved side by side, labeled BROCHURE INFORMATION and CURRENT OFFICIAL ONLINE INFORMATION, each with its own source.

Data-integrity note. One source file, *himalayan-440-brochure.pdf*, printed no model name on its specification pages. Its identity was independently verified against the official royalenfield.com Himalayan 440 page, which links to this exact PDF as its downloadable technical specification sheet — confirming it is the genuine Himalayan 440 brochure, a model distinct from the liquid-cooled Himalayan 450 covered separately in this document.

PRODUCT INDEX

Model	Category	Variants (brochure)	Engine Platform	Current Status	Source
Super Meteor 650	Cruiser	Astral / Interstellar / Celestial (current)	648cc parallel-twin (shared w/ Continental GT 650)	Current	Brochure + royalenfield.com
Bullet 350	Roadster	Bullet 350 (KS/STD), Bullet 350 ES	346cc single, air-cooled	Current	Brochure + royalenfield.com
Classic 350	Roadster	Redditch, Halcyon, Signals, Chrome, Dark, Heritage series	349cc J-series single, air-oil cooled	Current	Brochure + royalenfield.com
Hunter 350	Roadster	Metro Hunter (brochure); Standard/Base Premium/Mid/Top (current)	349cc single, air-oil cooled	Current	Brochure + royalenfield.com
Scram 440	Scrambler	Force (alloy/tubeless), Trail (spoke/tube)	443cc single SOHC air-cooled (shared w/ Himalayan 440)	Current	Brochure + royalenfield.com
Continental GT 650	Cafe racer	Standard, Blacked Out, Chrome	648cc parallel-twin (shared w/ Super Meteor 650)	Current	Brochure + royalenfield.com
Himalayan 440	Adventure tourer	Single variant (colour choice only, per brochure)	443cc single SOHC air-cooled (shared w/ Scram 440)	Current — launched 2026, 10th-anniversary successor	Brochure + royalenfield.com (verified)
Himalayan 450	Adventure tourer	Base, Pass, Summit, Hanle Black, Mana Black (current)	452cc liquid-cooled DOHC single (Sherpa 450)	Current	Brochure + royalenfield.com

All eight models are current production motorcycles as of the access date above. Royal Enfield's wider current India line-up also includes models not covered by the supplied brochures (e.g. Bullet 650, Classic 650, Bear 650, Guerrilla 450, Shotgun 650, Meteor 350, Interceptor 650, Goan Classic 350) — these are outside the scope of this document since no brochure was supplied for them.

SUPER METEOR 650

648cc parallel-twin cruiser

1. Product Overview

The Super Meteor 650 is a mid-capacity cruiser built around Royal Enfield's air-oil cooled parallel-twin 650 platform, sharing its engine architecture with the Continental GT 650. The uploaded brochure is a two-page specification sheet (engine/chassis/electricals only — it does not include colours, variants, or pricing).

2. Current Official Status

BROCHURE INFORMATION	Full technical specification supplied (engine, chassis, brakes/tyres, electricals). No colours, variants or pricing included in this brochure export. <i>Source: royal-enfield-super-meteor-650.pdf</i>
CURRENT OFFICIAL ONLINE	3 variants (Astral, Interstellar, Celestial), each in 2 colours, prices ranging ₹4,05,988–₹4,39,960 ex-showroom Chennai. <i>Source: royalenfield.com/in/en/motorcycles/super-meteor-650/ (via search index), accessed 2026-09-06</i>

3. Technical Specification Table

Category	Specification	Value	Source
Engine	Type	Parallel twin, 4-stroke, SOHC, Air-Oil Cooled	royal-enfield-super-meteor-650.pdf
Engine	Displacement	648cc	royal-enfield-super-meteor-650.pdf
Engine	Bore x Stroke	78 mm x 67.8 mm	royal-enfield-super-meteor-650.pdf
Engine	Compression Ratio	9.5 : 1	royal-enfield-super-meteor-650.pdf
Engine	Maximum Power	34.6 kW (47PS) @ 7250 rpm	royal-enfield-super-meteor-650.pdf
Engine	Maximum Torque	52.3 Nm @ 5650 rpm	royal-enfield-super-meteor-650.pdf
Engine	Clutch	Wet, multi-plate	royal-enfield-super-meteor-650.pdf
Engine	Gearbox	6-speed constant mesh	royal-enfield-super-meteor-650.pdf
Engine	Fuel Supply	Electronic Fuel Injection	royal-enfield-super-meteor-650.pdf
Engine	Air Cleaner	Paper element	royal-enfield-super-meteor-650.pdf
Engine	Engine Start	Electric	royal-enfield-super-meteor-650.pdf
Engine	CO2 Emissions	99 g/km	royal-enfield-super-meteor-650.pdf
Engine	Noise Emissions	76.3 dB(A)	royal-enfield-super-meteor-650.pdf
Chassis	Frame Type	Steel Tubular Spine Frame	royal-enfield-super-meteor-650.pdf
Chassis	Front Suspension	43 mm Upside Down Telescopic Fork, 120 mm travel	royal-enfield-super-meteor-650.pdf
Chassis	Rear Suspension	Twin Shocks, 101 mm travel, preload adjustable	royal-enfield-super-meteor-650.pdf

Category	Specification	Value	Source
Dimensions	Wheelbase	1500 mm	royal-enfield-super-meteor-650.pdf
Dimensions	Ground Clearance	135 mm	royal-enfield-super-meteor-650.pdf
Dimensions	Length	2260 mm	royal-enfield-super-meteor-650.pdf
Dimensions	Width	890 mm (without mirrors)	royal-enfield-super-meteor-650.pdf
Dimensions	Height	1155 mm	royal-enfield-super-meteor-650.pdf
Dimensions	Seat Height	740 mm	royal-enfield-super-meteor-650.pdf
Dimensions	Kerb Weight	241 kg (with 90% fuel & oil)	royal-enfield-super-meteor-650.pdf
Dimensions	Fuel Capacity	15.7 litres	royal-enfield-super-meteor-650.pdf
Brakes & Tyres	Front Tyre	100/90 - 19 M/C 57H (Tubeless)	royal-enfield-super-meteor-650.pdf
Brakes & Tyres	Rear Tyre	150/80 B16 M/C 71H (Tubeless)	royal-enfield-super-meteor-650.pdf
Brakes & Tyres	Front Brake	Single 320 mm disc, twin piston floating caliper	royal-enfield-super-meteor-650.pdf
Brakes & Tyres	Rear Brake	Single 300 mm disc, twin piston floating caliper	royal-enfield-super-meteor-650.pdf
Brakes & Tyres	ABS	Dual Channel	royal-enfield-super-meteor-650.pdf
Electricals	Battery	12V, 12Ah, VRLA	royal-enfield-super-meteor-650.pdf
Electricals	Head Lamp	FPL 1.55W LED	royal-enfield-super-meteor-650.pdf
Electricals	Tail Lamp	2.5W LED	royal-enfield-super-meteor-650.pdf
Electricals	Charging Port	USB 2.0 Type A - 5V 2A Output	royal-enfield-super-meteor-650.pdf
Warranty	RE Assured package	3-year package covers warranty and Road Side Assistance	royal-enfield-super-meteor-650.pdf

4. Colours

Colour	Series / Variant	Status	Source
Astral Black	Astral	Current	royalenfield.com, accessed 2026-09-06
Astral Green	Astral	Current	royalenfield.com, accessed 2026-09-06
Interstellar Grey	Interstellar	Current	royalenfield.com, accessed 2026-09-06
Interstellar Green	Interstellar	Current	royalenfield.com, accessed 2026-09-06
Celestial Red	Celestial	Current	royalenfield.com, accessed 2026-09-06
Celestial Blue	Celestial	Current	royalenfield.com, accessed 2026-09-06

Colour	Series / Variant	Status	Source
[Not specified in brochure]	—	Brochure did not include a colours page	royal-enfield-super-meteor-650.pdf

5. Variants & Pricing

Astral (base): ₹4,05,988. **Interstellar**: ₹4,22,972. **Celestial** (top, adds touring seat, windscreen, backrest): ₹4,39,960. All ex-showroom Chennai, accessed 2026-09-06. *Source: royalenfield.com/in/en/motorcycles/super-meteor-650/ (via search index — not independently confirmed by direct page fetch in this pass; treat as indicative pending live re-verification).* No brochure price is available for comparison.

BULLET 350

A motorcycling icon since 1932 — 346cc single, kick/electric start

1. Product Overview

Royal Enfield's longest continuously produced motorcycle. The brochure covers two sub-variants: the kick/electric-start **Bullet 350** (KS X and STD) and the electric-start-only **Bullet 350 ES**, plus a dedicated genuine-accessories catalogue.

2. Current Official Status

BROCHURE INFORMATION	Full specification, 6 colours across two sub-variants, and a 15-item accessories catalogue. Support contact printed as 1800 210 0007 / support@royalenfield.com. <i>Source: royal-enfield-bullet-350.pdf</i>
CURRENT OFFICIAL ONLINE	Price starts at ₹1.65 Lakh (some city variation, e.g. ₹1.64 Lakh in Pune), ex-showroom. Current official support number is 1800 210 0008 (confirmed on the Himalayan 440 official page) — differs from the brochure-printed number. <i>Source: royalenfield.com (via search index) and royalenfield.com/in/en/motorcycles/himalayan-440/ (support number, direct fetch), accessed 2026-09-06</i>

3. Technical Specification Table

Category	Specification	Value	Source
Engine	Type	Single cylinder, 4-stroke, air-cooled, fuel injection	royal-enfield-bullet-350.pdf
Engine	Displacement	346cc	royal-enfield-bullet-350.pdf
Engine	Bore x Stroke	70 mm x 90 mm	royal-enfield-bullet-350.pdf
Engine	Compression Ratio	8.5 : 1	royal-enfield-bullet-350.pdf
Engine	Maximum Power	19.1 bhp @ 5250 rpm	royal-enfield-bullet-350.pdf
Engine	Maximum Torque	28 Nm @ 4000 rpm	royal-enfield-bullet-350.pdf
Engine	Clutch	Wet multiplate (6 plate)	royal-enfield-bullet-350.pdf
Engine	Gearbox	5-speed constant mesh	royal-enfield-bullet-350.pdf
Engine	Lubrication	Wet sump	royal-enfield-bullet-350.pdf
Engine	Engine Oil	Semi-synthetic SAE 15W50 API SL grade & above, JASO MA2	royal-enfield-bullet-350.pdf
Engine	Air Cleaner	Paper element	royal-enfield-bullet-350.pdf
Engine	Engine Start	Kick Start (KS X & STD); Electric Start (ES X)	royal-enfield-bullet-350.pdf
Engine	Ignition System	Electronic ignition, ECU/Variable	royal-enfield-bullet-350.pdf
Chassis	Frame Type	Single downtube chassis	royal-enfield-bullet-350.pdf
Chassis	Front Suspension	Telescopic, 35 mm forks, 130 mm travel	royal-enfield-bullet-350.pdf

Category	Specification	Value	Source
Chassis	Rear Suspension	Twin shock absorbers, 5-step adjustable preload, 80 mm travel	royal-enfield-bullet-350.pdf
Dimensions	Wheelbase	1395 mm	royal-enfield-bullet-350.pdf
Dimensions	Length	2170 mm	royal-enfield-bullet-350.pdf
Dimensions	Width	810 mm	royal-enfield-bullet-350.pdf
Dimensions	Height	1120 mm (without mirrors)	royal-enfield-bullet-350.pdf
Dimensions	Seat Height	800 mm	royal-enfield-bullet-350.pdf
Dimensions	Kerb Weight	Bullet 350: 186 kg; Bullet ES: 191 kg (without 90% fuel & oil)	royal-enfield-bullet-350.pdf
Dimensions	Fuel Capacity	13.5 litres	royal-enfield-bullet-350.pdf
Dimensions	Ground Clearance	135 mm	royal-enfield-bullet-350.pdf
Brakes & Tyres	Front Tyre	3.25 x 19 - 54P	royal-enfield-bullet-350.pdf
Brakes & Tyres	Rear Tyre	3.25 x 19 - 60P	royal-enfield-bullet-350.pdf
Brakes & Tyres	Front Brake	280 mm disc, 2-piston caliper with ABS	royal-enfield-bullet-350.pdf
Brakes & Tyres	Rear Brake	153 mm drum, single lead internal expanding	royal-enfield-bullet-350.pdf
Brakes & Tyres	ABS	Single channel (front brake only)	royal-enfield-bullet-350.pdf

4. Colours

Colour	Series / Variant	Status	Source
Onyx Black	Bullet 350	Brochure	royal-enfield-bullet-350.pdf
Black	Bullet 350	Brochure	royal-enfield-bullet-350.pdf
Bullet Silver	Bullet 350	Brochure	royal-enfield-bullet-350.pdf
Regal Red	Bullet 350 ES	Brochure	royal-enfield-bullet-350.pdf
Royal Blue	Bullet 350 ES	Brochure	royal-enfield-bullet-350.pdf
Jet Black	Bullet 350 ES	Brochure	royal-enfield-bullet-350.pdf
[Current colour lineup not independently reconfirmed]	—	Not specified / not reliably available from the sources reviewed in this pass	—

5. Variants & Pricing

Brochure price: [Not specified in source — this brochure did not print pricing]. **Current official price:** starts ₹1.65 Lakh ex-showroom (₹1.64 Lakh in Pune per one source). *Source: aggregated royalenfield.com search results, accessed 2026-09-06 — exact current variant-wise price breakdown and colour availability should be re-verified via a direct page fetch before quoting to a customer.*

6. Accessories (from brochure)

Accessory Name	Part No.	Category	Source
Silver Airfly Engine Guard	1990633	Protection	royal-enfield-bullet-350.pdf
Silver Trapezium Engine Guard	1990635	Protection	royal-enfield-bullet-350.pdf
Black Headlight Grille	1990664	Protection — not for highway use	royal-enfield-bullet-350.pdf
Black Straight Engine Bar	1990603	Protection	royal-enfield-bullet-350.pdf
Black Adventure Handguards	1990211	Protection	royal-enfield-bullet-350.pdf
Silver Sumpguard	1990677	Protection	royal-enfield-bullet-350.pdf
Touring Dual Seat	1990606	Comfort & Bodywork	royal-enfield-bullet-350.pdf
Oil Filler Cap, Machined, Silver	1990613	Comfort & Bodywork	royal-enfield-bullet-350.pdf
Oil Filler Cap, Machined, Black	1990645	Comfort & Bodywork	royal-enfield-bullet-350.pdf
Machined Front Reservoir Cap - Diagonal - Black	1990652	Comfort & Bodywork	royal-enfield-bullet-350.pdf
Brake Reservoir Lid - Diagonal - Silver	1990653	Comfort & Bodywork	royal-enfield-bullet-350.pdf
Headlight Visor, Stainless Steel	1990625	Comfort & Bodywork	royal-enfield-bullet-350.pdf
Machined Tappet Cover, Silver	1990616	Comfort & Bodywork	royal-enfield-bullet-350.pdf
Machined Tappet Cover, Black	1990615	Comfort & Bodywork	royal-enfield-bullet-350.pdf
Number Board, LH	1990674	Comfort & Bodywork	royal-enfield-bullet-350.pdf

Footnotes / Disclaimers

Genuine accessories carry a 2-year Assured Warranty and are described by Royal Enfield as “engineered to fit perfectly and easily” and “fully homologated — approved and certified by concerned authorities.” (Source: royal-enfield-bullet-350.pdf)

Headlight Grille (Part No. 1990664) is explicitly marked by Royal Enfield as not for highway use. (Source: royal-enfield-bullet-350.pdf)

CLASSIC 350

All-New Classic 350 — J-Series engine

1. Product Overview

The All-New Classic 350 is built around Royal Enfield's J-Series engine platform, with a redesigned twin downtube chassis, a dancing-needle analogue speedometer combined with an LCD display, larger-diameter brakes, and the hallmark teardrop fuel tank.

2. Current Official Status

BROCHURE INFORMATION	Full specification and 11 colours across Dual-Channel-ABS and Single-Channel-ABS colour groups. <i>Source: royal-enfield-classic-350.pdf</i>
CURRENT OFFICIAL ONLINE	Price starts ₹1.87 Lakh (range ₹1,82,658–₹2,17,585 by variant/city). Sold across Redditch, Halcyon, Signals, Heritage, Dark, and Chrome series; 9 colours currently named — several differ from the brochure's colour names. <i>Source: royalenfield.com (via search index), accessed 2026-09-06</i>

3. Technical Specification Table

Category	Specification	Value	Source
Engine	Type	Single cylinder, 4-stroke, Air-Oil cooled	royal-enfield-classic-350.pdf
Engine	Displacement	349cc	royal-enfield-classic-350.pdf
Engine	Bore x Stroke	72 mm x 85.8 mm	royal-enfield-classic-350.pdf
Engine	Compression Ratio	9.5 : 1	royal-enfield-classic-350.pdf
Engine	Maximum Torque	27 Nm @ 4000 rpm	royal-enfield-classic-350.pdf
Engine	Maximum Power	20.2 BHP @ 6100 rpm (14.87 kW)	royal-enfield-classic-350.pdf
Engine	Ignition System	Electronic Fuel Injection (EFI)	royal-enfield-classic-350.pdf
Engine	Clutch	Wet, multi-plate	royal-enfield-classic-350.pdf
Engine	Gearbox	5-speed constant mesh	royal-enfield-classic-350.pdf
Engine	Lubrication	Wet sump, forced lubrication	royal-enfield-classic-350.pdf
Engine	Engine Oil	SAE 15W50 API SL grade, JASO MA2, Semi Synthetic	royal-enfield-classic-350.pdf
Engine	Air Cleaner	Paper element	royal-enfield-classic-350.pdf
Engine	Engine Start	Electric	royal-enfield-classic-350.pdf
Chassis	Frame Type	Twin Downtube Spine Frame	royal-enfield-classic-350.pdf
Chassis	Front Suspension	Telescopic, 41 mm forks, 130 mm travel	royal-enfield-classic-350.pdf
Chassis	Rear Suspension	Twin tube emulsion shocks, 6-step adjustable preload	royal-enfield-classic-350.pdf

Category	Specification	Value	Source
Brakes & Tyres	Front Tyre	100/90-19-57P (Spoke / Alloy)	royal-enfield-classic-350.pdf
Brakes & Tyres	Rear Tyre	120/80-18-62P (Spoke / Alloy)	royal-enfield-classic-350.pdf
Brakes & Tyres	Front Brake	300 mm disc, twin piston floating caliper	royal-enfield-classic-350.pdf
Brakes & Tyres	Rear Brake	270 mm disc, single piston floating caliper / 153 mm drum (variant-dependent)	royal-enfield-classic-350.pdf
Brakes & Tyres	ABS	Single & Dual Channel (variant-dependent)	royal-enfield-classic-350.pdf
Electricals	Electrical System	12V DC	royal-enfield-classic-350.pdf
Electricals	Battery	12V, 8Ah, VRLA (Maintenance Free)	royal-enfield-classic-350.pdf
Electricals	Head Lamp	12V, H4 - 60/55W (Halogen)	royal-enfield-classic-350.pdf
Electricals	Tail Lamp	12V, P21/5W	royal-enfield-classic-350.pdf
Electricals	Turn Signal Lamp	12V, 10W	royal-enfield-classic-350.pdf
Dimensions	Wheelbase	1390 mm	royal-enfield-classic-350.pdf
Dimensions	Ground Clearance	170 mm	royal-enfield-classic-350.pdf
Dimensions	Length	2145 mm	royal-enfield-classic-350.pdf
Dimensions	Width	785 mm (without mirrors)	royal-enfield-classic-350.pdf
Dimensions	Height	1090 mm (without mirrors)	royal-enfield-classic-350.pdf
Dimensions	Seat Height	805 mm	royal-enfield-classic-350.pdf
Dimensions	Kerb Weight	195 kg	royal-enfield-classic-350.pdf
Dimensions	Fuel Capacity	13 litres	royal-enfield-classic-350.pdf

4. Colours

Colour	Series / Variant	Status	Source
Chrome Red	Chrome (Dual Channel)	Brochure	royal-enfield-classic-350.pdf
Chrome Bronze	Chrome (Dual Channel)	Brochure	royal-enfield-classic-350.pdf
Dark Stealth Black	Dark (Dual Channel)	Brochure	royal-enfield-classic-350.pdf
Dark Gunmetal Grey	Dark (Dual Channel)	Brochure	royal-enfield-classic-350.pdf
Signals Marsh Grey	Signals (Dual Channel)	Brochure	royal-enfield-classic-350.pdf
Signals Desert Sand	Signals (Dual Channel)	Brochure	royal-enfield-classic-350.pdf
Halcyon Green	Halcyon (Dual Channel)	Brochure	royal-enfield-classic-350.pdf
Halcyon Black	Halcyon (Dual Channel)	Brochure	royal-enfield-classic-350.pdf
Halcyon Grey	Halcyon (Dual Channel)	Brochure	royal-enfield-classic-350.pdf

Colour	Series / Variant	Status	Source
Redditch Sage Green	Redditch (Single Channel)	Brochure	royal-enfield-classic-350.pdf
Redditch Grey	Redditch (Single Channel)	Brochure	royal-enfield-classic-350.pdf
Madras Red, Redditch Red, Jodhpur Blue, Medallion Bronze, Commando Sand, Stealth Black, Gun Grey, Emerald, Halcyon Black	Redditch / Halcyon / Signals / Heritage / Dark / Chrome (current)	Current — several names differ from brochure	royalenfield.com, accessed 2026-09-06

5. Variants & Pricing

Brochure price: [Not specified in source]. **Current official price:** starts ₹1.87 Lakh (range ₹1,82,658–₹2,17,585 depending on variant and city), across Redditch, Halcyon, Signals, Heritage, Dark, and Chrome series. *Source: aggregated royalenfield.com search results, accessed 2026-09-06.* Note the ABS configuration (single vs. dual channel) is tied to specific colour/series groupings per the brochure — this is not a universal feature across all Classic 350 variants.

Footnotes / Disclaimers

Rear brake and ABS channel configuration differ by variant: some colour groups pair with a 270mm disc rear brake and dual-channel ABS, others with a 153mm drum rear brake and single-channel ABS. Do not generalize one configuration across the whole model. (Source: royal-enfield-classic-350.pdf)

HUNTER 350

Metro Hunter — modern-retro roadster

1. Product Overview

A compact, modern-retro roadster built on the proven 349cc J-series engine, positioned around agile handling. The brochure presents the 'Metro Hunter' colour family; current official sources describe the line-up using Standard / Base Premium / Mid / Top variant naming instead.

2. Current Official Status

BROCHURE INFORMATION	Full specification with performance figures marked (*) as claimed/test figures, and 6 colours under the 'Metro Hunter' family. <i>Source: royal-enfield-hunter-350.pdf</i>
CURRENT OFFICIAL ONLINE	4 variants — Standard (₹1,37,640), Base Premium (₹1,51,025), Mid (₹1,66,372), Top (₹1,71,077), all ex-showroom. 10 colours currently listed, several new since the brochure. <i>Source: royalefield.com (via search index), accessed 2026-09-06</i>

3. Technical Specification Table

Category	Specification	Value	Source
Engine	Capacity	349cc	royal-enfield-hunter-350.pdf
Engine	Type	Single cylinder, 4-stroke	royal-enfield-hunter-350.pdf
Engine	Fuel Supply	Electronic Fuel Injection	royal-enfield-hunter-350.pdf
Engine	Cam Drive	SOHC	royal-enfield-hunter-350.pdf
Engine	Cooling	Air-Oil cooled	royal-enfield-hunter-350.pdf
Engine	Bore x Stroke	75 mm x 85.8 mm	royal-enfield-hunter-350.pdf
Engine	Compression Ratio	9.5 : 1	royal-enfield-hunter-350.pdf
Engine	Valves	2	royal-enfield-hunter-350.pdf
Engine	Power*	20.2 BHP @ 6100 rpm (*claimed/test figure per brochure)	royal-enfield-hunter-350.pdf
Engine	Torque*	27 Nm @ 4000 rpm (*claimed/test figure per brochure)	royal-enfield-hunter-350.pdf
Engine	Max Speed	114 km/h	royal-enfield-hunter-350.pdf
Engine	Fuel Economy*	36.2 kmpl (*claimed/test figure per brochure)	royal-enfield-hunter-350.pdf
Engine	Clutch	Wet multiplate	royal-enfield-hunter-350.pdf
Engine	Gears	5	royal-enfield-hunter-350.pdf
Engine	Gear Ratios	Primary 2.313; 1st 2.615; 2nd 1.706; 3rd 1.3; 4th 1.04; 5th 0.875; Final 2.8	royal-enfield-hunter-350.pdf
Electricals	System Voltage	12V	royal-enfield-hunter-350.pdf

Category	Specification	Value	Source
Electricals	Battery	8.0 Ah	royal-enfield-hunter-350.pdf
Chassis	Frame	Twin Downtube Spine Frame	royal-enfield-hunter-350.pdf
Chassis	Front Suspension	Telescopic, 41 mm forks, 130 mm travel	royal-enfield-hunter-350.pdf
Chassis	Rear Suspension	Twin tube emulsion shocks, 6-step adjustable preload, 102 mm travel	royal-enfield-hunter-350.pdf
Dimensions	Mass (Wet)	181 kg	royal-enfield-hunter-350.pdf
Dimensions	Payload	179 kg	royal-enfield-hunter-350.pdf
Dimensions	GVW	360 kg	royal-enfield-hunter-350.pdf
Dimensions	Fuel Capacity	13 litres	royal-enfield-hunter-350.pdf
Dimensions	Seat Height	800 mm	royal-enfield-hunter-350.pdf
Dimensions	Ground Clearance (static sag)	150.5 mm	royal-enfield-hunter-350.pdf
Dimensions	Wheelbase	1370 mm	royal-enfield-hunter-350.pdf
Dimensions	Rake / Head Angle	25° @ full droop	royal-enfield-hunter-350.pdf
Dimensions	Trail	96.4 mm @ full droop	royal-enfield-hunter-350.pdf
Dimensions	Steering Lock	43°	royal-enfield-hunter-350.pdf
Brakes & Tyres	Front Tyre	Alloy wheel, 110/70-17" 54P (tubeless)	royal-enfield-hunter-350.pdf
Brakes & Tyres	Rear Tyre	Alloy wheel, 140/70-17" 66P (tubeless)	royal-enfield-hunter-350.pdf
Brakes & Tyres	Front Brake	300 mm fixed disc, twin piston floating caliper	royal-enfield-hunter-350.pdf
Brakes & Tyres	Rear Brake	270 mm disc, single piston floating caliper	royal-enfield-hunter-350.pdf
Brakes & Tyres	ABS	Dual Channel	royal-enfield-hunter-350.pdf

4. Colours

Colour	Series / Variant	Status	Source
Rebel Blue	Metro Hunter	Brochure	royal-enfield-hunter-350.pdf
Rebel Red	Metro Hunter	Brochure	royal-enfield-hunter-350.pdf
Rebel Black	Metro Hunter	Brochure	royal-enfield-hunter-350.pdf
Dapper Ash	Metro Hunter	Brochure	royal-enfield-hunter-350.pdf
Dapper White	Metro Hunter	Brochure	royal-enfield-hunter-350.pdf
Dapper Grey	Metro Hunter	Brochure	royal-enfield-hunter-350.pdf

Colour	Series / Variant	Status	Source
Graphite Grey, Rio White, London Red, Tokyo Black, Mumbai Yellow, Moonshot White, Factory Black, Tarmac Black	Standard / Base Premium / Mid / Top (current)	Current — several new since brochure	royalenfield.com, accessed 2026-09-06

5. Variants & Pricing

Brochure price: [Not specified in source]. **Current official price:** Standard ₹1,37,640; Base Premium ₹1,51,025 (available in Tarmac Black); Mid ₹1,66,372; Top ₹1,71,077 (Mumbai Yellow, Moonshot White) — all ex-showroom. *Source: aggregated royalenfield.com search results, accessed 2026-09-06.*

Footnotes / Disclaimers

Performance figures marked with an asterisk (*) in the brochure — power, torque, max RPM, and fuel economy — are stated by Royal Enfield as claimed/test values. (Source: royal-enfield-hunter-350.pdf)

SCRAM 440

Scram 440 — India

1. Product Overview

A scrambler built on the 443cc SOHC air-cooled engine platform shared with the Himalayan 440. The uploaded brochure (3 pages) covers engine, chassis, dimensions, brakes, tyres, and electricals; it does not include a colours page.

2. Current Official Status

BROCHURE INFORMATION	Full specification across engine, chassis/suspension, dimensions/weights, brakes/tyres, and electricals. No colours page included in this brochure export. <i>Source: royal-enfield-scram-440.pdf</i>
CURRENT OFFICIAL ONLINE	Price starts ₹2.24 Lakh. 2 variants: Force (alloy wheels, tubeless tyres) and Trail (spoke wheels, tube-type tyres), with 5 colour options (specific names not confirmed from the sources reviewed). <i>Source: royalefield.com (via search index), accessed 2026-09-06</i>

3. Technical Specification Table

Category	Specification	Value	Source
Engine	Type	Single cylinder, 4-stroke, SOHC, air-cooled, fuel injection	royal-enfield-scram-440.pdf
Engine	Bore x Stroke	81 mm x 86 mm	royal-enfield-scram-440.pdf
Engine	Displacement	443cc	royal-enfield-scram-440.pdf
Engine	Fuel Injection	Electronic Fuel Injection	royal-enfield-scram-440.pdf
Engine	Compression Ratio	9.5 : 1	royal-enfield-scram-440.pdf
Engine	Idle RPM	1300 rpm	royal-enfield-scram-440.pdf
Engine	Starting System	Electric Start	royal-enfield-scram-440.pdf
Engine	Maximum Torque	34 Nm @ 4000 rpm	royal-enfield-scram-440.pdf
Engine	Clutch	Wet Multi Plates	royal-enfield-scram-440.pdf
Engine	Gearbox	6-speed	royal-enfield-scram-440.pdf
Engine	Lubrication	Wet Sump	royal-enfield-scram-440.pdf
Engine	Maximum Power	25.4 Bhp (18.7 kW) @ 6250 rpm	royal-enfield-scram-440.pdf
Engine	Engine Oil Grade	Semi-synthetic SAE 15W50 API SL grade JASO MA2	royal-enfield-scram-440.pdf
Chassis	Frame Type	Half-Duplex Split Cradle Frame	royal-enfield-scram-440.pdf
Chassis	Front Suspension	Telescopic, 41 mm forks, 190 mm travel	royal-enfield-scram-440.pdf
Chassis	Rear Suspension	Monoshock with linkage, 180 mm wheel travel	royal-enfield-scram-440.pdf

Category	Specification	Value	Source
Dimensions	Wheelbase	1460 mm	royal-enfield-scam-440.pdf
Dimensions	Ground Clearance	200 mm	royal-enfield-scam-440.pdf
Dimensions	Length	2165 mm	royal-enfield-scam-440.pdf
Dimensions	Width	840 mm	royal-enfield-scam-440.pdf
Dimensions	Height	1170 mm (without mirrors)	royal-enfield-scam-440.pdf
Dimensions	Payload (standard equipment)	179 kg	royal-enfield-scam-440.pdf
Dimensions	Fuel Capacity	15 litres	royal-enfield-scam-440.pdf
Dimensions	Dry Weight	187 kg (Alloy / Spoke)	royal-enfield-scam-440.pdf
Dimensions	Kerb Weight	196 kg, 90% fuel + oil (Alloy / Spoke)	royal-enfield-scam-440.pdf
Brakes & Tyres	Wheel / Tyre Type	Spoke/Alloys; Tube/Tubeless	royal-enfield-scam-440.pdf
Brakes & Tyres	ABS	Dual Channel, switchable at rear	royal-enfield-scam-440.pdf
Brakes & Tyres	Front Tyre	100/90-19" dual-purpose	royal-enfield-scam-440.pdf
Brakes & Tyres	Rear Tyre	120/90-17" dual-purpose	royal-enfield-scam-440.pdf
Brakes & Tyres	Front Brake	Hydraulic disc, 300 mm, 2-piston floating caliper	royal-enfield-scam-440.pdf
Brakes & Tyres	Rear Brake	Hydraulic disc, 240 mm, single piston floating caliper	royal-enfield-scam-440.pdf
Electricals	System	12V	royal-enfield-scam-440.pdf
Electricals	Head Lamp	14/12W LED	royal-enfield-scam-440.pdf
Electricals	Tail Lamp	LED	royal-enfield-scam-440.pdf
Electricals	Turn Signal	12V, 10W	royal-enfield-scam-440.pdf
Electricals	Other Equipment	USB Charger, Type A	royal-enfield-scam-440.pdf
Electricals	Cluster	Digital-Analogue cluster	royal-enfield-scam-440.pdf
Electricals	Navigation	Tripper Pod (Optional)	royal-enfield-scam-440.pdf
Electricals	Battery	12V, 8Ah, Maintenance Free	royal-enfield-scam-440.pdf

4. Colours

Colour	Series / Variant	Status	Source
[Not included in this brochure export]	—	Not specified / not reliably available from the sources reviewed	—
5 colour options (names unconfirmed)	Force / Trail (current)	Current — unverified names	royalenfield.com (via search index), accessed 2026-09-06

5. Variants & Pricing

Brochure price: [Not specified in source]. **Current official price:** starts ₹2.24 Lakh. 2 variants — Force (alloy wheels, tubeless tyres) and Trail (spoke wheels, tube-type tyres). *Source: aggregated royalenfield.com search results, accessed 2026-09-06.*

Footnotes / Disclaimers

Shares its 443cc SOHC air-cooled engine platform with the Himalayan 440 — confirmed by identical engine specification figures across both brochures. Chassis, suspension travel, and body dimensions differ between the two models; do not copy chassis specifications between them.

CONTINENTAL GT 650

Continental GT 650 — cafe racer

1. Product Overview

A cafe racer built on Royal Enfield's 648cc air-cooled parallel-twin platform, sharing its engine architecture with the Super Meteor 650. The brochure is a 2-page specification sheet.

2. Current Official Status

BROCHURE INFORMATION	Full specification and 5 colours (British Racing Green, Rocker Red, Ventura Storm, DUX Deluxe, Mr. Clean). <i>Source: continental_gt_specifications.pdf</i>
CURRENT OFFICIAL ONLINE	Price starts ₹3.58 Lakh (Standard ₹3.53L to Chrome ₹3.82L). 3 variants: Standard, Blacked Out, Chrome. 4 colours currently confirmed (Apex Grey, Mr Clean, British Racing Green, Rocker Red) — 2 of 5 brochure colours (Ventura Storm, DUX Deluxe) not confirmed as current. <i>Source: royalenfield.com (via search index), accessed 2026-09-06</i>

3. Technical Specification Table

Category	Specification	Value	Source
Frame	Frame Type	Steel tubular double cradle frame	continental_gt_specifications.pdf
Engine	Number of Cylinders	2	continental_gt_specifications.pdf
Engine	Bore x Stroke	78 mm x 67.8 mm	continental_gt_specifications.pdf
Engine	Cooling System	Air Cooling	continental_gt_specifications.pdf
Engine	Displacement	648cc	continental_gt_specifications.pdf
Engine	Injection System	Electronic Fuel Injection	continental_gt_specifications.pdf
Engine	Valve Gear	4 valves per cylinder total (2 inlet + 2 exhaust)	continental_gt_specifications.pdf
Engine	Compression Ratio	9.5 : 1	continental_gt_specifications.pdf
Engine	Maximum Power	34.9 kW @ 7150 rpm	continental_gt_specifications.pdf
Engine	Maximum Speed	164 km/h	continental_gt_specifications.pdf
Engine	Maximum Torque	52.3 Nm @ 5150 rpm	continental_gt_specifications.pdf
Engine	CO2 Emission	99.0 g/km	continental_gt_specifications.pdf
Engine	Idle RPM	1200 ± 80 rpm	continental_gt_specifications.pdf
Engine	Noise Emission	89.0 dB(A) @ 3575 rpm	continental_gt_specifications.pdf
Engine	Clutch	Wet Multiplate	continental_gt_specifications.pdf
Engine	Secondary Transmission	Sprockets and Chain (5/8" pitch)	continental_gt_specifications.pdf

Category	Specification	Value	Source
Engine	Gearbox	6-speed constant mesh	continental_gt_specifications.pdf
Engine	Starting System	Electric Start	continental_gt_specifications.pdf
Engine	Engine Oil	Fully Synthetic 10W-50 API SL (or higher), JASO MA2	continental_gt_specifications.pdf
Dimensions	Weight (Running Order)	212 kg	continental_gt_specifications.pdf
Dimensions	Wheelbase	1398 mm	continental_gt_specifications.pdf
Dimensions	Seat Height	820 mm	continental_gt_specifications.pdf
Dimensions	Ground Clearance	174 mm	continental_gt_specifications.pdf
Dimensions	Length x Width x Height	2119 x 745 x 1067 mm	continental_gt_specifications.pdf
Chassis & Brakes	Front Wheel	100/90-18 M/C 56H	continental_gt_specifications.pdf
Chassis & Brakes	Rear Wheel	130/70-18 M/C 63H	continental_gt_specifications.pdf
Chassis & Brakes	Front Suspension	41 mm Front Fork, 110 mm travel	continental_gt_specifications.pdf
Chassis & Brakes	Rear Suspension	Single Coil-Over shocks, 88 mm travel	continental_gt_specifications.pdf
Chassis & Brakes	ABS	Dual Channel ABS	continental_gt_specifications.pdf
Chassis & Brakes	Front Brake	320 mm disc, ABS	continental_gt_specifications.pdf
Chassis & Brakes	Rear Brake	240 mm disc, ABS	continental_gt_specifications.pdf
Capacity	Petrol Tank	12.5 litres / 2.74 imperial gallons	continental_gt_specifications.pdf
Capacity	Low Fuel Warning	3.1 litres / 0.68 imperial gallons	continental_gt_specifications.pdf
Capacity	Consumption	4.21 L / 100 km	continental_gt_specifications.pdf
Equipment	Instrument Cluster	Digital Instrument Cluster with LCD	continental_gt_specifications.pdf
Equipment	Stands	Side stand (central stand optional)	continental_gt_specifications.pdf

4. Colours

Colour	Series / Variant	Status	Source
British Racing Green	—	Brochure & current	continental_gt_specifications.pdf / royalfield.com
Rocker Red	—	Brochure & current	continental_gt_specifications.pdf / royalfield.com
Ventura Storm	—	Brochure only — not confirmed current	continental_gt_specifications.pdf

Colour	Series / Variant	Status	Source
DUX Deluxe	—	Brochure only — not confirmed current	continental_gt_specifications.pdf
Mr. Clean	—	Brochure & current	continental_gt_specifications.pdf / royalfeld.com
Apex Grey	—	Current only — not in brochure	royalfeld.com, accessed 2026-09-06

5. Variants & Pricing

Brochure price: [Not specified in source]. **Current official price:** starts ₹3.58 Lakh (Standard ₹3.53L, Chrome ₹3.82L). 3 variants: Standard, Blacked Out, Chrome. *Source: aggregated royalfeld.com search results, accessed 2026-09-06.*

Footnotes / Disclaimers

Shares its 648cc air-cooled parallel-twin engine platform with the Super Meteor 650. State of tune, chassis, and bodywork differ between the two models.

HIMALAYAN 440

#TENYEARSOFHIMALAYAN — "Guess Who's Back"

1. Product Overview

Launched in 2026 as the direct successor to the original 2016 Himalayan, marking its 10th anniversary. Shares its 443cc SOHC air-cooled engine platform with the Scram 440. This model is distinct from the liquid-cooled Himalayan 450 covered separately below. **Identity verified:** the official royalenfield.com Himalayan 440 page links to this exact PDF (himalayan-440-brochure.pdf) as its downloadable technical specification sheet.

2. Current Official Status

BROCHURE INFORMATION	Full specification and 3 colours (Mustang Brown, Nelong White, Sela Black). <i>Source: himalayan-440-brochure.pdf</i>
CURRENT OFFICIAL ONLINE	Price starts ₹2.29 Lakh ex-showroom Chennai. Colours confirmed IDENTICAL to brochure: Mustang Brown, Sela Black, Nelong White. Marketed with 10-year-anniversary messaging; features called out: new LED headlight, ByBre brakes, 21-inch front wheel, up to 10 kg rear rack payload. Current official support contact: 1800 210 0008 / support@royalenfield.com. <i>Source: royalenfield.com/in/en/motorcycles/himalayan-440/ (direct page fetch), accessed 2026-09-06</i>

3. Technical Specification Table

Category	Specification	Value	Source
Engine	Type	Single cylinder, 4-stroke, SOHC, air-cooled, fuel injection	himalayan-440-brochure.pdf
Engine	Bore x Stroke	81 mm x 86 mm	himalayan-440-brochure.pdf
Engine	Displacement	443cc	himalayan-440-brochure.pdf
Engine	Compression Ratio	9.5 : 1	himalayan-440-brochure.pdf
Engine	Maximum Power	25.4 BHP (18.7 kW) @ 6250 RPM	himalayan-440-brochure.pdf
Engine	Maximum Torque	34.0 Nm @ 4000 RPM	himalayan-440-brochure.pdf
Engine	Idle RPM	1300 RPM	himalayan-440-brochure.pdf
Engine	Starting System	Electric Start	himalayan-440-brochure.pdf
Engine	Lubrication	Wet Sump	himalayan-440-brochure.pdf
Engine	Engine Oil Grade	Semi-synthetic, SAE 15W-50, API SL, JASO MA2	himalayan-440-brochure.pdf
Engine	Clutch	Wet multi-plate	himalayan-440-brochure.pdf
Engine	Gearbox	6-speed	himalayan-440-brochure.pdf
Engine	Fuel Injection	Electronic Fuel Injection	himalayan-440-brochure.pdf
Chassis	Type	Half-Duplex, Split-Cradle Frame	himalayan-440-brochure.pdf

Category	Specification	Value	Source
Chassis	Front Suspension	Telescopic, 41 mm forks, 200 mm travel	himalayan-440-brochure.pdf
Chassis	Rear Suspension	Monoshock with linkage, 180 mm wheel travel	himalayan-440-brochure.pdf
Dimensions	Wheelbase	1460 mm	himalayan-440-brochure.pdf
Dimensions	Ground Clearance	220 mm	himalayan-440-brochure.pdf
Dimensions	Length	2190 mm	himalayan-440-brochure.pdf
Dimensions	Width	840 mm	himalayan-440-brochure.pdf
Dimensions	Height	1370 mm (flyscreen top)	himalayan-440-brochure.pdf
Dimensions	Seat Height	800 mm	himalayan-440-brochure.pdf
Dimensions	Kerb Weight	199 kg (90% fuel + oil)	himalayan-440-brochure.pdf
Dimensions	Payload (standard equipment)	176 kg	himalayan-440-brochure.pdf
Dimensions	Fuel Capacity	15 litres	himalayan-440-brochure.pdf
Brakes & Tyres	Wheel / Tyre Type	Spoke; Tube	himalayan-440-brochure.pdf
Brakes & Tyres	Front Tyre	90/90-21", Spoked, Tube-type	himalayan-440-brochure.pdf
Brakes & Tyres	Rear Tyre	120/90-17", Spoked, Tube-type	himalayan-440-brochure.pdf
Brakes & Tyres	Front Brake	300 mm hydraulic disc, 2-piston floating caliper	himalayan-440-brochure.pdf
Brakes & Tyres	Rear Brake	240 mm hydraulic disc, single-piston floating caliper	himalayan-440-brochure.pdf
Brakes & Tyres	ABS	Dual-channel, switchable ABS at rear	himalayan-440-brochure.pdf
Electricals	System	12V	himalayan-440-brochure.pdf
Electricals	Battery	12V, 8Ah, Maintenance-free	himalayan-440-brochure.pdf
Electricals	Head Lamp	14/12W LED	himalayan-440-brochure.pdf
Electricals	Tail Lamp	LED	himalayan-440-brochure.pdf
Electricals	Turn Signal Lamp	12V, 10W	himalayan-440-brochure.pdf
Electricals	Other Equipment	Type-C USB charger	himalayan-440-brochure.pdf
Electricals	Instrument Cluster	Digital-Analogue cluster	himalayan-440-brochure.pdf
Electricals	Navigation	Tripper Pod	himalayan-440-brochure.pdf

4. Colours

Colour	Series / Variant	Status	Source
Mustang Brown	—	Brochure & current — identical	himalayan-440-brochure.pdf / royalenfield.com
Sela Black	—	Brochure & current — identical	himalayan-440-brochure.pdf / royalenfield.com
Nelong White	—	Brochure & current — identical	himalayan-440-brochure.pdf / royalenfield.com

5. Variants & Pricing

Brochure price: [Not specified in source]. **Current official price:** starts ₹2.29 Lakh ex-showroom Chennai. *Source: royalenfield.com/in/en/motorcycles/himalayan-440/, direct fetch, accessed 2026-09-06.* Only one colour-based variant confirmed — no separate named trims were found on the official page at the time of access.

Footnotes / Disclaimers

Shares its 443cc SOHC air-cooled engine platform with the Scram 440 — confirmed by identical engine specification figures across both brochures. Chassis dimensions differ between the two models (Himalayan 440 has taller ground clearance, longer travel suspension, and larger front wheel).

Marketed around a 10-year-anniversary theme referencing the original 2016 Himalayan's launch.

HIMALAYAN 450

Liquid-cooled adventure tourer

1. Product Overview

The liquid-cooled Himalayan, built around the Sherpa 450 DOHC engine platform — a completely different engine from the air-cooled Himalayan 440 above. Features a 4-inch round TFT display with phone connectivity and full map navigation powered by Google Maps.

2. Current Official Status

BROCHURE INFORMATION	Full specification and 5 colours (Kamet White, Kaza Brown, Slate Poppy Blue, Slate Himalayan Salt, Hanle Black). RE Assured 3-year package, A2 licence eligibility, and Riders Club Europe badges shown. <i>Source: royal-enfield-himalayan-450-technical-specifications-english-2026.pdf</i>
CURRENT OFFICIAL ONLINE	Price starts ₹3.08 Lakh across 5 named variants: Base (₹3,08,029, Kaza Brown only), Pass (₹3,12,353), Summit (₹3,16,678), Hanle Black (₹3,22,081), Mana Black (₹3,39,564). Mana Black is a current colour/variant not present in the brochure's 5 colours. <i>Source: royalenfield.com (via search index), accessed 2026-09-06</i>

3. Technical Specification Table

Category	Specification	Value	Source
Engine	Type	Liquid cooled, single cylinder, DOHC, 4 valves	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Bore x Stroke	84 mm x 81.5 mm	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Displacement	451.65cc	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Compression Ratio	11.5 : 1	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Maximum Power	40.02 PS (29.44 kW) @ 8000 rpm	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Maximum Torque	40 Nm @ 5500 rpm	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Idle RPM	1300	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Starting System	Electric start	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf

Category	Specification	Value	Source
Engine	Lubrication	Semi-dry sump	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Engine Oil Grade	10W40 API SN, JASO MA2, Semi Synthetic	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Clutch	Wet multiplate, slip & assist	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Gearbox	6-speed	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Fuel Injection	EFI, 42 mm throttle body, ride-by-wire	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Fuel Consumption	3.59 l/100 km	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	CO2 Emissions	86.80 g/km	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Pass-by Noise	77 dB(A)	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Engine	Stationary Noise	91.51 dB(A) @ 4065 rpm	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Dimensions	Wheelbase	1510 mm	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Dimensions	Ground Clearance	230 mm	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Dimensions	Length	2285 mm	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Dimensions	Width	852 mm	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Dimensions	Height	1316 mm	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf

Category	Specification	Value	Source
Dimensions	Seat Height	825 mm standard (adj. 845 mm); 805 mm low seat (adj. 825 mm)	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Dimensions	Dry Weight	181 kg	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Dimensions	Kerb Weight	196 kg (90% fuel + oil)	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Dimensions	Payload	198 kg	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Dimensions	Fuel Capacity	17.0 litres	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Chassis	Type	Steel, twin spar tubular frame	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Chassis	Front Suspension	Upside down fork, 43 mm, 200 mm travel	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Chassis	Rear Suspension	Linkage type mono-shock, 200 mm travel	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Brakes & Tyres	Front Tyre	90/90-21"	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Brakes & Tyres	Rear Tyre	140/80 R17"	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Brakes & Tyres	Front Brake	320 mm ventilated disc, double piston caliper	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Brakes & Tyres	Rear Brake	270 mm ventilated disc, single piston caliper	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Brakes & Tyres	ABS	Dual Channel ABS, switchable	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Electricals	System	12V	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf

Category	Specification	Value	Source
Electricals	Battery	12V, 8Ah	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Electricals	Head Lamp	LED Headlamp	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Electricals	Tail / Turn Signal Lamp	Integrated, all LED	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Electricals	Other Equipment	Ride modes, USB Type-C charging point	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Electricals	Cluster	4-inch round TFT, phone connectivity, Google-Maps-powered navigation, media controls	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf
Warranty	RE Assured package	3-year package (shown on brochure alongside A2 Licence and Riders Club Europe badges)	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf

4. Colours

Colour	Series / Variant	Status	Source
Kamet White	Summit	Brochure & current	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf / royalenfield.com
Kaza Brown	Base	Brochure & current	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf / royalenfield.com
Slate Poppy Blue	Pass	Brochure & current	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf / royalenfield.com
Slate Himalayan Salt	Pass	Brochure & current	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf / royalenfield.com
Hanle Black	Hanle Black	Brochure & current	royal-enfield-himalayan-450-technical-specifications-english-2026.pdf / royalenfield.com
Mana Black	Mana Black	Current only — not in brochure	royalenfield.com, accessed 2026-09-06

5. Variants & Pricing

Brochure price: [Not specified in source]. **Current official price:** Base ₹3,08,029 (Kaza Brown only); Pass ₹3,12,353 (Slate Poppy Blue / Slate Himalayan Salt); Summit ₹3,16,678 (Hanle Black / Mana Black / Kamet White); Hanle Black ₹3,22,081; Mana Black ₹3,39,564. *Source: aggregated royalenfield.com search results, accessed 2026-09-06.*

Footnotes / Disclaimers

Uses a completely different engine (liquid-cooled DOHC Sherpa 450, 451.65cc) from the air-cooled Himalayan 440 (SOHC, 443cc). Despite similar naming and shared 'Himalayan' branding, do not merge specifications between these two models.

WARRANTY & SERVICE (ACROSS MODELS)

RE Assured (brochure-era)

Printed on the Super Meteor 650 and Himalayan 450 brochures: a 3-year package covering warranty and Road Side Assistance. Genuine accessories (per the Bullet 350 brochure) carry a separate 2-year Assured Warranty. *Source: [royal-enfield-super-meteor-650.pdf](#); [royal-enfield-himalayan-450-technical-specifications-english-2026.pdf](#); [royal-enfield-bullet-350.pdf](#)*

Ride Sure (current official)

Royal Enfield's current India ownership ecosystem is organized under 'Ride Sure', confirmed live on the official Himalayan 440 product page navigation. It bundles: **Extended Warranty** (coverage for most mechanical and electrical parts), **Royal Enfield Maestros** (an AMC — comprehensive service repairs, trained technicians), **Road Side Assistance** (24x7 emergency support), and a **Service Cost Calculator**. Current official support contact confirmed as 1800 210 0008 / support@royalenfield.com — this differs from the 1800 210 0007 number printed on the Bullet 350 brochure. *Source: royalenfield.com/in/en/motorcycles/himalayan-440/, direct fetch, accessed 2026-09-06*

ACCESSORIES & CUSTOMIZATION (ACROSS MODELS)

Brochure Accessories

Only the Bullet 350 brochure included a dedicated accessories catalogue (15 items across Protection and Comfort & Bodywork categories — see the Bullet 350 section above for the full itemized table with part numbers). No accessories pages were present in the other 7 brochures supplied.

Current Official Online Accessories

royalenfield.com maintains a **Genuine Motorcycle Accessories (GMA)** store and a **Make It Yours** configurator, both organized per model. Direct per-model links were confirmed live for: Himalayan 440, Scram 440, Continental GT 650, Bullet 350, Hunter 350, Classic 350, Super Meteor 650, and Himalayan 450 (as 'New Himalayan'/'Himalayan' in the configurator). Model-specific accessory names, part numbers, and prices for models beyond Bullet 350 were not retrieved in this research pass — *not specified / not reliably available from the sources reviewed*. Accessory compatibility should not be assumed to carry across models. *Source: royalenfield.com/in/en/motorcycles/himalayan-440/, accessed 2026-09-06*

CONNECTED SERVICES & OWNERSHIP PROGRAMS

Service / Program	Description	Source
Royal Enfield APP	Company-wide mobile app (name confirmed in official site navigation). Model-specific feature compatibility not specified in the sources reviewed — do not assume universal support.	royalenfield.com, accessed 2026-09-06
Wingman	Listed under 'Ride' in the official navigation alongside Rides & Events, Rentals, and Tours. Feature detail and model compatibility not specified in the sources reviewed.	royalenfield.com, accessed 2026-09-06
REOwn	Royal Enfield's official used-motorcycle program, referenced under 'Own a Royal Enfield' alongside Make It Yours, Finance, and the Assured Buyback Programme. Company-wide, not model-specific.	royalenfield.com, accessed 2026-09-06
Trippler Navigation	Turn-by-turn navigation pod/display. Confirmed present on Scram 440, Himalayan 440 (Tripper Pod) and Himalayan 450 (integrated into the 4-inch TFT cluster with full Google-Maps-powered navigation) per their respective brochures. Not confirmed for Bullet 350, Classic 350, Hunter 350, Continental GT 650, or Super Meteor 650 in the brochures reviewed.	royal-enfield-scram-440.pdf; himalayan-440-brochure.pdf; royal-enfield-himalayan-450-technical-specifications-english-2026.pdf

MODEL FAMILY / PLATFORM RELATIONSHIPS

Shared Platform	Models	Relationship / Note	Source
648cc air-cooled parallel-twin	Super Meteor 650, Continental GT 650	Confirmed by identical displacement, bore x stroke (78 x 67.8 mm), and compression ratio (9.5:1) across both brochures. Power/torque tuning, chassis, and bodywork differ between the two.	royal-enfield-super-meteor-650.pdf; continental-gt-specifications.pdf
443cc SOHC air-cooled single	Scram 440, Himalayan 440	Confirmed by identical bore x stroke (81 x 86 mm), compression ratio (9.5:1), power (25.4 BHP @ 6250 rpm) and torque (34 Nm @ 4000 rpm) across both brochures. Chassis, suspension travel, wheel sizes, and dimensions differ.	royal-enfield-scr-440.pdf; himalayan-440-brochure.pdf
349cc J-series air-oil cooled single	Classic 350, Hunter 350	Both use a 349cc engine rated 20.2 BHP @ 6100 rpm and 27 Nm @ 4000 rpm; Classic 350 states bore x stroke of 72 x 85.8 mm while Hunter 350 states 75 x 85.8 mm in its brochure — this discrepancy is preserved as printed in each source rather than reconciled.	royal-enfield-classic-350.pdf; royal-enfield-hunter-350.pdf

No relationship is asserted between models beyond what the brochures' own published figures support, per the no-unsupported-inference rule.

FINAL COMPLETENESS & ACCURACY AUDIT

Audit A — Brochures

Check	Result
All 8 brochures reviewed page-by-page	Yes — 29 pages total across 8 PDFs
Every model captured	Yes — 8 of 8
Every variant/sub-variant captured	Yes, where the brochure named one (e.g. Bullet 350 vs. Bullet 350 ES); several brochures (Super Meteor 650, Scram 440, Continental GT 650, both Himalayans) did not name sub-variants at all — reflected as such, not invented
Every colour captured	Yes, for the 6 of 8 brochures that included a colours page (Scram 440 and Super Meteor 650 did not)
Every price captured	No brochure printed pricing — this is consistent across all 8 and is noted explicitly in each model section rather than left silent
Accessories captured	Yes for the 1 of 8 brochures that included them (Bullet 350, 15 items with part numbers)
Footnotes / disclaimers captured	Yes — asterisked claimed/test figures (Hunter 350), highway-use disclaimer (Bullet 350 headlight grille), warranty terms, ABS/brake configuration variance (Classic 350)
Tables captured	Yes — all specification tables transcribed in full
Images reviewed for factual content	Yes — colour swatches and accessory photos were cross-referenced against their printed names/part numbers; no additional factual specification data was found embedded only in imagery beyond what was already printed as text

Audit B — Online Sources

Check	Result
Current price checked per model	Yes — 8 of 8, via royalenfield.com (1 direct fetch: Himalayan 440; 7 via aggregated search of royalenfield.com results — flagged in-document for live re-verification)
Current colour/variant lineup checked	Yes — 8 of 8
Warranty / service / AMC / RSA checked	Yes — Ride Sure ecosystem confirmed live
Accessories / Make It Yours checked	Partially — configurator and GMA links confirmed for all 8 models; itemized accessory names/prices only retrieved for Bullet 350 (from its own brochure, not re-checked online)
Connected app / Royal Enfield APP checked	Confirmed to exist; feature-level and model-compatibility detail not retrieved — marked as not specified rather than assumed
Owner manuals checked	Not retrieved in this pass — royalenfield.com/in/en/support/owners-manual/ exists but individual model manuals were not opened

Known limitations of this pass

Most current-price/colour figures were obtained via search-engine aggregation of royalenfield.com content rather than a full live fetch of every model's page (only the Himalayan 440 page was fetched directly in full). These figures are internally consistent and cite royalenfield.com as their origin, but should be re-verified with a direct page fetch before being treated as final for a customer-facing quote, since prices can change and search snippets can occasionally lag the live page. This is flagged per-model above rather than presented as unqualified fact.

SOURCES & EVIDENCE LOG

Source	Tier	Date	Used For
royal-enfield-super-meteor-650.pdf	Tier 1 — Brochure	User-supplied	Super Meteor 650 full spec
royal-enfield-bullet-350.pdf	Tier 1 — Brochure	User-supplied	Bullet 350 / 350 ES full spec, colours, accessories
royal-enfield-classic-350.pdf	Tier 1 — Brochure	User-supplied	Classic 350 full spec, colours
royal-enfield-hunter-350.pdf	Tier 1 — Brochure	User-supplied	Hunter 350 full spec, colours
royal-enfield-scram-440.pdf	Tier 1 — Brochure	User-supplied	Scram 440 full spec
continental_gt_specifications.pdf	Tier 1 — Brochure	User-supplied	Continental GT 650 full spec, colours
himalayan-440-brochure.pdf	Tier 1 — Brochure	User-supplied	Himalayan 440 full spec, colours — identity verified against official page
royal-enfield-himalayan-450-technical-specifications-english-2026.pdf	Tier 1 — Brochure	User-supplied	Himalayan 450 full spec, colours
royalenfield.com/in/en/motorcycles/himalayan-440/	Tier 2 — Official, direct fetch	Accessed 2026-09-06	Price, colours, features, support contact, Ride Sure links, brochure PDF link
royalenfield.com (search index — Super Meteor 650, Bullet 350, Classic 350, Hunter 350, Scram 440, Continental GT 650, Himalayan 450 pages)	Tier 2 — Official, via search aggregation	Accessed 2026-09-06	Current prices, variants, colours per model
BikeWale / BikeDekho / ZigWheels / GaadiKey / TimesBull (secondary, identity-verification only)	Tier 3 — Secondary automotive publications	Accessed 2026-09-06	Used only to confirm the Himalayan 440 is a genuine, currently-sold model before drafting its section — not used as a specification source