

AI VIDEO ANIMATION MASTER SPECIFICATION

Visual / Animation Breakdown Reference for the Supplied YouTube Video

Important limitation: This document is an implementation-oriented specification based on the supplied video's identifiable presentation and the requested visual characteristics. The YouTube page itself does not expose the full frame sequence to the document-generation tool, so exact shot-by-shot timings, frame-accurate camera paths, and every individual effect should be validated against the actual video file.

Reference video: BLUE HULK vs RED HULK EPIC BATTLE! However, HULK Unexpected SAVE Changes Everything!

1. CORE VISUAL TARGET

Build an energetic, polished, cinematic 3D animated-video presentation rather than a slideshow. The scene should feel continuously alive: characters breathe and shift weight, environments contain secondary motion, cameras move with purpose, impacts create environmental reactions, and transitions preserve visual continuity. Avoid static character poses, frozen backgrounds, simple block diagrams, or objects merely appearing/disappearing.

2. CHARACTER ANIMATION

Characters should use full-body 3D animation with readable silhouettes and strong anticipation/action/recovery phases. Use weight transfer through hips and torso, arm and shoulder follow-through, head reactions, foot planting, bending of knees and elbows, and secondary motion after major actions. Do not animate only the hands or translate the whole character as one rigid object.

3. ACTION ANIMATION LANGUAGE

Major actions should be staged as: anticipation → acceleration → primary action → impact/reaction → recovery. Use brief holds before major actions so the audience can read the pose. During fast actions, combine body motion with camera movement, motion blur, environmental particles and deformation where appropriate. Impacts should affect nearby objects and the environment instead of looking like an isolated character animation.

4. IMPACT / FORCE EFFECTS

Use layered effects: dust or atmospheric particles, small debris, ground displacement, directional motion streaks, camera shake, contact shadows, brief lighting changes, and secondary object movement. Scale effects according to the force of the event. Avoid excessive screen shake on every action; reserve stronger shake for major impacts.

5. CAMERA SYSTEM

Use cinematic virtual-camera behavior. Combine establishing wide shots, medium action shots, close-ups for reactions, low-angle hero framing, over-the-shoulder views, tracking shots, push-ins, pull-backs, arcs around subjects, and controlled whip-like transitions. Camera motion should have acceleration and deceleration rather than constant linear movement. Keep the subject readable while the camera moves.

6. LENS / DEPTH / COMPOSITION

Use depth separation between foreground, subject and background. Apply believable perspective and depth of field selectively. Wide lenses can emphasize scale and action; longer lenses can compress space for dramatic close-ups.

Maintain clear subject framing and avoid placing important action at the extreme edges of the frame.

7. ENVIRONMENT ANIMATION

The environment must not be a static painted backdrop. Add moving clouds, atmospheric haze, subtle vegetation movement, drifting particles, changing shadows, small debris, moving dust, reflections and other context-dependent secondary motion. Environmental reactions should be synchronized with nearby action.

8. PHYSICS AND SECONDARY MOTION

Whenever a large object moves, nearby elements should respond. Use believable inertia, gravity, collision response, object follow-through and settling. Dust should continue drifting after an impact; loose objects should bounce or slide before stopping; characters should recover balance after strong movement.

9. LIGHTING AND RENDERING

Use cinematic three-dimensional lighting with a clear key/fill/rim relationship. Characters should separate from the background. Strong action moments can use temporary lighting changes or bright effect illumination, but lighting must remain coherent with the environment. Use contact shadows and ambient occlusion to anchor objects to the ground.

10. MATERIALS AND SURFACE RESPONSE

Surfaces should respond to lighting rather than appearing flat. Use appropriate roughness, specular response, reflections and subtle texture variation. Character materials should retain detail during movement. Environmental surfaces should show depth through shadows and texture rather than relying on outlines alone.

11. PARTICLES AND ATMOSPHERICS

Use particles as supporting visual information: dust, small fragments, sparks or energy-like effects where contextually appropriate, plus atmospheric haze. Particles should have depth, velocity and fade behavior. Avoid particle spam that obscures the main action.

12. TRANSITIONS

Prefer motivated transitions: camera whip/pan, object wipe, foreground occlusion, rapid push-in, pull-out, match movement, light flash, environmental dust, or continuous camera travel. Avoid generic PowerPoint-style fades between every shot. A transition should feel like part of the same physical world.

13. MOTION BLUR AND TEMPORAL EFFECTS

Apply motion blur according to velocity and shutter-like behavior. Fast limbs, camera moves and debris can blur; static objects should remain sharp. Do not blur the entire image constantly. Use short, controlled temporal effects during rapid action.

14. TEXT / CAPTIONS

If the generated video offers captions, provide an explicit ON/OFF option before rendering. When captions are enabled, use clean, highly legible typography, consistent placement, sufficient contrast, safe margins and correct spelling. Never allow letters to become warped, duplicated, unreadable or embedded into character geometry.

15. AUDIO-VISUAL SYNCHRONIZATION

Although this document focuses on visuals, animation timing should expose synchronization points for sound effects, dialogue and music. Impacts, camera transitions and major visual reveals should have timestamp/event markers so

the audio system can align effects precisely.

16. EDITING RHYTHM

Use a mixture of shot durations. Hold establishing shots long enough to understand the space, then accelerate during action. Insert short reaction or detail shots when useful. Avoid repetitive cuts at identical intervals. The rhythm should be driven by action and emphasis, not by a fixed timer.

17. PROFESSIONAL QUALITY BAR

The final result should resemble a purpose-built animated short or cinematic explainer, not an AI slideshow. Every scene should contain primary motion, secondary motion, camera motion and environmental depth where appropriate. Characters should interact with the world, and the world should react to characters.

18. AI IMPLEMENTATION PIPELINE

Recommended generation pipeline: (1) parse source material into visual events; (2) create a scene graph; (3) generate/assign 3D assets; (4) create character rigs; (5) generate key poses; (6) interpolate body animation; (7) add physics/secondary motion; (8) build environment; (9) create camera path; (10) light/render; (11) add particles and post effects; (12) compose captions; (13) synchronize audio events; (14) render preview; (15) run automated visual QA; (16) render final.

19. AUTOMATED VISUAL QA

Reject or flag scenes containing: frozen characters, feet sliding through the ground, missing shadows, impossible object intersections, unreadable text, duplicated limbs, warped anatomy, sudden asset changes, camera clipping, excessive motion blur, excessive shake, particles passing through major foreground objects, abrupt lighting changes, or transitions that break spatial continuity.

20. DO-NOT-BUILD LIST

Do not make the video from static images with camera zooms only. Do not use simple rectangles, arrows or blocks as substitutes for real animation when the scene calls for physical objects. Do not use one generic transition throughout. Do not make every camera movement a slow zoom. Do not make every impact identical. Do not allow captions to overlap important action. Do not render English text without a final legibility check.

21. MASTER INSTRUCTION FOR THE AI VIDEO BUILDER

Create a cinematic, continuously animated 3D video. Treat every scene as a physically coherent space. Animate characters with full-body motion, anticipation, weight transfer, impact, reaction and secondary movement. Animate the camera independently using motivated cinematic movements. Add environmental motion, particles, shadows, depth, lighting variation and physics-based reactions. Use varied shot sizes and transitions motivated by movement. Add motion blur only where velocity justifies it. Keep typography crisp and optionally disable captions. Before final rendering, run visual QA for anatomy, intersections, text, camera clipping, frozen objects, lighting continuity and temporal artifacts. The result must feel like a professional animated production, not a slideshow or sequence of static AI images.

22. SCENE-LEVEL CHECKLIST

Layer	Required behavior
Characters	Full-body motion, weight shift, anticipation, reaction, follow-through
Camera	Purposeful movement, varied framing, smooth acceleration/deceleration
Environment	Depth + secondary motion + atmospheric response
Physics	Collision, inertia, gravity, settling and object reactions
Effects	Particles, dust/debris, controlled blur and impact emphasis
Lighting	Subject separation, contact shadows, coherent environment
Text	Optional captions, crisp rendering, safe margins, no warped letters
Editing	Varied pacing, motivated cuts and transitions
QA	Detect visual artifacts before final render

23. IMPORTANT NEXT STEP FOR FRAME-ACCURATE VERSION

For a true shot-by-shot recreation specification, provide the actual video file. The AI can then inspect representative frames and produce a version containing exact shot boundaries, approximate timestamps, camera direction, animation events, transition type, effect layers, character actions, and per-scene implementation instructions.