PREMIUM

Full-Length Mock Test

Mock 02

Chemical Engineering

GATE CH

EduNeuro

Total Questions	60
Maximum Marks	108
Duration	180 minutes (3 Hours)
Exam Pattern	MCQ + MSQ + NAT
Negative Marking	MCQ/MSQ: -0.33 per wrong answer
Designed For	EduNeuro Premium

Easy 20% | Moderate 33% | Hard 47%

Based on Previous Year Question Pattern Analysis | Generated by EduNeuro Premium

General Instructions

This question paper contains THREE sections: Section A, Section B, and Section C.

Section A: Multiple Choice Questions (MCQ) — carries one or two marks each. Only ONE option is correct.

Section B: Multiple Select Questions (MSQ) — carries two marks each. ONE OR MORE than one option(s) is/are correct.

Section C: Numerical Answer Type (NAT) — carries one or two marks. Enter the numerical value in the space provided.

Negative Marking: -0.33 marks will be deducted for each wrong MCQ and each wrong MSQ answer.

No negative marking for NAT questions.

There are 60 questions for a total of 100 marks.

Duration: 3 hours (180 minutes).

Use the space provided for rough work. Scribbling on the question paper is permitted.

Do not ask for clarification from the invigilator. Interpret questions as given.

EduNeuro

Paper Structure

Section	Type	Questions	Marks/Q	Total Marks	Negative
A	MCQ	35	1 / 2	55	-0.33
B	MSQ	5	2	10	-0.33
C	NAT	20	1 / 2	35	None
Total		**60**		**100**	

Marking Scheme

- Correct MCQ: +1 mark (or +2 marks as specified per question)
- Wrong MCQ: -0.33 marks
- Correct MSQ: +2 marks
- Wrong MSQ (partial or no match): -0.33 marks
- Correct NAT: +1 mark (or +2 marks as specified per question)
- No answer / Unattempted: 0 marks
- NAT wrong answer: 0 marks (no negative marking)

Section A — Multiple Choice Questions (MCQ)

Q.1 [1 Mark] [EASY] [Process Calculations — Bypass]

Bubble cap tray is:

A) Tray type
B) Packing
C) Valve
D) Sieve

Q.2 [1 Mark] [EASY] [Mass Transfer — Distillation]

For CSTR, conversion X vs space time <C

A) Linear
B) Exponential
C) Hyperbolic
D) Parabolic

Q.3 [1 Mark] [EASY] [Heat Transfer — Convection]

Prandtl number Pr =:

A) ;Òó±
B) ; ó½
C) ;Ýs±
D) 1/(;Ó±)

EduNeuro

Q.4 [1 Mark] [EASY] [CRE — Reactor Design]

Bubble cap tray is:

A) Tray type
B) Packing
C) Valve
D) Sieve

Q.5 [1 Mark] [EASY] [Fluid Mechanics — Compressible Flow]

For CSTR, conversion X vs space time <C

A) Linear
B) Exponential
C) Hyperbolic
D) Parabolic

Q.6 [1 Mark] [EASY] [Process Calculations — Recycle]

Prandtl number Pr =:

A) ;Òó±
B) ; ó½
C) ;Ýs±
D) 1/(;Ó±)

Q.7 [1 Mark] [EASY] [Mass Transfer — Extraction]

Bubble cap tray is:

A) Tray type

B) Packing

C) Valve

D) Sieve

Q.8 [1 Mark] [EASY] [Heat Transfer — Heat Exchangers]

For CSTR, conversion X vs space time <C

A) Linear
B) Exponential
C) Hyperbolic
D) Parabolic

Q.9 [1 Mark] [EASY] [CRE — Reactor Design]

Prandtl number Pr =:

A) ;Òó±
B) ; ó½
C) ;Ýs±
D) 1/(;Ó±)

Q.10 [1 Mark] [EASY] [Fluid Mechanics — Non-Newtonian]

Bubble cap tray is:

A) Tray type
B) Packing
C) Valve
D) Sieve

EduNeuro

Q.11 [1 Mark] [EASY] [Process Calculations — Energy Balance]

For CSTR, conversion X vs space time <C

A) Linear
B) Exponential
C) Hyperbolic
D) Parabolic

Q.12 [1 Mark] [EASY] [Mass Transfer — Drying]

Prandtl number Pr =:

A) ;Òó±
B) ; ó½
C) ;Ýs±
D) 1/(;Ó±)

Q.13 [2 Marks] [MODERATE] [Heat Transfer — Convection]

Bubble cap tray is:

A) Tray type
B) Packing
C) Valve
D) Sieve

Q.14 [2 Marks] [MODERATE] [CRE — Reactor Design]

For CSTR, conversion X vs space time <C

A) Linear

B) Exponential

C) Hyperbolic

D) Parabolic

Q.15 [2 Marks] [MODERATE] [Fluid Mechanics — Compressible Flow]

Prandtl number Pr =:

A) ;Òó±
B) ; ó½
C) ;Ýs±
D) 1/(;Ó±)

Q.16 [2 Marks] [MODERATE] [Process Calculations — Bypass]

Bubble cap tray is:

A) Tray type
B) Packing
C) Valve
D) Sieve

Q.17 [2 Marks] [MODERATE] [Mass Transfer — Distillation]

For CSTR, conversion X vs space time <C

A) Linear
B) Exponential
C) Hyperbolic
D) Parabolic

EduNeuro

Q.18 [2 Marks] [MODERATE] [Heat Transfer — Convection]

Prandtl number Pr =:

A) ;Òó±
B) ; ó½
C) ;Ýs±
D) 1/(;Ó±)

Q.19 [2 Marks] [MODERATE] [CRE — CSTR/PFR]

Bubble cap tray is:

A) Tray type
B) Packing
C) Valve
D) Sieve

Q.20 [2 Marks] [MODERATE] [Fluid Mechanics — Reynolds Number]

For CSTR, conversion X vs space time <C

A) Linear
B) Exponential
C) Hyperbolic
D) Parabolic

Q.21 [2 Marks] [MODERATE] [Process Calculations — Bypass]

Prandtl number Pr =:

A) ;Òó±

B) ; ó½

C) ;Ýs±

D) 1/(;Ó±)

Q.22 [2 Marks] [MODERATE] [Mass Transfer — Absorption]

Bubble cap tray is:

A) Tray type
B) Packing
C) Valve
D) Sieve

Q.23 [2 Marks] [MODERATE] [Heat Transfer — Conduction]

For CSTR, conversion X vs space time <C

A) Linear
B) Exponential
C) Hyperbolic
D) Parabolic

Q.24 [2 Marks] [MODERATE] [CRE — Reactor Design]

Prandtl number Pr =:

A) ;Òó±
B) ; ó½
C) ;Ýs±
D) 1/(;Ó±)

Q.25 [2 Marks] [MODERATE] [Fluid Mechanics — Compressible Flow]

Bubble cap tray is:

A) Tray type
B) Packing
C) Valve
D) Sieve

Q.26 [2 Marks] [MODERATE] [Process Calculations — Recycle]

For CSTR, conversion X vs space time <C

A) Linear
B) Exponential
C) Hyperbolic
D) Parabolic

Q.27 [2 Marks] [MODERATE] [Mass Transfer — Drying]

Prandtl number Pr =:

A) ;Òó±
B) ; ó½
C) ;Ýs±
D) 1/(;Ó±)

Q.28 [2 Marks] [MODERATE] [Heat Transfer — Conduction]

Bubble cap tray is:

A) Tray type

EduNeuro

B) Packing

C) Valve

D) Sieve

Q.29 [2 Marks] [MODERATE] [CRE — CSTR/PFR]

For CSTR, conversion X vs space time <C

A) Linear
B) Exponential
C) Hyperbolic
D) Parabolic

Q.30 [2 Marks] [MODERATE] [Fluid Mechanics — Pumps]

Prandtl number Pr =:

A) ;Òó±
B) ; ó½
C) ;Ýs±
D) 1/(;Ó±)

Q.31 [2 Marks] [MODERATE] [Process Calculations — Energy Balance]

Bubble cap tray is:

A) Tray type
B) Packing
C) Valve
D) Sieve

Q.32 [2 Marks] [MODERATE] [Mass Transfer — Distillation]

For CSTR, conversion X vs space time <C

A) Linear
B) Exponential
C) Hyperbolic
D) Parabolic

Q.33 [2 Marks] [HARD] [Heat Transfer — Conduction]

Prandtl number Pr =:

A) ;Òó±
B) ; ó½
C) ;Ýs±
D) 1/(;Ó±)

Q.34 [2 Marks] [HARD] [CRE — Rate Laws]

Bubble cap tray is:

A) Tray type
B) Packing
C) Valve
D) Sieve

Q.35 [2 Marks] [HARD] [Fluid Mechanics — Non-Newtonian]

For CSTR, conversion X vs space time <C

A) Linear

EduNeuro

B) Exponential

C) Hyperbolic

D) Parabolic

EduNeuro

Section B — Multiple Select Questions (MSQ)

Q.36 [2 Marks] [HARD] [Process Calculations — Recycle]

Which are non-Newtonian fluids?

A) Water
B) Blood
C) Ketchup
D) Honey
E) Toothpaste

Q.37 [2 Marks] [HARD] [Mass Transfer — Humidification]

Which are non-Newtonian fluids?

A) Water
B) Blood
C) Ketchup
D) Honey
E) Toothpaste

Q.38 [2 Marks] [HARD] [Heat Transfer — Heat Exchangers]

Which are non-Newtonian fluids?

A) Water
B) Blood
C) Ketchup
D) Honey
E) Toothpaste

Q.39 [2 Marks] [HARD] [CRE — Reactor Design]

Which are non-Newtonian fluids?

A) Water
B) Blood
C) Ketchup
D) Honey
E) Toothpaste

Q.40 [2 Marks] [HARD] [Fluid Mechanics — Laminar/Turbulent]

Which are non-Newtonian fluids?

A) Water
B) Blood
C) Ketchup
D) Honey
E) Toothpaste

EduNeuro

Section C — Numerical Answer Type (NAT)

Q.51 [2 Marks] [HARD] [Process Calculations — Recycle]

CSTR: V=100L, Q=10 L/min. Space time <B Ò ò †Ö–â•

Answer: ____________________

Q.52 [2 Marks] [HARD] [Mass Transfer — Humidification]

Distillation: relative volatility ; Ó"ãRà Minimum reflux ratio at ; Ó"ãR " &Ò $, ð

Answer: ____________________

Q.53 [2 Marks] [HARD] [Heat Transfer — Convection]

CSTR: V=100L, Q=10 L/min. Space time <B Ò ò †Ö–â•

Answer: ____________________

EduNeuro

Q.54 [2 Marks] [HARD] [CRE — Homogeneous/Heterogeneous]

Distillation: relative volatility ; Ó"ãRà Minimum reflux ratio at ; Ó"ãR " &Ò $, ð

Answer: ____________________

Q.55 [2 Marks] [HARD] [Fluid Mechanics — Compressible Flow]

CSTR: V=100L, Q=10 L/min. Space time <B Ò ò †Ö–â•

Answer: ____________________

Q.56 [2 Marks] [HARD] [Process Calculations — Stoichiometry]

Distillation: relative volatility ; Ó"ãRà Minimum reflux ratio at ; Ó"ãR " &Ò $, ð

Answer: ____________________

Q.57 [2 Marks] [HARD] [Mass Transfer — Extraction]

CSTR: V=100L, Q=10 L/min. Space time <B Ò ò †Ö–â•

Answer: ____________________

Q.58 [2 Marks] [HARD] [Heat Transfer — Convection]

Distillation: relative volatility ; Ó"ãRà Minimum reflux ratio at ; Ó"ãR " &Ò $, ð

Answer: ______________________

Q.59 [2 Marks] [HARD] [CRE — Non-isothermal]

CSTR: V=100L, Q=10 L/min. Space time <B Ò ò †Ö–â•

Answer: ____________________________

Q.60 [2 Marks] [HARD] [Fluid Mechanics — Non-Newtonian]

Distillation: relative volatility ; Ó"ãRà Minimum reflux ratio at ; Ó"ãR " &Ò $, ð

Answer: ____________________________

EduNeuro

Answer Key

Verify your answers after completing the full paper.

Q.1:	A	**Q.2:**	A	**Q.3:**	A
Q.4:	A	**Q.5:**	A	**Q.6:**	A
Q.7:	A	**Q.8:**	A	**Q.9:**	A
Q.10:	A	**Q.11:**	A	**Q.12:**	A
Q.13:	A	**Q.14:**	A	**Q.15:**	A
Q.16:	A	**Q.17:**	A	**Q.18:**	A
Q.19:	A	**Q.20:**	A	**Q.21:**	A
Q.22:	A	**Q.23:**	A	**Q.24:**	A
Q.25:	A	**Q.26:**	A	**Q.27:**	A
Q.28:	A	**Q.29:**	A	**Q.30:**	A
Q.31:	A	**Q.32:**	A	**Q.33:**	A
Q.34:	A	**Q.35:**	A	**Q.36:**	BCDE
Q.37:	BCDE	**Q.38:**	BCDE	**Q.39:**	BCDE
Q.40:	BCDE	**Q.41:**	BCDE	**Q.42:**	BCDE
Q.43:	BCDE	**Q.44:**	BCDE	**Q.45:**	BCDE
Q.46:	BCDE	**Q.47:**	BCDE	**Q.48:**	BCDE
Q.49:	BCDE	**Q.50:**	BCDE	**Q.51:**	10
Q.52:	2	**Q.53:**	10	**Q.54:**	2
Q.55:	10	**Q.56:**	2	**Q.57:**	10
Q.58:	2	**Q.59:**	10	**Q.60:**	2

EduNeuro

Detailed Solutions

Question 1
[Process Calculations — Bypass]

Bubble cap tray is:

Answer: (A)

Bubble cap trays have risers with caps for vapor distribution.

Question 2
[Mass Transfer — Distillation]

For CSTR, conversion X vs space time <C

Answer: (A)

For first order in CSTR: X = k<Bòƒ ¶³Ä), not linear. For zero order: linear.

Question 3
[Heat Transfer — Convection]

Prandtl number Pr =:

Answer: (A)

Pr = ;Òó± = ;Ä7 ö²à Momentum diffusivity / thermal diffusivity.

Question 4
[CRE — Reactor Design]

Bubble cap tray is:

Answer: (A)

Bubble cap trays have risers with caps for vapor distribution.

EduNeuro

Question 5
[Fluid Mechanics — Compressible Flow]

For CSTR, conversion X vs space time <C

Answer: (A)

For first order in CSTR: X = k<Bòƒ ¶³Ä), not linear. For zero order: linear.

Question 6
[Process Calculations — Recycle]

Prandtl number Pr =:

Answer: (A)

Pr = ;Òó± = ;Ä7 ö²à Momentum diffusivity / thermal diffusivity.

Question 7
[Mass Transfer — Extraction]

Bubble cap tray is:

Answer: (A)

Bubble cap trays have risers with caps for vapor distribution.

Question 8
[Heat Transfer — Heat Exchangers]

For CSTR, conversion X vs space time <C

Answer: (A)

For first order in CSTR: X = k<Bòƒ ¶³Ä), not linear. For zero order: linear.

Question 9
[CRE — Reactor Design]

Prandtl number Pr =:

Answer:

(A)

Pr = ;Òó± = ;Ä7 ö²à Momentum diffusivity / thermal diffusivity.

Question 10 *[Fluid Mechanics — Non-Newtonian]*

Bubble cap tray is:

Answer: (A)

Bubble cap trays have risers with caps for vapor distribution.

Question 11 *[Process Calculations — Energy Balance]*

For CSTR, conversion X vs space time <C

Answer: (A)

For first order in CSTR: X = k<Bòƒ ¶³Ä), not linear. For zero order: linear.

Question 12 *[Mass Transfer — Drying]*

Prandtl number Pr =:

Answer: (A)

Pr = ;Òó± = ;Ä7 ö²à Momentum diffusivity / thermal diffusivity.

EduNeuro

Question 13 *[Heat Transfer — Convection]*

Bubble cap tray is:

Answer: (A)

Bubble cap trays have risers with caps for vapor distribution.

Question 14 *[CRE — Reactor Design]*

For CSTR, conversion X vs space time <C

Answer: (A)

For first order in CSTR: X = k<Bòƒ ¶³Ä), not linear. For zero order: linear.

Question 15 *[Fluid Mechanics — Compressible Flow]*

Prandtl number Pr =:

Answer: (A)

Pr = ;Òó± = ;Ä7 ö²à Momentum diffusivity / thermal diffusivity.

Question 16 *[Process Calculations — Bypass]*

Bubble cap tray is:

Answer: (A)

Bubble cap trays have risers with caps for vapor distribution.

Question 17 *[Mass Transfer — Distillation]*

For CSTR, conversion X vs space time <C

Answer: (A)

For first order in CSTR: X = k<Bòƒ ¶³Ä), not linear. For zero order: linear.

Question 18 *[Heat Transfer — Convection]*

Prandtl number Pr =:

Answer:

(A)

Pr = ;Òó± = ;Ä7 ö²à Momentum diffusivity / thermal diffusivity.

Question 19 *[CRE — CSTR/PFR]*

Bubble cap tray is:

Answer: (A)

Bubble cap trays have risers with caps for vapor distribution.

Question 20 *[Fluid Mechanics — Reynolds Number]*

For CSTR, conversion X vs space time <C

Answer: (A)

For first order in CSTR: X = k<Bòƒ ¶³Ä), not linear. For zero order: linear.

Question 21 *[Process Calculations — Bypass]*

Prandtl number Pr =:

Answer: (A)

Pr = ;Òó± = ;Ä7 ö²à Momentum diffusivity / thermal diffusivity.

EduNeuro

Question 22 *[Mass Transfer — Absorption]*

Bubble cap tray is:

Answer: (A)

Bubble cap trays have risers with caps for vapor distribution.

Question 23 *[Heat Transfer — Conduction]*

For CSTR, conversion X vs space time <C

Answer: (A)

For first order in CSTR: X = k<Bòƒ ¶³Ä), not linear. For zero order: linear.

Question 24 *[CRE — Reactor Design]*

Prandtl number Pr =:

Answer: (A)

Pr = ;Òó± = ;Ä7 ö²à Momentum diffusivity / thermal diffusivity.

Question 25 *[Fluid Mechanics — Compressible Flow]*

Bubble cap tray is:

Answer: (A)

Bubble cap trays have risers with caps for vapor distribution.

Question 26 *[Process Calculations — Recycle]*

For CSTR, conversion X vs space time <C

Answer: (A)

For first order in CSTR: X = k<Bòƒ ¶³Ä), not linear. For zero order: linear.

Question 27 *[Mass Transfer — Drying]*

Prandtl number Pr =:

Answer:

(A)

Pr = ;Òó± = ;Ä7 ö²à Momentum diffusivity / thermal diffusivity.

Question 28 *[Heat Transfer — Conduction]*

Bubble cap tray is:

Answer: (A)

Bubble cap trays have risers with caps for vapor distribution.

Question 29 *[CRE — CSTR/PFR]*

For CSTR, conversion X vs space time <C

Answer: (A)

For first order in CSTR: X = k<Bòƒ ¶³Ä), not linear. For zero order: linear.

Question 30 *[Fluid Mechanics — Pumps]*

Prandtl number Pr =:

Answer: (A)

Pr = ;Òó± = ;Ä7 ö²à Momentum diffusivity / thermal diffusivity.

EduNeuro

Question 31 *[Process Calculations — Energy Balance]*

Bubble cap tray is:

Answer: (A)

Bubble cap trays have risers with caps for vapor distribution.

Question 32 *[Mass Transfer — Distillation]*

For CSTR, conversion X vs space time <C

Answer: (A)

For first order in CSTR: X = k<Bòƒ ¶³Ä), not linear. For zero order: linear.

Question 33 *[Heat Transfer — Conduction]*

Prandtl number Pr =:

Answer: (A)

Pr = ;Òó± = ;Ä7 ö²à Momentum diffusivity / thermal diffusivity.

Question 34 *[CRE — Rate Laws]*

Bubble cap tray is:

Answer: (A)

Bubble cap trays have risers with caps for vapor distribution.

Question 35 *[Fluid Mechanics — Non-Newtonian]*

For CSTR, conversion X vs space time <C

Answer: (A)

For first order in CSTR: X = k<Bòƒ ¶³Ä), not linear. For zero order: linear.

Question 36 *[Process Calculations — Recycle]*

Which are non-Newtonian fluids?

Answer:

(B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 37 *[Mass Transfer — Humidification]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 38 *[Heat Transfer — Heat Exchangers]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 39 *[CRE — Reactor Design]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 40 *[Fluid Mechanics — Laminar/Turbulent]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 41 *[Process Calculations — Bypass]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 42 *[Mass Transfer — Drying]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 43 *[Heat Transfer — Convection]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 44 *[CRE — CSTR/PFR]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 45 *[Fluid Mechanics — Non-Newtonian]*

Which are non-Newtonian fluids?

EduNeuro

Answer:

(B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 46 *[Process Calculations — Material Balance]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 47 *[Mass Transfer — Drying]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 48 *[Heat Transfer — Convection]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

EduNeuro

Question 49 *[CRE — CSTR/PFR]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 50 *[Fluid Mechanics — Non-Newtonian]*

Which are non-Newtonian fluids?

Answer: (B, C, D, E)

Most real fluids show non-Newtonian behavior to some degree.

Question 51 *[Process Calculations — Recycle]*

CSTR: V=100L, Q=10 L/min. Space time <B Ò ò †Ö–â•

Answer: (10)

<B Ò V/Q = 100/10 = 10 minutes.

Question 52 *[Mass Transfer — Humidification]*

Distillation: relative volatility ; Ó"ãRà Minimum reflux ratio at ; Ó"ãR " &Ò $, ð

Answer: (2)

For ; Ó"ãS Rm = (x_D/y_D) - 1 "H 0.88/0.56 - 1 "H 0.57 (using Fenske).

Question 53 *[Heat Transfer — Convection]*

CSTR: V=100L, Q=10 L/min. Space time <B Ò ò †Ö–â•

Answer: (10)

<B Ò V/Q = 100/10 = 10 minutes.

Question 54 *[CRE — Homogeneous/Heterogeneous]*

Distillation: relative volatility ; Ó"ãRà Minimum reflux ratio at ; Ó"ãR " &Ò $, ð

Answer:

(2)

For ; Ó"ãS Rm = (x_D/y_D) - 1 "H 0.88/0.56 - 1 "H 0.57 (using Fenske).

Question 55

[Fluid Mechanics — Compressible Flow]

CSTR: V=100L, Q=10 L/min. Space time <B Ò ò †Ö–â•

Answer: (10)

<B Ò V/Q = 100/10 = 10 minutes.

Question 56

[Process Calculations — Stoichiometry]

Distillation: relative volatility ; Ó"ãRà Minimum reflux ratio at ; Ó"ãR " &Ò $, ð

Answer: (2)

For ; Ó"ãS Rm = (x_D/y_D) - 1 "H 0.88/0.56 - 1 "H 0.57 (using Fenske).

Question 57

[Mass Transfer — Extraction]

CSTR: V=100L, Q=10 L/min. Space time <B Ò ò †Ö–â•

Answer: (10)

<B Ò V/Q = 100/10 = 10 minutes.

Question 58

[Heat Transfer — Convection]

Distillation: relative volatility ; Ó"ãRà Minimum reflux ratio at ; Ó"ãR " &Ò $, ð

Answer: (2)

For ; Ó"ãS Rm = (x_D/y_D) - 1 "H 0.88/0.56 - 1 "H 0.57 (using Fenske).

Question 59

[CRE — Non-isothermal]

CSTR: V=100L, Q=10 L/min. Space time <B Ò ò †Ö–â•

Answer: (10)

<B Ò V/Q = 100/10 = 10 minutes.

Question 60

[Fluid Mechanics — Non-Newtonian]

Distillation: relative volatility ; Ó"ãRà Minimum reflux ratio at ; Ó"ãR " &Ò $, ð

Answer: (2)

For ; Ó"ãS Rm = (x_D/y_D) - 1 "H 0.88/0.56 - 1 "H 0.57 (using Fenske).

EduNeuro