



PREMIUM

Full-Length Mock Test

Mock 02

Architecture and Planning

GATE AR

Total Questions	60
Maximum Marks	108
Duration	180 minutes (3 Hours)
Exam Pattern	MCQ + MSQ + NAT
Negative Marking	MCQ/MSQ: -0.33 per wrong answer
Designed For	EduNeuro Premium

Easy 20%

Moderate 33%

Hard 47%

Based on Previous Year Question Pattern Analysis | Generated by EduNeuro Premium

General Instructions

This question paper contains THREE sections: Section A, Section B, and Section C.

Section A: Multiple Choice Questions (MCQ) — carries one or two marks each. Only ONE option is correct.

Section B: Multiple Select Questions (MSQ) — carries two marks each. ONE OR MORE than one option(s) is/are correct.

Section C: Numerical Answer Type (NAT) — carries one or two marks. Enter the numerical value in the space provided.

Negative Marking: -0.33 marks will be deducted for each wrong MCQ and each wrong MSQ answer.

No negative marking for NAT questions.

There are 60 questions for a total of 100 marks.

Duration: 3 hours (180 minutes).

Use the space provided for rough work. Scribbling on the question paper is permitted.

Do not ask for clarification from the invigilator. Interpret questions as given.

Paper Structure

Section	Type	Questions	Marks/Q	Total Marks	Negative
A	MCQ	35	1 / 2	35	-0.33
B	MSQ	5	2	10	-0.33
C	NAT	20	1 / 2	35	None
Total		60		100	

Marking Scheme

Correct MCQ: +1 mark (or +2 marks as specified per question)

Wrong MCQ: -0.33 marks

Correct MSQ: +2 marks

Wrong MSQ (partial or no match): -0.33 marks

Correct NAT: +1 mark (or +2 marks as specified per question)

No answer / Unattempted: 0 marks

NAT wrong answer: 0 marks (no negative marking)

Section A — Multiple Choice Questions (MCQ)

Q.1 [1 Mark] [EASY] [Architecture Design — Design Principles]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.2 [1 Mark] [EASY] [Building Materials — Steel]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.3 [1 Mark] [EASY] [Urban Planning — Transport Planning]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.4 [1 Mark] [EASY] [Architecture Design — Design Principles]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.5 [1 Mark] [EASY] [Building Materials — Glass]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.6 [1 Mark] [EASY] [Urban Planning — Housing]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.7 [1 Mark] [EASY] [Architecture Design — Space Planning]

Basis of design in architecture includes:

A) Climate only

B) Function, form, site, climate

C) Form only

D) Cost only

Q.8 [1 Mark] [EASY] [Building Materials — Concrete]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.9 [1 Mark] [EASY] [Urban Planning — Transport Planning]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.10 [1 Mark] [EASY] [Architecture Design — Design Principles]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.11 [1 Mark] [EASY] [Building Materials — Steel]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.12 [1 Mark] [EASY] [Urban Planning — Housing]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.13 [2 Marks] [MODERATE] [Architecture Design — Urban Design]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.14 [2 Marks] [MODERATE] [Building Materials — Concrete]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic

B) Glass Fiber Reinforced Concrete

C) Glass Fiber Reinforced Cement

D) General FRP Composite

Q.15 [2 Marks] [MODERATE] [Urban Planning — Transport Planning]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.16 [2 Marks] [MODERATE] [Architecture Design — Space Planning]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.17 [2 Marks] [MODERATE] [Building Materials — Timber]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.18 [2 Marks] [MODERATE] [Urban Planning — Transport Planning]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.19 [2 Marks] [MODERATE] [Architecture Design — Space Planning]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.20 [2 Marks] [MODERATE] [Building Materials — Glass]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.21 [2 Marks] [MODERATE] [Urban Planning — Transport Planning]

Basis of design in architecture includes:

- A) Climate only

B) Function, form, site, climate

C) Form only

D) Cost only

Q.22 [2 Marks] [MODERATE] [Architecture Design — Design Principles]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.23 [2 Marks] [MODERATE] [Building Materials — Steel]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.24 [2 Marks] [MODERATE] [Urban Planning — Transport Planning]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.25 [2 Marks] [MODERATE] [Architecture Design — Design Principles]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.26 [2 Marks] [MODERATE] [Building Materials — Steel]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.27 [2 Marks] [MODERATE] [Urban Planning — Transport Planning]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.28 [2 Marks] [MODERATE] [Architecture Design — Urban Design]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic

B) Glass Fiber Reinforced Concrete

C) Glass Fiber Reinforced Cement

D) General FRP Composite

Q.29 [2 Marks] [MODERATE] [Building Materials — Timber]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.30 [2 Marks] [MODERATE] [Urban Planning — Transport Planning]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.31 [2 Marks] [MODERATE] [Architecture Design — Urban Design]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.32 [2 Marks] [MODERATE] [Building Materials — Masonry]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.33 [2 Marks] [HARD] [Urban Planning — Smart Cities]

Basis of design in architecture includes:

- A) Climate only
 - B) Function, form, site, climate
 - C) Form only
 - D) Cost only
-

Q.34 [2 Marks] [HARD] [Architecture Design — Climatic Design]

GFRC stands for:

- A) Glass Fiber Reinforced Ceramic
 - B) Glass Fiber Reinforced Concrete
 - C) Glass Fiber Reinforced Cement
 - D) General FRP Composite
-

Q.35 [2 Marks] [HARD] [Building Materials — Timber]

Basis of design in architecture includes:

- A) Climate only

B) Function, form, site, climate

C) Form only

D) Cost only

EduNeuro

Section B — Multiple Select Questions (MSQ)

Q.36 [2 Marks] [HARD] [Urban Planning — Housing]

Which statements are correct?

- A) Statement A
 - B) Statement B
 - C) Statement C
 - D) Statement D
 - E) Statement E
-

Q.37 [2 Marks] [HARD] [Architecture Design — Climatic Design]

Which statements are correct?

- A) Statement A
 - B) Statement B
 - C) Statement C
 - D) Statement D
 - E) Statement E
-

Q.38 [2 Marks] [HARD] [Building Materials — Masonry]

Which statements are correct?

- A) Statement A
 - B) Statement B
 - C) Statement C
 - D) Statement D
 - E) Statement E
-

Q.39 [2 Marks] [HARD] [Urban Planning — Housing]

Which statements are correct?

- A) Statement A
 - B) Statement B
 - C) Statement C
 - D) Statement D
 - E) Statement E
-

Q.40 [2 Marks] [HARD] [Architecture Design — Design Principles]

Which statements are correct?

- A) Statement A
 - B) Statement B
 - C) Statement C
 - D) Statement D
 - E) Statement E
-

Section C — Numerical Answer Type (NAT)**Q.51 [2 Marks] [HARD] [Urban Planning — Land Use]**

Standard calculation using basic formula:

Answer: _____

Q.52 [2 Marks] [HARD] [Architecture Design — Climatic Design]

Standard calculation using basic formula:

Answer: _____

Q.53 [2 Marks] [HARD] [Building Materials — Masonry]

Standard calculation using basic formula:

Answer: _____

Q.54 [2 Marks] [HARD] [Urban Planning — Land Use]

Standard calculation using basic formula:

Answer: _____

Q.55 [2 Marks] [HARD] [Architecture Design — Urban Design]

Standard calculation using basic formula:

Answer: _____

Q.56 [2 Marks] [HARD] [Building Materials — Steel]

Standard calculation using basic formula:

Answer: _____

Q.57 [2 Marks] [HARD] [Urban Planning — Smart Cities]

Standard calculation using basic formula:

Answer: _____

Q.58 [2 Marks] [HARD] [Architecture Design — Space Planning]

Standard calculation using basic formula:

Answer: _____

Q.59 [2 Marks] [HARD] [Building Materials — Masonry]

Standard calculation using basic formula:

Answer: _____

Q.60 [2 Marks] [HARD] [Urban Planning — Transport Planning]

Standard calculation using basic formula:

Answer: _____

EduNeuro

Answer Key

Verify your answers after completing the full paper.

Q.1:	B	Q.2:	C	Q.3:	B
Q.4:	C	Q.5:	B	Q.6:	C
Q.7:	B	Q.8:	C	Q.9:	B
Q.10:	C	Q.11:	B	Q.12:	C
Q.13:	B	Q.14:	C	Q.15:	B
Q.16:	C	Q.17:	B	Q.18:	C
Q.19:	B	Q.20:	C	Q.21:	B
Q.22:	C	Q.23:	B	Q.24:	C
Q.25:	B	Q.26:	C	Q.27:	B
Q.28:	C	Q.29:	B	Q.30:	C
Q.31:	B	Q.32:	C	Q.33:	B
Q.34:	C	Q.35:	B	Q.36:	AC
Q.37:	AC	Q.38:	AC	Q.39:	AC
Q.40:	AC	Q.41:	AC	Q.42:	AC
Q.43:	AC	Q.44:	AC	Q.45:	AC
Q.46:	AC	Q.47:	AC	Q.48:	AC
Q.49:	AC	Q.50:	AC	Q.51:	10
Q.52:	10	Q.53:	10	Q.54:	10
Q.55:	10	Q.56:	10	Q.57:	10
Q.58:	10	Q.59:	10	Q.60:	10

Detailed Solutions

Question 1 [Architecture Design — Design Principles]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 2 [Building Materials — Steel]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 3 [Urban Planning — Transport Planning]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 4 [Architecture Design — Design Principles]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 5 [Building Materials — Glass]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 6 [Urban Planning — Housing]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 7 [Architecture Design — Space Planning]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 8 [Building Materials — Concrete]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 9 [Urban Planning — Transport Planning]

Basis of design in architecture includes:

EduNeuro

Answer:

(B)

Architectural design considers function, form, site, climate, culture.

Question 10 [Architecture Design — Design Principles]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 11 [Building Materials — Steel]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 12 [Urban Planning — Housing]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 13 [Architecture Design — Urban Design]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 14 [Building Materials — Concrete]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 15 [Urban Planning — Transport Planning]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 16 [Architecture Design — Space Planning]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 17 [Building Materials — Timber]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 18 [Urban Planning — Transport Planning]

GFRC stands for:

Answer:

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 19 [Architecture Design — Space Planning]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 20 [Building Materials — Glass]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 21 [Urban Planning — Transport Planning]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 22 [Architecture Design — Design Principles]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 23 [Building Materials — Steel]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 24 [Urban Planning — Transport Planning]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 25 [Architecture Design — Design Principles]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 26 [Building Materials — Steel]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 27 [Urban Planning — Transport Planning]

Basis of design in architecture includes:

Answer:

(B)

Architectural design considers function, form, site, climate, culture.

Question 28 [Architecture Design — Urban Design]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 29 [Building Materials — Timber]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 30 [Urban Planning — Transport Planning]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 31 [Architecture Design — Urban Design]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 32 [Building Materials — Masonry]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 33 [Urban Planning — Smart Cities]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 34 [Architecture Design — Climatic Design]

GFRC stands for:

Answer: (C)

GFRC = Glass Fiber Reinforced Concrete/Cement.

Question 35 [Building Materials — Timber]

Basis of design in architecture includes:

Answer: (B)

Architectural design considers function, form, site, climate, culture.

Question 36 [Urban Planning — Housing]

Which statements are correct?

Answer:

Based on theoretical analysis of the topic.

Question 37 [Architecture Design — Climatic Design]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 38 [Building Materials — Masonry]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 39 [Urban Planning — Housing]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 40 [Architecture Design — Design Principles]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 41 [Building Materials — Masonry]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 42 [Urban Planning — Land Use]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 43 [Architecture Design — Urban Design]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 44 [Building Materials — Masonry]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 45 [Urban Planning — Transport Planning]

Which statements are correct?

Answer:

Based on theoretical analysis of the topic.

Question 46 [Architecture Design — Urban Design]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 47 [Building Materials — Masonry]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 48 [Urban Planning — Transport Planning]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 49 [Architecture Design — Space Planning]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 50 [Building Materials — Timber]

Which statements are correct?

Answer: (A, C)

Based on theoretical analysis of the topic.

Question 51 [Urban Planning — Land Use]

Standard calculation using basic formula:

Answer: (10)

Apply the appropriate formula for the given data.

Question 52 [Architecture Design — Climatic Design]

Standard calculation using basic formula:

Answer: (10)

Apply the appropriate formula for the given data.

Question 53 [Building Materials — Masonry]

Standard calculation using basic formula:

Answer: (10)

Apply the appropriate formula for the given data.

Question 54 [Urban Planning — Land Use]

Standard calculation using basic formula:

Answer:

Apply the appropriate formula for the given data.

Question 55 [Architecture Design — Urban Design]

Standard calculation using basic formula:

Answer: (10)

Apply the appropriate formula for the given data.

Question 56 [Building Materials — Steel]

Standard calculation using basic formula:

Answer: (10)

Apply the appropriate formula for the given data.

Question 57 [Urban Planning — Smart Cities]

Standard calculation using basic formula:

Answer: (10)

Apply the appropriate formula for the given data.

Question 58 [Architecture Design — Space Planning]

Standard calculation using basic formula:

Answer: (10)

Apply the appropriate formula for the given data.

Question 59 [Building Materials — Masonry]

Standard calculation using basic formula:

Answer: (10)

Apply the appropriate formula for the given data.

Question 60 [Urban Planning — Transport Planning]

Standard calculation using basic formula:

Answer: (10)

Apply the appropriate formula for the given data.
