

# PADHAISHURU

GATE Preparation Platform

## GATE AR

Architecture & Planning

### TREND-BASED MOCK PAPER

— 04 —

|                 |            |
|-----------------|------------|
| Duration        | 3 Hours    |
| Total Questions | 65         |
| Maximum Marks   | 100        |
| Sections        | 8 subjects |

#### Difficulty Distribution

Easy: 14 questions (22%)

Moderate: 40 questions (62%)

Difficult: 11 questions (17%)

Unofficial practice material. Not affiliated with or endorsed by GATE/IIT.  
These mock papers are constructed using analysis of historical GATE  
PYQ patterns.  
Historical patterns do not guarantee future examination questions.

# GENERAL INSTRUCTIONS

GATE AR — Trend-Based Mock Paper

---

## 1. Examination Pattern

The paper contains 65 questions carrying a total of 100 marks. The duration of the examination is 3 hours.

---

## 2. Question Types

Questions are of three types:

- (a) Multiple Choice Questions (MCQ): One correct answer out of four options.
  - (b) Multiple Select Questions (MSQ): One or more correct answers out of four options. Each correct answer carries full marks. There is no negative marking.
  - (c) Numerical Answer Type (NAT): A real number answer to be entered. No options are provided.
- 

## 3. Marking Scheme

- 1-mark questions: +1 for correct, -0.33 for incorrect (MCQ only)
  - 2-mark questions: +2 for correct, -0.66 for incorrect (MCQ only)
  - 3-mark questions: +3 for correct, -0.66 for incorrect (MCQ only)
  - NAT questions carry no negative marking.
  - MSQ questions carry no negative marking.
- 

## 4. How to Answer

- For MCQ: Select exactly one option.
  - For MSQ: Select one or more options. Partial credit is NOT awarded.
  - For NAT: Enter the numerical answer in the provided space. Round off as specified.
- 

## 5. Rough Work

All rough work should be done only in the space provided in this question paper. Do not use additional sheets.

---

## 6. Calculator

An on-screen virtual calculator is available for use during the examination. Physical calculators are NOT permitted.

---

## 7. Important Notes

- Do not open the seal of the Question Booklet until you are instructed to do so.
  - The Question Booklet contains multiple pages. Verify the page count.
  - Immediately report any discrepancy in the Question Booklet to the invigilator.
-

**Q1.**

1M [no -ve]

*[General Aptitude]*

Scale 1:100, drawing 10cm -&gt; actual:

---

*Enter your answer here***Q2.**

1M [-0.33]

*[Architecture]*

Kath-Kuni from:

- (A) Rajasthan
- (B) Himachal Pradesh
- (C) Kerala
- (D) Gujarat

**Q3.**

1M [-0.33]

*[Architecture]*

Taj Mahal built by:

- (A) Akbar
- (B) Shah Jahan
- (C) Aurangzeb
- (D) Jahangir

**Q4.**

1M [no -ve]

*[Building Materials]*

M20 concrete ratio:

---

*Enter your answer here***Q5.**

1M [-0.33]

*[Urban Planning]*

Zoning regulates:

- (A) Land use
- (B) Building height
- (C) Both
- (D) None

**Q6.**

1M [no -ve]

*[Design]*

Golden ratio approximately:

---

*Enter your answer here***Q7.**

1M [-0.33]

*[Construction Technology]*

Load-bearing wall thickness:

- (A) 23cm
- (B) 11cm
- (C) 46cm
- (D) 5cm

**Q8.**

1M [-0.33]

*[Climate & Services]*

Trap in plumbing:

- (A) Prevents smell
- (B) Stores water
- (C) Both
- (D) None

**Q9.**

1M [-0.33]

*[Climate & Services]*

Sun path in northern hemisphere:

- (A) South
- (B) North
- (C) East
- (D) West

**Q10.**

1M [no -ve]

*[Landscape Architecture]*

Hardscape includes:

---

*Enter your answer here***Q11.**

1M [-0.33]

*[Building Materials]*

M20 concrete ratio:

- (A) 1:1:2
- (B) 1:1.5:3
- (C) 1:2:4
- (D) 1:3:6

**Q12.**

1M [-0.33]

*[Architecture]*

Kath-Kuni from:

- (A) Rajasthan
- (B) Himachal Pradesh
- (C) Kerala
- (D) Gujarat

**Q13.**

1M [-0.33]

*[Urban Planning]*

Zoning regulates:

- (A) Land use
- (B) Building height
- (C) Both
- (D) None

**Q14.**

1M [-0.33]

*[Construction Technology]*

Load-bearing wall thickness:

- (A) 23cm
- (B) 11cm
- (C) 46cm
- (D) 5cm

**Q15.**

1M [-0.33]

*[Landscape Architecture]*

Hardscape includes:

- (A) Plants
- (B) Pavement
- (C) Water
- (D) Trees

**Q16.**

1M [-0.33]

*[Architecture]*

Kath-Kuni from:

- (A) Rajasthan
- (B) Himachal Pradesh
- (C) Kerala
- (D) Gujarat

**Q17.**

1M [-0.33]

*[Landscape Architecture]*

Hardscape includes:

- (A) Plants
- (B) Pavement
- (C) Water
- (D) Trees

**Q18.**

1M [-0.33]

*[Architecture]*

Taj Mahal built by:

- (A) Akbar
- (B) Shah Jahan
- (C) Aurangzeb
- (D) Jahangir

**Q19.**

1M [-0.33]

*[Landscape Architecture]*

Hardscape includes:

- (A) Plants
- (B) Pavement
- (C) Water
- (D) Trees

**Q20.**

1M [-0.33]

*[Design]*

Golden ratio approximately:

- (A) 1.414
- (B) 1.618
- (C) 2.0
- (D) 3.14

**Q21.**

1M [-0.33]

*[Urban Planning]*

Zoning regulates:

- (A) Land use
- (B) Building height
- (C) Both
- (D) None

**Q22.**

1M [-0.33]

*[Architecture]*

Kath-Kuni from:

- (A) Rajasthan
- (B) Himachal Pradesh
- (C) Kerala
- (D) Gujarat

**Q23.**

1M [no -ve]

*[Building Materials]*

M20 concrete ratio:

---

*Enter your answer here***Q24.**

1M [-0.33]

*[Architecture]*

Taj Mahal built by:

- (A) Akbar
- (B) Shah Jahan
- (C) Aurangzeb
- (D) Jahangir

**Q25.**

1M [-0.33]

*[Design]*

Golden ratio approximately:

- (A) 1.414
- (B) 1.618
- (C) 2.0
- (D) 3.14

**Q26.**

1M [-0.33]

*[General Aptitude]*

Scale 1:100, drawing 10cm -&gt; actual:

- (A) 1m
- (B) 10m
- (C) 100m
- (D) 1000m

**Q27.**

1M [-0.33]

*[Construction Technology]*

Load-bearing wall thickness:

- (A) 23cm
- (B) 11cm
- (C) 46cm
- (D) 5cm

**Q28.**

1M [-0.33]

*[Architecture]*

Taj Mahal built by:

- (A) Akbar
- (B) Shah Jahan
- (C) Aurangzeb
- (D) Jahangir

**Q29.**

1M [-0.33]

*[Urban Planning]*

Zoning regulates:

- (A) Land use
- (B) Building height
- (C) Both
- (D) None

**Q30.**

1M [no -ve]

*[Building Materials]*

M20 concrete ratio:

---

*Enter your answer here***Q31.**

2M [-0.66]

*[Design]*

Golden ratio approximately:

- (A) 1.414
- (B) 1.618
- (C) 2.0
- (D) 3.14

**Q32.**

2M [no -ve]

*[Climate & Services]*

Trap in plumbing:

- (A) Prevents smell
- (B) Stores water
- (C) Both
- (D) None

**Q33.**

2M [-0.66]

*[Landscape Architecture]*

Hardscape includes:

- (A) Plants
- (B) Pavement
- (C) Water
- (D) Trees

**Q34.**

2M [-0.66]

*[General Aptitude]*

Scale 1:100, drawing 10cm -&gt; actual:

- (A) 1m
- (B) 10m
- (C) 100m
- (D) 1000m

**Q35.**

2M [no -ve]

*[Architecture]*

Taj Mahal built by:

---

*Enter your answer here***Q36.**

2M [-0.66]

*[Design]*

Golden ratio approximately:

- (A) 1.414
- (B) 1.618
- (C) 2.0
- (D) 3.14

**Q37.**

2M [-0.66]

*[Design]*

Golden ratio approximately:

- (A) 1.414
- (B) 1.618
- (C) 2.0
- (D) 3.14

**Q38.**

2M [no -ve]

*[Climate & Services]*

Sun path in northern hemisphere:

---

*Enter your answer here***Q39.**

2M [-0.66]

*[Construction Technology]*

Load-bearing wall thickness:

- (A) 23cm
- (B) 11cm
- (C) 46cm
- (D) 5cm

**Q40.**

2M [-0.66]

*[Architecture]*

Kath-Kuni from:

- (A) Rajasthan
- (B) Himachal Pradesh
- (C) Kerala
- (D) Gujarat

**Q41.**

2M [-0.66]

*[Urban Planning]*

Zoning regulates:

- (A) Land use
- (B) Building height
- (C) Both
- (D) None

**Q42.**

2M [no -ve]

*[Design]*

Golden ratio approximately:

---

*Enter your answer here***Q43.**

2M [-0.66]

*[Architecture]*

Kath-Kuni from:

- (A) Rajasthan
- (B) Himachal Pradesh
- (C) Kerala
- (D) Gujarat

**Q44.**

2M [-0.66]

*[Climate & Services]*

Sun path in northern hemisphere:

- (A) South
- (B) North
- (C) East
- (D) West

**Q45.**

2M [-0.66]

*[Design]*

Golden ratio approximately:

- (A) 1.414
- (B) 1.618
- (C) 2.0
- (D) 3.14

**Q46.**

2M [-0.66]

*[Landscape Architecture]*

Hardscape includes:

- (A) Plants
- (B) Pavement
- (C) Water
- (D) Trees

**Q47.**

2M [-0.66]

*[Climate & Services]*

Trap in plumbing:

- (A) Prevents smell
- (B) Stores water
- (C) Both
- (D) None

**Q48.**

2M [no -ve]

*[Construction Technology]*

Load-bearing wall thickness:

- (A) 23cm
- (B) 11cm
- (C) 46cm
- (D) 5cm

**Q49.**

2M [-0.66]

*[Design]*

Golden ratio approximately:

- (A) 1.414
- (B) 1.618
- (C) 2.0
- (D) 3.14

**Q50.**

2M [no -ve]

*[General Aptitude]*

Scale 1:100, drawing 10cm -&gt; actual:

---

*Enter your answer here*

**Q51.**

2M [no -ve]

*[Architecture]*

Taj Mahal built by:

---

*Enter your answer here***Q52.**

2M [no -ve]

*[Construction Technology]*

Load-bearing wall thickness:

---

*Enter your answer here***Q53.**

2M [no -ve]

*[General Aptitude]*

Scale 1:100, drawing 10cm -&gt; actual:

---

*Enter your answer here***Q54.**

2M [no -ve]

*[Design]*

Golden ratio approximately:

---

*Enter your answer here***Q55.**

2M [-0.66]

*[Architecture]*

Taj Mahal built by:

- (A) Akbar
- (B) Shah Jahan
- (C) Aurangzeb
- (D) Jahangir

**Q56.**

2M [no -ve]

*[Urban Planning]*

Zoning regulates:

---

*Enter your answer here***Q57.**

2M [no -ve]

*[Design]*

Golden ratio approximately:

- (A) 1.414
- (B) 1.618
- (C) 2.0
- (D) 3.14

**Q58.**

2M [-0.66]

*[Building Materials]*

M20 concrete ratio:

- (A) 1:1:2
- (B) 1:1.5:3
- (C) 1:2:4
- (D) 1:3:6

**Q59.**

2M [-0.66]

*[Urban Planning]*

Zoning regulates:

- (A) Land use
- (B) Building height
- (C) Both
- (D) None

**Q60.**

2M [-0.66]

*[Climate & Services]*

Sun path in northern hemisphere:

- (A) South
- (B) North
- (C) East
- (D) West

**Q61.**

2M [-0.66]

*[Architecture]*

Kath-Kuni from:

- (A) Rajasthan
- (B) Himachal Pradesh
- (C) Kerala
- (D) Gujarat

**Q62.**

2M [-0.66]

*[Climate & Services]*

Trap in plumbing:

- (A) Prevents smell
- (B) Stores water
- (C) Both
- (D) None

**Q63.**

2M [-0.66]

*[Climate & Services]*

Trap in plumbing:

- (A) Prevents smell
- (B) Stores water
- (C) Both
- (D) None

**Q64.**

2M [-0.66]

*[Urban Planning]*

Zoning regulates:

- (A) Land use
- (B) Building height
- (C) Both
- (D) None

Q65.

2M [no -ve]

[General Aptitude]

Scale 1:100, drawing 10cm -> actual:

Enter your answer here