

ANSWER KEY

GATE IN — GATE IN 2026 Trend-Based Mock Paper 1

Q.No.	Type	Answer	Marks
1	1MCQ	B	1
2	1NAT	A	1
3	1MCQ	A	1
4	1MCQ	C	1
5	1MCQ	C	1
6	1MCQ	A	1
7	1NAT	B	1
8	1MCQ	B	1
9	1MCQ	B	1
10	1MCQ	C	1
11	1MCQ	A	1
12	1MCQ	B	1
13	1MCQ	C	1
14	1NAT	A	1
15	1MCQ	A	1
16	1MCQ	C	1
17	1MCQ	A	1
18	1MCQ	A	1
19	1MCQ	A	1
20	1MCQ	A	1
21	1MCQ	B	1
22	1MCQ	B	1
23	1MCQ	B	1
24	1MCQ	A	1
25	1NAT	A	1
26	1MCQ	C	1
27	1MCQ	C	1
28	1MCQ	A	1
29	1MCQ	C	1
30	1MCQ	A	1
31	2MCQ	B	2
32	2MCQ	B	2
33	2NAT	B	2
34	2MCQ	B	2
35	2MCQ	B	2
36	2MCQ	C	2

37	2NAT	A	2
38	2MCQ	A	2
39	2MCQ	C	2
40	2NAT	A	2
41	2MSQ	A	2
42	2MCQ	A	2
43	2MCQ	B	2
44	2MCQ	B	2
45	2MSQ	B	2
46	2NAT	A	2
47	2MCQ	C	2
48	2MCQ	C	2
49	2MCQ	C	2
50	2NAT	A	2
51	2MSQ	B	2
52	2MCQ	C	2
53	2NAT	A	2
54	2MCQ	A	2
55	2MSQ	A	2
56	2NAT	C	2
57	2MCQ	B	2
58	2MCQ	A	2
59	2MCQ	C	2
60	2MCQ	B	2
61	2MCQ	B	2
62	2MSQ	C	2
63	2MCQ	A	2
64	2MCQ	B	2
65	2MCQ	C	2

Q1. General Aptitude | 1 marks | 1MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q2. Engineering Mathematics | 1 marks | 1NAT
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q3. Sensors & Instrumentation | 1 marks | 1MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q4. Control Systems | 1 marks | 1MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q5. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q6. Analog & Digital Electronics | 1 marks | 1MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q7. Communications & Process Control | 1 marks | 1NAT
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q8. Communications & Process Control | 1 marks | 1MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q9. Measurement Systems | 1 marks | 1MCQ
Moving coil instrument measures:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q2

Q10. Control Systems | 1 marks | 1MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q11. Sensors & Instrumentation | 1 marks | 1MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q12. General Aptitude | 1 marks | 1MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q13. Control Systems | 1 marks | 1MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q14. Engineering Mathematics | 1 marks | 1NAT
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q15. Sensors & Instrumentation | 1 marks | 1MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q16. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q17. Sensors & Instrumentation | 1 marks | 1MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q18. Engineering Mathematics | 1 marks | 1MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q19. Sensors & Instrumentation | 1 marks | 1MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q20. Engineering Mathematics | 1 marks | 1MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q21. General Aptitude | 1 marks | 1MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q22. Communications & Process Control | 1 marks | 1MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q23. General Aptitude | 1 marks | 1MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q24. Sensors & Instrumentation | 1 marks | 1MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q25. Analog & Digital Electronics | 1 marks | 1NAT
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q26. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q27. Control Systems | 1 marks | 1MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q28. Signals and Systems | 1 marks | 1MCQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q29. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q30. Engineering Mathematics | 1 marks | 1MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q31. General Aptitude | 2 marks | 2MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q32. Communications & Process Control | 2 marks | 2MCQ
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q33. Communications & Process Control | 2 marks | 2NAT
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q34. Measurement Systems | 2 marks | 2MCQ
Moving coil instrument measures:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q2

Q35. Communications & Process Control | 2 marks | 2MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q36. Control Systems | 2 marks | 2MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q37. Engineering Mathematics | 2 marks | 2NAT
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q38. Sensors & Instrumentation | 2 marks | 2MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q39. Analog & Digital Electronics | 2 marks | 2MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q40. Analog & Digital Electronics | 2 marks | 2NAT
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q41. Signals and Systems | 2 marks | 2MSQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q42. Sensors & Instrumentation | 2 marks | 2MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q43. Measurement Systems | 2 marks | 2MCQ
Moving coil instrument measures:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q2

Q44. Communications & Process Control | 2 marks | 2MCQ
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q45. Communications & Process Control | 2 marks | 2MSQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q46. Sensors & Instrumentation | 2 marks | 2NAT
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q47. Control Systems | 2 marks | 2MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q48. Control Systems | 2 marks | 2MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q49. Analog & Digital Electronics | 2 marks | 2MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q50. Analog & Digital Electronics | 2 marks | 2NAT
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q51. Communications & Process Control | 2 marks | 2MSQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q52. Analog & Digital Electronics | 2 marks | 2MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q53. Engineering Mathematics | 2 marks | 2NAT
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q54. Sensors & Instrumentation | 2 marks | 2MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q55. Signals and Systems | 2 marks | 2MSQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q56. Control Systems | 2 marks | 2NAT
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q57. Communications & Process Control | 2 marks | 2MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q58. Signals and Systems | 2 marks | 2MCQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q59. Control Systems | 2 marks | 2MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q60. General Aptitude | 2 marks | 2MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q61. Communications & Process Control | 2 marks | 2MCQ
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q62. Control Systems | 2 marks | 2MSQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q63. Engineering Mathematics | 2 marks | 2MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q64. Communications & Process Control | 2 marks | 2MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q65. Control Systems | 2 marks | 2MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4
