

ANSWER KEY

GATE IN — GATE IN 2026 Trend-Based Mock Paper 4

Q.No.	Type	Answer	Marks
1	1MCQ	B	1
2	1MCQ	A	1
3	1MCQ	A	1
4	1MCQ	C	1
5	1MCQ	A	1
6	1MCQ	C	1
7	1MCQ	B	1
8	1NAT	B	1
9	1NAT	B	1
10	1NAT	B	1
11	1MCQ	C	1
12	1NAT	B	1
13	1MCQ	A	1
14	1MCQ	B	1
15	1MCQ	C	1
16	1MCQ	A	1
17	1MCQ	B	1
18	1NAT	A	1
19	1NAT	A	1
20	1MCQ	B	1
21	1MCQ	C	1
22	1MCQ	C	1
23	1NAT	C	1
24	1MCQ	A	1
25	1MCQ	C	1
26	1MCQ	C	1
27	1MCQ	A	1
28	1NAT	B	1
29	1MCQ	B	1
30	1MCQ	B	1
31	2MCQ	C	2
32	2NAT	C	2
33	2NAT	B	2
34	2NAT	A	2
35	2NAT	A	2
36	2MSQ	A	2

37	2NAT	A	2
38	2MCQ	B	2
39	2NAT	A	2
40	2MCQ	A	2
41	2MCQ	A	2
42	2MCQ	B	2
43	2MCQ	B	2
44	2MCQ	C	2
45	2MCQ	C	2
46	2MCQ	C	2
47	2MCQ	B	2
48	2MCQ	C	2
49	2MCQ	B	2
50	2MCQ	A	2
51	2MCQ	B	2
52	2MCQ	A	2
53	2MCQ	C	2
54	2MCQ	B	2
55	2MCQ	A	2
56	2MCQ	A	2
57	2NAT	A	2
58	2NAT	C	2
59	2MCQ	B	2
60	2MCQ	B	2
61	2NAT	B	2
62	2MCQ	B	2
63	2MCQ	A	2
64	2NAT	B	2
65	2MCQ	A	2

Q1. General Aptitude | 1 marks | 1MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q2. Engineering Mathematics | 1 marks | 1MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q3. Sensors & Instrumentation | 1 marks | 1MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q4. Control Systems | 1 marks | 1MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q5. Analog & Digital Electronics | 1 marks | 1MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q6. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q7. Communications & Process Control | 1 marks | 1MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q8. Communications & Process Control | 1 marks | 1NAT
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q9. Measurement Systems | 1 marks | 1NAT
Moving coil instrument measures:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q2

Q10. Communications & Process Control | 1 marks | 1NAT
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q11. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q12. General Aptitude | 1 marks | 1NAT
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q13. Engineering Mathematics | 1 marks | 1MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q14. General Aptitude | 1 marks | 1MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q15. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q16. Engineering Mathematics | 1 marks | 1MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q17. Communications & Process Control | 1 marks | 1MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q18. Analog & Digital Electronics | 1 marks | 1NAT
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q19. Analog & Digital Electronics | 1 marks | 1NAT
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q20. Measurement Systems | 1 marks | 1MCQ
Moving coil instrument measures:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q2

Q21. Control Systems | 1 marks | 1MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q22. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q23. Analog & Digital Electronics | 1 marks | 1NAT
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q24. Engineering Mathematics | 1 marks | 1MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q25. Control Systems | 1 marks | 1MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q26. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q27. Analog & Digital Electronics | 1 marks | 1MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q28. Communications & Process Control | 1 marks | 1NAT
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q29. Communications & Process Control | 1 marks | 1MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q30. General Aptitude | 1 marks | 1MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q31. Analog & Digital Electronics | 2 marks | 2MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q32. Analog & Digital Electronics | 2 marks | 2NAT
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q33. Communications & Process Control | 2 marks | 2NAT
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q34. Sensors & Instrumentation | 2 marks | 2NAT
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q35. Signals and Systems | 2 marks | 2NAT
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q36. Signals and Systems | 2 marks | 2MSQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q37. Sensors & Instrumentation | 2 marks | 2NAT
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q38. Communications & Process Control | 2 marks | 2MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q39. Sensors & Instrumentation | 2 marks | 2NAT
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q40. Analog & Digital Electronics | 2 marks | 2MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q41. Sensors & Instrumentation | 2 marks | 2MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q42. General Aptitude | 2 marks | 2MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q43. General Aptitude | 2 marks | 2MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q44. Analog & Digital Electronics | 2 marks | 2MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q45. Control Systems | 2 marks | 2MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q46. Control Systems | 2 marks | 2MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q47. Communications & Process Control | 2 marks | 2MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q48. Control Systems | 2 marks | 2MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q49. Communications & Process Control | 2 marks | 2MCQ
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q50. Sensors & Instrumentation | 2 marks | 2MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q51. Communications & Process Control | 2 marks | 2MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q52. Engineering Mathematics | 2 marks | 2MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q53. Analog & Digital Electronics | 2 marks | 2MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q54. Measurement Systems | 2 marks | 2MCQ
Moving coil instrument measures:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q2

Q55. Analog & Digital Electronics | 2 marks | 2MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q56. Engineering Mathematics | 2 marks | 2MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q57. Signals and Systems | 2 marks | 2NAT
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q58. Analog & Digital Electronics | 2 marks | 2NAT
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q59. Communications & Process Control | 2 marks | 2MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q60. Measurement Systems | 2 marks | 2MCQ
Moving coil instrument measures:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q2

Q61. General Aptitude | 2 marks | 2NAT
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q62. Communications & Process Control | 2 marks | 2MCQ
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q63. Engineering Mathematics | 2 marks | 2MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q64. Measurement Systems | 2 marks | 2NAT
Moving coil instrument measures:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q2

Q65. Signals and Systems | 2 marks | 2MCQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7
