

ANSWER KEY

GATE AG — GATE AG 2026 Trend-Based Mock Paper
3

Q.No.	Type	Answer	Marks
1	1MCQ	B	1
2	1MCQ	A	1
3	1MCQ	C	1
4	1NAT	B	1
5	1MCQ	B	1
6	1MCQ	B	1
7	1NAT	A	1
8	1NAT	A	1
9	1NAT	B	1
10	1NAT	B	1
11	1MCQ	C	1
12	1MCQ	B	1
13	1MCQ	C	1
14	1MCQ	B	1
15	1NAT	B	1
16	1MCQ	B	1
17	1MCQ	B	1
18	1MCQ	C	1
19	1MCQ	B	1
20	1MCQ	A	1
21	1MCQ	B	1
22	1MCQ	A	1
23	1MCQ	B	1
24	1NAT	B	1
25	1MCQ	B	1
26	1NAT	B	1
27	1NAT	B	1
28	1NAT	A	1
29	1MCQ	B	1
30	1MCQ	A	1
31	2MCQ	B	2
32	2MCQ	B	2
33	2MSQ	C	2
34	2MCQ	B	2
35	2MCQ	B	2
36	2MCQ	A	2

37	2NAT	B	2
38	2MCQ	A	2
39	2MSQ	A	2
40	2MCQ	A	2
41	2NAT	B	2
42	2MCQ	B	2
43	2MCQ	C	2
44	2MCQ	A	2
45	2NAT	A	2
46	2MCQ	B	2
47	2MCQ	A	2
48	2MSQ	B	2
49	2MCQ	B	2
50	2MSQ	B	2
51	2NAT	A	2
52	2MCQ	A	2
53	2NAT	B	2
54	2MCQ	B	2
55	2MCQ	A	2
56	2MSQ	B	2
57	2MCQ	B	2
58	2MSQ	B	2
59	2NAT	B	2
60	2MCQ	B	2
61	2NAT	A	2
62	2MCQ	C	2
63	2MCQ	B	2
64	2MCQ	A	2
65	2NAT	A	2

Q1. General Aptitude | 1 marks | 1MCQ
Area of rectangle 10x5:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q10

Q2. Engineering Mathematics | 1 marks | 1MCQ
Derivative of e^x :

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q1

Q3. Farm Machinery & Power | 1 marks | 1MCQ
Tractor power measured in:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 AG Session 1 Q2

Q4. Farm Machinery & Power | 1 marks | 1NAT
4-stroke engine has:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q7

Q5. Irrigation & Drainage | 1 marks | 1MCQ
Drip irrigation saves:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q3

Q6. Soil and Water Conservation | 1 marks | 1MCQ
Field capacity is:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q4

Q7. Post Harvest Engineering | 1 marks | 1NAT
Fumigation controls:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q5

Q8. Food Processing | 1 marks | 1NAT
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6

Q9. Surveying & Leveling | 1 marks | 1NAT
Chain survey used for:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q8

Q10. Renewable Energy | 1 marks | 1NAT
Solar panel converts:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q9

Q11. Farm Machinery & Power | 1 marks | 1MCQ
Tractor power measured in:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 AG Session 1 Q2

Q12. Soil and Water Conservation | 1 marks | 1MCQ
Field capacity is:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q4

Q13. Farm Machinery & Power | 1 marks | 1MCQ
Tractor power measured in:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 AG Session 1 Q2

Q14. General Aptitude | 1 marks | 1MCQ
Area of rectangle 10x5:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q10

Q15. Renewable Energy | 1 marks | 1NAT
Solar panel converts:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q9

Q16. Surveying & Leveling | 1 marks | 1MCQ
Chain survey used for:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q8

Q17. Renewable Energy | 1 marks | 1MCQ
Solar panel converts:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q9

Q18. Farm Machinery & Power | 1 marks | 1MCQ
Tractor power measured in:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 AG Session 1 Q2

Q19. Renewable Energy | 1 marks | 1MCQ
Solar panel converts:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q9

Q20. Food Processing | 1 marks | 1MCQ
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6

Q21. Irrigation & Drainage | 1 marks | 1MCQ
Drip irrigation saves:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q3

Q22. Food Processing | 1 marks | 1MCQ
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6

Q23. Soil and Water Conservation | 1 marks | 1MCQ
Field capacity is:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q4

Q24. Irrigation & Drainage | 1 marks | 1NAT
Drip irrigation saves:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q3

Q25. Renewable Energy | 1 marks | 1MCQ
Solar panel converts:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q9

Q26. Surveying & Leveling | 1 marks | 1NAT
Chain survey used for:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q8

Q27. Soil and Water Conservation | 1 marks | 1NAT
Field capacity is:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q4

Q28. Post Harvest Engineering | 1 marks | 1NAT
Fumigation controls:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q5

Q29. General Aptitude | 1 marks | 1MCQ
Area of rectangle 10x5:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q10

Q30. Food Processing | 1 marks | 1MCQ
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6

Q31. Surveying & Leveling | 2 marks | 2MCQ
Chain survey used for:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q8

Q32. Soil and Water Conservation | 2 marks | 2MCQ
Field capacity is:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q4

Q33. Farm Machinery & Power | 2 marks | 2MSQ
Tractor power measured in:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 AG Session 1 Q2

Q34. General Aptitude | 2 marks | 2MCQ
Area of rectangle 10x5:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q10

Q35. General Aptitude | 2 marks | 2MCQ
Area of rectangle 10x5:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q10

Q36. Post Harvest Engineering | 2 marks | 2MCQ
Fumigation controls:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q5

Q37. Surveying & Leveling | 2 marks | 2NAT
Chain survey used for:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q8

Q38. Food Processing | 2 marks | 2MCQ
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6

Q39. Post Harvest Engineering | 2 marks | 2MSQ
Fumigation controls:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q5

Q40. Food Processing | 2 marks | 2MCQ
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6

Q41. Irrigation & Drainage | 2 marks | 2NAT
Drip irrigation saves:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q3

Q42. Irrigation & Drainage | 2 marks | 2MCQ
Drip irrigation saves:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q3

Q43. Farm Machinery & Power | 2 marks | 2MCQ
Tractor power measured in:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 AG Session 1 Q2

Q44. Food Processing | 2 marks | 2MCQ
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6

Q45. Food Processing | 2 marks | 2NAT
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6

Q46. Renewable Energy | 2 marks | 2MCQ
Solar panel converts:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q9

Q47. Food Processing | 2 marks | 2MCQ
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6

Q48. Soil and Water Conservation | 2 marks | 2MSQ
Field capacity is:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q4

Q49. Farm Machinery & Power | 2 marks | 2MCQ
4-stroke engine has:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q7

Q50. Soil and Water Conservation | 2 marks | 2MSQ
Field capacity is:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q4

Q51. Food Processing | 2 marks | 2NAT
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6

Q52. Post Harvest Engineering | 2 marks | 2MCQ
Fumigation controls:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q5

Q53. Renewable Energy | 2 marks | 2NAT
Solar panel converts:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q9

Q54. Surveying & Leveling | 2 marks | 2MCQ
Chain survey used for:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q8

Q55. Food Processing | 2 marks | 2MCQ
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6

Q56. Soil and Water Conservation | 2 marks | 2MSQ
Field capacity is:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q4

Q57. Soil and Water Conservation | 2 marks | 2MCQ
Field capacity is:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q4

Q58. Renewable Energy | 2 marks | 2MSQ
Solar panel converts:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q9

Q59. Renewable Energy | 2 marks | 2NAT
Solar panel converts:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q9

Q60. Soil and Water Conservation | 2 marks | 2MCQ
Field capacity is:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q4

Q61. Post Harvest Engineering | 2 marks | 2NAT
Fumigation controls:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q5

Q62. Farm Machinery & Power | 2 marks | 2MCQ
Tractor power measured in:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 AG Session 1 Q2

Q63. General Aptitude | 2 marks | 2MCQ
Area of rectangle 10x5:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 AG Session 1 Q10

Q64. Food Processing | 2 marks | 2MCQ
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6

Q65. Food Processing | 2 marks | 2NAT
Pasteurization temperature:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 AG Session 1 Q6
