

ANSWER KEY

GATE IN — GATE IN 2026 Trend-Based Mock Paper 3

Q.No.	Type	Answer	Marks
1	1MCQ	B	1
2	1NAT	A	1
3	1NAT	A	1
4	1NAT	C	1
5	1MCQ	C	1
6	1MCQ	A	1
7	1NAT	B	1
8	1MCQ	B	1
9	1NAT	B	1
10	1NAT	A	1
11	1MCQ	A	1
12	1MCQ	A	1
13	1MCQ	C	1
14	1MCQ	B	1
15	1MCQ	C	1
16	1NAT	A	1
17	1MCQ	A	1
18	1MCQ	C	1
19	1MCQ	C	1
20	1MCQ	C	1
21	1MCQ	B	1
22	1MCQ	A	1
23	1NAT	C	1
24	1MCQ	C	1
25	1MCQ	B	1
26	1MCQ	C	1
27	1MCQ	C	1
28	1NAT	A	1
29	1MCQ	C	1
30	1MCQ	A	1
31	2MCQ	B	2
32	2MCQ	A	2
33	2MSQ	B	2
34	2MCQ	A	2
35	2MCQ	B	2
36	2MCQ	B	2

37	2MCQ	B	2
38	2MCQ	B	2
39	2MCQ	A	2
40	2NAT	A	2
41	2MCQ	A	2
42	2MSQ	B	2
43	2MCQ	A	2
44	2MCQ	B	2
45	2NAT	B	2
46	2MCQ	A	2
47	2NAT	B	2
48	2MCQ	C	2
49	2MSQ	C	2
50	2MCQ	A	2
51	2MCQ	A	2
52	2MCQ	B	2
53	2NAT	A	2
54	2MCQ	A	2
55	2NAT	A	2
56	2MCQ	A	2
57	2NAT	C	2
58	2MCQ	A	2
59	2MCQ	A	2
60	2MCQ	C	2
61	2MCQ	A	2
62	2MCQ	A	2
63	2MCQ	C	2
64	2MCQ	A	2
65	2NAT	B	2

Q1. General Aptitude | 1 marks | 1MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q2. Engineering Mathematics | 1 marks | 1NAT
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q3. Sensors & Instrumentation | 1 marks | 1NAT
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q4. Control Systems | 1 marks | 1NAT
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q5. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q6. Analog & Digital Electronics | 1 marks | 1MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q7. Communications & Process Control | 1 marks | 1NAT
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q8. Communications & Process Control | 1 marks | 1MCQ
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q9. Measurement Systems | 1 marks | 1NAT
Moving coil instrument measures:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q2

Q10. Engineering Mathematics | 1 marks | 1NAT
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q11. Signals and Systems | 1 marks | 1MCQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q12. Analog & Digital Electronics | 1 marks | 1MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q13. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q14. General Aptitude | 1 marks | 1MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q15. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q16. Analog & Digital Electronics | 1 marks | 1NAT
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q17. Signals and Systems | 1 marks | 1MCQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q18. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q19. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q20. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q21. Communications & Process Control | 1 marks | 1MCQ
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q22. Analog & Digital Electronics | 1 marks | 1MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q23. Control Systems | 1 marks | 1NAT
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q24. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q25. Communications & Process Control | 1 marks | 1MCQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q26. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q27. Analog & Digital Electronics | 1 marks | 1MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q28. Engineering Mathematics | 1 marks | 1NAT
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q29. Control Systems | 1 marks | 1MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q30. Engineering Mathematics | 1 marks | 1MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q31. General Aptitude | 2 marks | 2MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q32. Analog & Digital Electronics | 2 marks | 2MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q33. Communications & Process Control | 2 marks | 2MSQ
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q34. Analog & Digital Electronics | 2 marks | 2MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q35. General Aptitude | 2 marks | 2MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q36. Communications & Process Control | 2 marks | 2MCQ
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q37. Measurement Systems | 2 marks | 2MCQ
Moving coil instrument measures:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q2

Q38. General Aptitude | 2 marks | 2MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q39. Signals and Systems | 2 marks | 2MCQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q40. Analog & Digital Electronics | 2 marks | 2NAT
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q41. Engineering Mathematics | 2 marks | 2MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q42. Communications & Process Control | 2 marks | 2MSQ
FM uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q8

Q43. Engineering Mathematics | 2 marks | 2MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q44. General Aptitude | 2 marks | 2MCQ
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q45. Measurement Systems | 2 marks | 2NAT
Moving coil instrument measures:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q2

Q46. Engineering Mathematics | 2 marks | 2MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q47. General Aptitude | 2 marks | 2NAT
20% of 200:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q10

Q48. Control Systems | 2 marks | 2MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q49. Control Systems | 2 marks | 2MSQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q50. Signals and Systems | 2 marks | 2MCQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q51. Engineering Mathematics | 2 marks | 2MCQ
Determinant of 2x2 matrix:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q1

Q52. Communications & Process Control | 2 marks | 2MCQ
Closed-loop uses:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q9

Q53. Signals and Systems | 2 marks | 2NAT
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q54. Analog & Digital Electronics | 2 marks | 2MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q55. Analog & Digital Electronics | 2 marks | 2NAT
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q56. Analog & Digital Electronics | 2 marks | 2MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q57. Control Systems | 2 marks | 2NAT
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q58. Analog & Digital Electronics | 2 marks | 2MCQ
8-bit ADC has resolution:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q6

Q59. Signals and Systems | 2 marks | 2MCQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q60. Analog & Digital Electronics | 2 marks | 2MCQ
Instrumentation amp has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q5

Q61. Sensors & Instrumentation | 2 marks | 2MCQ
LVDT measures:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q3

Q62. Signals and Systems | 2 marks | 2MCQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q63. Control Systems | 2 marks | 2MCQ
PID controller has:

Answer: C

Correct Answer: C

Source: Adapted from GATE 2024 IN Session 1 Q4

Q64. Signals and Systems | 2 marks | 2MCQ
FFT computes:

Answer: A

Correct Answer: A

Source: Adapted from GATE 2024 IN Session 1 Q7

Q65. Measurement Systems | 2 marks | 2NAT
Moving coil instrument measures:

Answer: B

Correct Answer: B

Source: Adapted from GATE 2024 IN Session 1 Q2
