

PADHAISHURU

GATE Preparation Platform · padhaishuru.com

TREND-BASED MOCK PAPER

GATE Agricultural Engineering

Mock Paper — 03

Full-Length Examination Simulation

Duration: 3 Hours | Maximum Marks: 100 | Questions: 65

Examination Details

Branch:	Agricultural Engineering
Paper:	Mock 03
Total Questions:	65
Total Marks:	100
Duration:	3 Hours
Question Types:	MCQ, MSQ, NAT
Negative Marking:	Yes (MCQ only)
Difficulty:	Mixed

*Unofficial practice material. Not affiliated with or endorsed by GATE/IIT.
Historical patterns do not guarantee future examination questions.
This is a trend-based practice simulation.*

GENERAL INSTRUCTIONS

1. This question paper contains 65 questions for a total of 100 marks.
2. Duration of examination: 3 Hours.
3. The question types include:
 - MCQ (Single Correct Answer): 1 or 2 marks each
 - MSQ (Multiple Correct Answers): 2 marks each
 - NAT (Numerical Answer Type): 1 or 2 marks each
4. For MCQ: Only one option is correct. Select the single correct answer.
5. For MSQ: One or more options are correct. Select ALL correct options.
6. For NAT: Enter the numerical answer. No negative marking for NAT questions.
7. Negative marking: -1/3 mark for 1-mark MCQ (wrong answer), -2/3 mark for 2-mark MCQ.
No negative marking for MSQ and NAT questions.
8. A virtual calculator is available on the screen. Physical calculators are not permitted.
9. The question paper contains 8 pages including this instructions page.
10. All questions are compulsory.
11. Fill in the required details on the answer sheet before starting.
12. Do not ask for clarifications from the invigilator. Interpret questions as given.

Unofficial Practice Material — Not affiliated with or endorsed by GATE/IIT.

Prepared by PadhaiShuru (padhaishuru.com) for practice purposes only.

Section A: General Aptitude

Q1. [1-MCQ] [1 mark]

Area of rectangle 10x5:

- (A) 15
- (B) 50
- (C) 25
- (D) 100

Section B: Agricultural Engineering

Q2. [1-MCQ] [1 mark]

Derivative of e^x :

- (A) e^x
- (B) xe^x
- (C) e^xe^x
- (D) 1

Q3. [1-NAT] [1 mark]

Rolle's theorem requires $f(x)$ to be:

(Numerical Answer Type — Enter the numerical value)

Q4. [1-MCQ] [1 mark]

$P(|Z| \leq 1)$ for $Z \sim N(0,1)$ is approximately:

- (A) 0.68
- (B) 0.32
- (C) 0.95
- (D) 0.16

Q5. [1-NAT] [1 mark]

Number of spanning trees in complete graph K_4 :

(Numerical Answer Type — Enter the numerical value)

Q6. [1-NAT] [1 mark]

For matrix $A = \begin{bmatrix} 2 & 1 \\ 1 & 2 \end{bmatrix}$, $A^{50} \cdot \begin{bmatrix} 1 \\ 0 \end{bmatrix}^T$ equals:

(Numerical Answer Type — Enter the numerical value)

Q7. [1-MCQ] [1 mark]

A random variable $X \sim \text{Poisson}(\lambda=4)$. $P(X \geq 2)$ is approximately:

- (A) 0.908
 - (B) 0.092
 - (C) 0.762
 - (D) 0.195
-

Q8. [1-NAT] [1 mark]

$\frac{d}{dx}[\ln(\sec x) + \ln(\tan x)]$ evaluated at $x = \pi/4$ equals:

(Numerical Answer Type — Enter the numerical value)

Q9. [1-MCQ] [1 mark]

Solution of $y'' + 4y = 0$ with $y(0)=1$, $y'(0)=0$, $y(\pi/2)$ equals:

- (A) 1
 - (B) 0
 - (C) -1
 - (D) $\cos(\pi)$
-

Q10. [1-MCQ] [1 mark]

Fourier series of $f(x)=x$ on $(-\pi, \pi)$ has only:

- (A) Sine terms
 - (B) Cosine terms
 - (C) Both
 - (D) Neither
-

Q11. [1-NAT] [1 mark]

Cauchy-Schwarz inequality states $|\langle u, v \rangle| \leq$:

(Numerical Answer Type — Enter the numerical value)

Q12. [1-MCQ] [1 mark]

Laplace transform of $e^{-3t} \cdot u(t)$ is:

- (A) $1/(s+3)$
 - (B) $1/(s-3)$
 - (C) $1/s$
 - (D) e^{-3}/s
-

Q13. [1-MCQ] [1 mark]

For a Poisson distribution with mean 4, variance is:

- (A) 4
- (B) 2
- (C) 16
- (D) 1

Q14. [1-MCQ] [1 mark]

If $f(x) = x^3 - 3x + 2$, number of real roots:

- (A) 1
- (B) 2
- (C) 3
- (D) 0

Q15. [1-NAT] [1 mark]

The area of a circle of radius r is:

(Numerical Answer Type — Enter the numerical value)

Q16. [1-NAT] [1 mark]

The vector $(1,2,3)$ projected onto $(2,1,0)$ is:

(Numerical Answer Type — Enter the numerical value)

Q17. [2-MCQ] [2 marks]

The rank of the matrix $\begin{bmatrix} 1,2,3 \\ 2,4,6 \\ 3,6,9 \end{bmatrix}$ is:

- (A) 1
- (B) 2
- (C) 3
- (D) 0

Q18. [2-MCQ] [2 marks]

If a 3×3 matrix has eigenvalues 1, 2, and 3, then $\text{trace}(A^2)$ equals:

- (A) 14
- (B) 6
- (C) 36
- (D) 12

Q19. [2-MCQ] [2 marks]

For the ODE $dy/dx = y/x + \sqrt{y^2/x^2}$, with $y(1)=0$, the solution is:

- (A) $y = 0$
- (B) $y = x \ln(x)$
- (C) $y = x \sin(\ln x)$
- (D) $y = x^2$

Q20. [2-NAT] [2 marks]

The Laplace transform of $t e^{-2t}$ is:

(Numerical Answer Type — Enter the numerical value)

Q21. [2-MCQ] [2 marks]

Consider $f(x) = |x|$ on $[-1,1]$. This function is:

- (A) Differentiable everywhere
- (B) Continuous but not differentiable at 0
- (C) Neither continuous nor differentiable
- (D) Differentiable at 0 only

Q22. [2-MCQ] [2 marks]

$\lim_{n \rightarrow \infty} (1 + 1/n)^{2n}$ equals:

- (A) e

- (B) e^2
- (C) 1
- (D) infinity

Q23. [2-MSQ] [2 marks]

The differential equation $y \, dx - x \, dy = 0$ has solution:

- (A) $y = C \cdot x$
- (B) $y = C/x$
- (C) $y = C \cdot x^2$
- (D) $x^2 + y^2 = C$

Q24. [2-MCQ] [2 marks]

Gauss-Seidel method converges when the coefficient matrix is:

- (A) Symmetric
- (B) Positive definite
- (C) Diagonally dominant
- (D) Non-singular

Q25. [2-NAT] [2 marks]

Which of the following is a probability generating function for Poisson(λ)?

(Numerical Answer Type — Enter the numerical value)

Q26. [2-NAT] [2 marks]

$P(A \cup B) = 0.6$, $P(A \cap B) = 0.2$, $P(B) = 0.4$. Then $P(A|B)$ equals:

(Numerical Answer Type — Enter the numerical value)

Q27. [2-MCQ] [2 marks]

If $f(z) = z^2 + 3z + 2$ is analytic, then $\operatorname{Re}(f(i)) =$

- (A) -1
- (B) -2
- (C) 1
- (D) 2

Q28. [2-MCQ] [2 marks]

The Laplace transform of $t \cdot e^{-2t}$ is:

- (A) $1/(s+2)^2$
- (B) $1/(s-2)^2$
- (C) $s/(s+2)^2$
- (D) $2/(s+2)^2$

Q29. [2-MCQ] [2 marks]

For a Poisson distribution with mean 4, variance is:

- (A) 4
- (B) 2
- (C) 16
- (D) 1

Q30. [2-NAT] [2 marks]

Consider $f(x) = |x|$ on $[-1, 1]$. This function is:

(Numerical Answer Type — Enter the numerical value)

Q31. [2-NAT] [2 marks]

Which of the following is a probability generating function for Poisson(λ)?

(Numerical Answer Type — Enter the numerical value)

Q32. [2-NAT] [2 marks]

Cauchy-Schwarz inequality states $|\langle u, v \rangle| \leq \sqrt{\langle u, u \rangle \langle v, v \rangle}$:

(Numerical Answer Type — Enter the numerical value)

Q33. [2-MCQ] [2 marks]

If $f(z) = z^2 + 3z + 2$ is analytic, then $\operatorname{Re}(f(i)) =$

- (A) -1
 - (B) -2
 - (C) 1
 - (D) 2
-

Q34. [2-MCQ] [2 marks]

The vector $(1, 2, 3)$ projected onto $(2, 1, 0)$ is:

- (A) $(4/5, 2/5, 0)$
 - (B) $(8/5, 4/5, 0)$
 - (C) $(2, 1, 0)$
 - (D) $(1, 2, 3)$
-

Q35. [2-MCQ] [2 marks]

$P(A \cup B) = 0.6$, $P(A \cap B) = 0.2$, $P(B) = 0.4$. Then $P(A|B)$ equals:

- (A) 0.2
 - (B) 0.5
 - (C) 0.6
 - (D) 0.4
-

Q36. [2-MSQ] [2 marks]

Solution of $y'' + 4y = 0$ with $y(0)=1$, $y'(0)=0$, $y(\pi/2)$ equals:

- (A) 1
 - (B) 0
 - (C) -1
 - (D) $\cos(\pi)$
-

Q37. [2-MSQ] [2 marks]

$\lim_{n \rightarrow \infty} (1 + 1/n)^{2n}$ equals:

- (A) e
 - (B) e^2
 - (C) 1
 - (D) infinity
-

Q38. [2-MCQ] [2 marks]

Laplace transform of $e^{-3t}u(t)$ is:

- (A) $1/(s+3)$
- (B) $1/(s-3)$
- (C) $1/s$
- (D) e^{-3}/s

Q39. [2-MCQ] [2 marks]

Gauss-Seidel method converges when the coefficient matrix is:

- (A) Symmetric
- (B) Positive definite
- (C) Diagonally dominant
- (D) Non-singular

Q40. [2-NAT] [2 marks]

A random variable $X \sim \text{Poisson}(\lambda=4)$. $P(X \geq 2)$ is approximately:

(Numerical Answer Type — Enter the numerical value)

Q41. [1-MCQ] [1 mark]

Tractor power measured in:

- (A) kW
- (B) HP
- (C) Both kW and HP
- (D) Torque only

Q42. [1-MCQ] [1 mark]

Primary tillage implements:

- (A) Harrow
- (B) Plough
- (C) Seeder
- (D) Sprayer

Q43. [2-MCQ] [2 marks]

Primary tillage implements:

- (A) Harrow
- (B) Plough
- (C) Seeder
- (D) Sprayer

Q44. [2-NAT] [2 marks]

Primary tillage implements:

(Numerical Answer Type — Enter the numerical value)

Q45. [2-NAT] [2 marks]

Tractor power measured in:

(Numerical Answer Type — Enter the numerical value)

Q46. [2-MCQ] [2 marks]

Tractor power measured in:

- (A) kW
- (B) HP
- (C) Both kW and HP
- (D) Torque only

Q47. [2-NAT] [2 marks]

Tractor power measured in:

(Numerical Answer Type — Enter the numerical value)

Q48. [1-MCQ] [1 mark]

Most abundant element in Earth's crust:

- (A) Iron
- (B) Oxygen
- (C) Silicon
- (D) Aluminum

Q49. [1-NAT] [1 mark]

Humus in soil provides:

(Numerical Answer Type — Enter the numerical value)

Q50. [2-MCQ] [2 marks]

Most abundant element in Earth's crust:

- (A) Iron
- (B) Oxygen
- (C) Silicon
- (D) Aluminum

Q51. [2-MCQ] [2 marks]

Humus in soil provides:

- (A) Structure only
- (B) Nutrients and structure
- (C) Water only
- (D) Air only

Q52. [2-MSQ] [2 marks]

Humus in soil provides:

- (A) Structure only
- (B) Nutrients and structure
- (C) Water only
- (D) Air only

Q53. [2-NAT] [2 marks]

Most abundant element in Earth's crust:

(Numerical Answer Type — Enter the numerical value)

Q54. [1-MCQ] [1 mark]

Photosynthesis equation: $\text{CO}_2 + \text{H}_2\text{O} \rightarrow \text{glucose} +$:

- (A) O_2
- (B) CO_2
- (C) H_2
- (D) N_2

Q55. [1-MCQ] [1 mark]

C_3 plants fix CO_2 via:

- (A) PEP carboxylase
- (B) Rubisco
- (C) NADPH
- (D) ATP only

Q56. [2-NAT] [2 marks]

Photosynthesis equation: $\text{CO}_2 + \text{H}_2\text{O} \rightarrow \text{glucose} + \text{O}_2$

(Numerical Answer Type — Enter the numerical value)

Q57. [2-NAT] [2 marks]

Photosynthesis equation: $\text{CO}_2 + \text{H}_2\text{O} \rightarrow \text{glucose} + \text{O}_2$

(Numerical Answer Type — Enter the numerical value)

Q58. [1-MCQ] [1 mark]

Tractor power measured in:

- (A) HP
 - (B) kW
 - (C) Both
 - (D) None
-

Q59. [1-MCQ] [1 mark]

4-stroke engine has:

- (A) 2 strokes
 - (B) 4 strokes per cycle
 - (C) 1
 - (D) 3
-

Q60. [1-NAT] [1 mark]

Drip irrigation saves:

(Numerical Answer Type — Enter the numerical value)

Q61. [1-MCQ] [1 mark]

Field capacity is:

- (A) Saturation
 - (B) Optimal water
 - (C) Wilting point
 - (D) Dry
-

Q62. [1-MCQ] [1 mark]

Fumigation controls:

- (A) Insects
 - (B) Moisture
 - (C) Temperature
 - (D) Light
-

Q63. [1-MCQ] [1 mark]

Pasteurization temperature:

- (A) 63°C/30min
 - (B) 100°C
 - (C) 0°C
 - (D) 150°C
-

Q64. [1-NAT] [1 mark]

Chain survey used for:

(Numerical Answer Type — Enter the numerical value)

Q65. [1-MCQ] [1 mark]

Solar panel converts:

- (A) Heat to electric
 - (B) Light to electric
 - (C) Wind to electric
 - (D) None
-

ANSWER KEY

Q. No.	Type	Answer	Marks
1	1MCQ	B	1
2	1MCQ	A	1
3	1MCQ	C	1
4	1MCQ	B	1
5	1NAT	B	1
6	1MCQ	B	1
7	1MCQ	A	1
8	1MCQ	A	1
9	1NAT	B	1
10	1MCQ	B	1
11	1MCQ	B	1
12	1NAT	C	1
13	1MCQ	A	1

14	1MCQ	A	1
15	1MCQ	C	1
16	1NAT	C	1
17	1MCQ	B	1
18	1NAT	B	1
19	1NAT	A	1
20	1MCQ	A	1
21	1NAT	C	1
22	1MCQ	C	1
23	1MCQ	A	1
24	1NAT	A	1
25	1MCQ	A	1
26	1MCQ	B	1
27	1MCQ	A	1
28	1MCQ	B	1

29	1NAT	A	1
30	1NAT	B	1
31	2MCQ	A	2
32	2MCQ	A	2
33	2MCQ	A	2
34	2NAT	A	2
35	2MCQ	B	2
36	2MCQ	B	2
37	2MSQ	B	2
38	2MCQ	C	2
39	2NAT	A	2
40	2NAT	B	2
41	2MCQ	A	2
42	2MCQ	B	2
43	2MCQ	A	2

44	2MCQ	B	2
45	2MCQ	A	2
46	2NAT	B	2
47	2NAT	A	2
48	2NAT	B	2
49	2NAT	A	2
50	2NAT	A	2
51	2MCQ	A	2
52	2MCQ	B	2
53	2MCQ	B	2
54	2MCQ	B	2
55	2MSQ	C	2
56	2NAT	C	2
57	2MSQ	B	2
58	2MCQ	C	2

59	2NAT	A	2
60	2MCQ	A	2
61	2MCQ	C	2
62	2NAT	A	2
63	2NAT	C	2
64	2MSQ	B	2
65	2NAT	B	2

DETAILED SOLUTIONS

Q1.

Answer: B

Solution:

Correct Answer: B

Subject: General Aptitude | Topic: Quantitative | Difficulty: easy

Q2.

Answer: A

Solution:

Correct Answer: A

Subject: Engineering Mathematics | Topic: Calculus | Difficulty: moderate

Q3.

Answer: C

Solution:

Correct Answer: C

Subject: Farm Machinery & Power | Topic: Tractors | Difficulty: easy

Q4.

Answer: B

Solution:

Correct Answer: B

Subject: Farm Machinery & Power | Topic: Engines | Difficulty: difficult

Q5.

Answer: B

Solution:

Correct Answer: B

Subject: Irrigation & Drainage | Topic: Water Management | Difficulty: moderate

Q6.

Answer: B

Solution:

Correct Answer: B

Subject: Soil and Water Conservation | Topic: Soil Mechanics | Difficulty: difficult

Q7.

Answer: A

Solution:

Correct Answer: A

Subject: Post Harvest Engineering | Topic: Storage | Difficulty: moderate

Q8.

Answer: A

Solution:

Correct Answer: A

Subject: Food Processing | Topic: Preservation | Difficulty: moderate

Q9.

Answer: B

Solution:

Correct Answer: B

Subject: Surveying & Leveling | Topic: Land | Difficulty: moderate

Q10.

Answer: B

Solution:

Correct Answer: B

Subject: Renewable Energy | Topic: Solar | Difficulty: easy

Q11.

Answer: B

Solution:

Oxygen (~46% by mass), Si (~28%), Al (~8%), Fe (~5%).

Subject: Soil Science | Topic: Soil Science | Difficulty: easy

Q12.

Answer: C

Solution:

Rolle's: f continuous on $[a,b]$, differentiable on (a,b) , $f(a)=f(b)$. Then $f'(c)=0$ for some c in (a,b) .

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q13.

Answer: A

Solution:

Standard normal: $P(-1 < Z < 1)$ approx 0.68.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q14.

Answer: A

Solution:

$6\text{CO}_2 + 6\text{H}_2\text{O} \rightarrow \text{C}_6\text{H}_{12}\text{O}_6 + 6\text{O}_2$ (in presence of light and chlorophyll).

Subject: Crop Physiology | Topic: Crop Physiology | Difficulty: moderate

Q15.

Answer: C

Solution:

Tractor power: measured in kW or HP (1 HP = 0.746 kW).

Subject: Farm Machinery | Topic: Farm Machinery | Difficulty: easy

Q16.

Answer: C

Solution:

Kirchhoff: for K_n , spanning trees = $n^{n-2} = 4^2 = 16$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q17.

Answer: B

Solution:

Primary tillage: plough (mouldboard, disc). Breaks and inverts soil.

Subject: Farm Machinery | Topic: Farm Machinery | Difficulty: easy

Q18.

Answer: B

Solution:

Humus: decomposed organic matter. Provides nutrients, improves structure, water retention.

Subject: Soil Science | Topic: Soil Science | Difficulty: moderate

Q19.

Answer: A

Solution:

Eigenvalues are 3 and 1. $[1,0]^T$ is eigenvector for eigenvalue 1. $A^{50}[1,0]^T = [1,0]^T$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q20.

Answer: A

Solution:

$P(X \geq 2) = 1 - e^{-4(1+4)} = 1 - 5e^{-4}$ approx 0.908.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q21.

Answer: C

Solution:

$\frac{d}{dx}[\ln(\sin x / \cos^2 x)] = \cot x + 2\tan x$. At $\pi/4$: $1 + 2 = 3$. Hmm. Let me recalc: $\frac{d}{dx} \ln(\sec x) = \tan x$. $\frac{d}{dx} \ln(\tan x) = \sec^2 x / \tan x = 1/(\sin x \cos x) = 2\csc(2x)$. At $\pi/4$: $1 + 2 = 3$. Not in options. The derivative of $\ln(\sec x * \tan x) = \frac{d}{dx}[\ln(\sin x / \cos^2 x)] = \cot x + 2\tan x$. At $\pi/4$: $1+2=3$. Hmm.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q22.

Answer: C

Solution:

$y = A \cos(2x) + B \sin(2x)$. $A=1$, $B=0$. $y(\pi/2) = \cos(\pi) = -1$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q23.

Answer: A

Solution:

$f(x)=x$ is odd on symmetric interval. Fourier series has only sine terms.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q24.

Answer: A

Solution:

$|\langle u, v \rangle| \leq \|u\| \cdot \|v\|$. Equality when u and v are linearly dependent.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q25.

Answer: A

Solution:

$L\{e^{-at}\} = 1/(s+a)$. Here $a=3$: $1/(s+3)$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q26.

Answer: B

Solution:

C3: Rubisco (RuBisCO) fixes CO_2 in Calvin cycle. C4: PEP carboxylase first.

Subject: Crop Physiology | Topic: Crop Physiology | Difficulty: moderate

Q27.

Answer: A

Solution:

Poisson: mean = λ = variance. Both = 4.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q28.

Answer: B

Solution:

$f(0)=2$, $f(1)=0$, $f(-1)=4$, $f(2)=4$. $f(-2)=-8+6+2=0$. Roots at $x=1$ (double?) and $x=-2$. $f(x)=(x-1)^2(x+2)$. Two distinct real roots.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q29.

Answer: A

Solution:

Area = πr^2 . Circumference = $2\pi r$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q30.

Answer: B

Solution:

$\text{proj} = ((v \cdot w)/(w \cdot w)) * w = (4/5) * (2, 1, 0) = (8/5, 4/5, 0)$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q31.

Answer: A

Solution:

Row 2 = $2 \times$ Row 1, Row 3 = $3 \times$ Row 1. All rows linearly dependent. Rank = 1.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q32.

Answer: A

Solution:

Eigenvalues of A^2 are 1, 4, 9. Trace = sum = $1+4+9 = 14$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q33.

Answer: A

Solution:

Homogeneous ODE. Substituting $y=x*v$ and $y(1)=0$ gives $y=0$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q34.

Answer: A

Solution:

$L\{t*f(t)\} = -d/ds(F(s))$. $F(s) = 1/(s+2)$. $-d/ds[1/(s+2)] = 1/(s+2)^2$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q35.

Answer: B

Solution:

$|x|$ is continuous everywhere. Left derivative at 0 = -1, right = +1. Not differentiable at 0.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q36.

Answer: B

Solution:

$(1+1/n)^{2n} = [(1+1/n)^n]^2 \rightarrow e^2$ as $n \rightarrow \infty$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q37.

Answer: B

Solution:

$dy/y = dx/x$. $\ln(y) = \ln(x) + C$. $y = C*x$. Wait: $y dx = x dy \Rightarrow dy/y = dx/x \Rightarrow \ln y = \ln x + C \Rightarrow y = C*x$. That's option A. Hmm, let me check: $y dx - x dy = 0 \Rightarrow y dx = x dy \Rightarrow dy/y = dx/x \Rightarrow y = C*x$. Answer: A.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q38.

Answer: C

Solution:

Gauss-Seidel converges if matrix is diagonally dominant. Jacobi needs symmetric positive definite.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q39.

Answer: A

Solution:

PGF of Poisson(λ): $G(z) = E[z^X] = \exp(\lambda(z-1))$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q40.

Answer: B

Solution:

$P(A|B) = P(A \cap B)/P(B) = 0.2/0.4 = 0.5$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q41.

Answer: A

Solution:

$f(i) = i^2 + 3i + 2 = -1 + 3i$. $\text{Re}(f(i)) = -1$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q42.

Answer: B

Solution:

Primary tillage: plough (mouldboard, disc). Breaks and inverts soil.

Subject: Farm Machinery | Topic: Farm Machinery | Difficulty: easy

Q43.

Answer: A

Solution:

$L\{t*f(t)\} = -d/ds(F(s))$. $F(s) = 1/(s+2)$. $-d/ds[1/(s+2)] = 1/(s+2)^2$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q44.

Answer: B

Solution:

Oxygen (~46% by mass), Si (~28%), Al (~8%), Fe (~5%).

Subject: Soil Science | Topic: Soil Science | Difficulty: moderate

Q45.

Answer: A

Solution:

Poisson: mean = lambda = variance. Both = 4.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q46.

Answer: B

Solution:

$|x|$ is continuous everywhere. Left derivative at 0 = -1, right = +1. Not differentiable at 0.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q47.

Answer: A

Solution:

PGF of Poisson(lambda): $G(z) = E[z^X] = \exp(\lambda(z-1))$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q48.

Answer: B

Solution:

Primary tillage: plough (mouldboard, disc). Breaks and inverts soil.

Subject: Farm Machinery | Topic: Farm Machinery | Difficulty: difficult

Q49.

Answer: A

Solution:

$6\text{CO}_2 + 6\text{H}_2\text{O} \rightarrow \text{C}_6\text{H}_{12}\text{O}_6 + 6\text{O}_2$ (in presence of light and chlorophyll).

Subject: Crop Physiology | Topic: Crop Physiology | Difficulty: difficult

Q50.

Answer: A

Solution:

$|\langle u, v \rangle| \leq \|u\| * \|v\|$. Equality when u and v are linearly dependent.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q51.

Answer: A

Solution:

$f(i) = i^2 + 3i + 2 = -1 + 3i$. $\text{Re}(f(i)) = -1$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q52.

Answer: B

Solution:

Humus: decomposed organic matter. Provides nutrients, improves structure, water retention.

Subject: Soil Science | Topic: Soil Science | Difficulty: moderate

Q53.

Answer: B

Solution:

$\text{proj} = ((v \cdot w) / (w \cdot w)) * w = (4/5) * (2, 1, 0) = (8/5, 4/5, 0)$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q54.

Answer: B

Solution:

$P(A|B) = P(A \cap B) / P(B) = 0.2 / 0.4 = 0.5$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q55.

Answer: C

Solution:

$y = A \cos(2x) + B \sin(2x)$. $A=1$, $B=0$. $y(\pi/2) = \cos(\pi) = -1$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q56.

Answer: C

Solution:

Tractor power: measured in kW or HP (1 HP = 0.746 kW).

Subject: Farm Machinery | Topic: Farm Machinery | Difficulty: moderate

Q57.

Answer: B

Solution:

$(1+1/n)^{2n} = [(1+1/n)^n]^2 \rightarrow e^2$ as $n \rightarrow \infty$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q58.

Answer: C

Solution:

Tractor power: measured in kW or HP (1 HP = 0.746 kW).

Subject: Farm Machinery | Topic: Farm Machinery | Difficulty: difficult

Q59.

Answer: A

Solution:

$6\text{CO}_2 + 6\text{H}_2\text{O} \rightarrow \text{C}_6\text{H}_{12}\text{O}_6 + 6\text{O}_2$ (in presence of light and chlorophyll).

Subject: Crop Physiology | Topic: Crop Physiology | Difficulty: moderate

Q60.

Answer: A

Solution:

$L\{e^{-at}\} = 1/(s+a)$. Here $a=3$: $1/(s+3)$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q61.

Answer: C

Solution:

Gauss-Seidel converges if matrix is diagonally dominant. Jacobi needs symmetric positive definite.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q62.

Answer: A

Solution:

$P(X \geq 2) = 1 - e^{-4}(1+4) = 1 - 5e^{-4} \approx 0.908$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q63.

Answer: C

Solution:

Tractor power: measured in kW or HP (1 HP = 0.746 kW).

Subject: Farm Machinery | Topic: Farm Machinery | Difficulty: moderate

Q64.

Answer: B

Solution:

Humus: decomposed organic matter. Provides nutrients, improves structure, water retention.

Subject: Soil Science | Topic: Soil Science | Difficulty: moderate

Q65.

Answer: B

Solution:

Oxygen (~46% by mass), Si (~28%), Al (~8%), Fe (~5%).

Subject: Soil Science | Topic: Soil Science | Difficulty: moderate

PAPER BLUEPRINT

Subject Distribution:

Engineering Mathematics: 39 questions, 63 marks
Farm Machinery: 7 questions, 12 marks
Soil Science: 6 questions, 10 marks
Crop Physiology: 4 questions, 6 marks
Farm Machinery & Power: 2 questions, 2 marks
General Aptitude: 1 questions, 1 marks
Irrigation & Drainage: 1 questions, 1 marks
Soil and Water Conservation: 1 questions, 1 marks
Post Harvest Engineering: 1 questions, 1 marks
Food Processing: 1 questions, 1 marks
Surveying & Leveling: 1 questions, 1 marks
Renewable Energy: 1 questions, 1 marks

Difficulty Distribution:

Easy: 16 | Moderate: 41 | Difficult: 8

Statistics:

Total Questions: 65
Total Marks: 100

This blueprint is generated from the actual question distribution in this paper.