

PADHAISHURU

GATE Preparation Platform · padhaishuru.com

TREND-BASED MOCK PAPER

GATE Chemical Engineering

Mock Paper — 02

Full-Length Examination Simulation

Duration: 3 Hours | Maximum Marks: 100 | Questions: 65

Examination Details

Branch:	Chemical Engineering
Paper:	Mock 02
Total Questions:	65
Total Marks:	100
Duration:	3 Hours
Question Types:	MCQ, MSQ, NAT
Negative Marking:	Yes (MCQ only)
Difficulty:	Mixed

*Unofficial practice material. Not affiliated with or endorsed by GATE/IIT.
Historical patterns do not guarantee future examination questions.
This is a trend-based practice simulation.*

GENERAL INSTRUCTIONS

1. This question paper contains 65 questions for a total of 100 marks.
2. Duration of examination: 3 Hours.
3. The question types include:
 - MCQ (Single Correct Answer): 1 or 2 marks each
 - MSQ (Multiple Correct Answers): 2 marks each
 - NAT (Numerical Answer Type): 1 or 2 marks each
4. For MCQ: Only one option is correct. Select the single correct answer.
5. For MSQ: One or more options are correct. Select ALL correct options.
6. For NAT: Enter the numerical answer. No negative marking for NAT questions.
7. Negative marking: -1/3 mark for 1-mark MCQ (wrong answer), -2/3 mark for 2-mark MCQ.
No negative marking for MSQ and NAT questions.
8. A virtual calculator is available on the screen. Physical calculators are not permitted.
9. The question paper contains 8 pages including this instructions page.
10. All questions are compulsory.
11. Fill in the required details on the answer sheet before starting.
12. Do not ask for clarifications from the invigilator. Interpret questions as given.

Unofficial Practice Material — Not affiliated with or endorsed by GATE/IIT.

Prepared by PadhaiShuru (padhaishuru.com) for practice purposes only.

Section A: General Aptitude

Q1. [1-MCQ] [1 mark]

Simple interest on 1000 at 5% for 2 years:

- (A) 50
- (B) 100
- (C) 200
- (D) 10

Section B: Chemical Engineering

Q2. [1-MCQ] [1 mark]

Partial derivative of x^2y w.r.t x :

- (A) $2xy$
- (B) x^2
- (C) $2x$
- (D) 0

Q3. [1-MCQ] [1 mark]

Rolle's theorem requires $f(x)$ to be:

- (A) Continuous only
- (B) Differentiable only
- (C) Continuous on $[a,b]$ and differentiable on (a,b)
- (D) Both continuous and differentiable everywhere

Q4. [1-MCQ] [1 mark]

$P(A \cup B) = 0.6$, $P(A \cap B) = 0.2$, $P(B) = 0.4$. Then $P(A|B)$ equals:

- (A) 0.2
- (B) 0.5
- (C) 0.6

(D) 0.4

Q5. [1-MCQ] [1 mark]

Fourier series of $f(x)=x$ on $(-\pi,\pi)$ has only:

- (A) Sine terms
- (B) Cosine terms
- (C) Both
- (D) Neither

Q6. [1-NAT] [1 mark]

If a 3×3 matrix has eigenvalues 1, 2, and 3, then $\text{trace}(A^2)$ equals:

(Numerical Answer Type — Enter the numerical value)

Q7. [1-MCQ] [1 mark]

The differential equation $y \, dx - x \, dy = 0$ has solution:

- (A) $y = C \cdot x$
- (B) $y = C/x$
- (C) $y = C \cdot x^2$
- (D) $x^2 + y^2 = C$

Q8. [2-MCQ] [2 marks]

The area of a circle of radius r is:

- (A) $\pi \cdot r^2$
- (B) $2 \cdot \pi \cdot r$
- (C) $\pi \cdot r$
- (D) $2 \cdot \pi \cdot r^2$

Q9. [2-NAT] [2 marks]

Which of the following is a probability generating function for $\text{Poisson}(\lambda)$?

(Numerical Answer Type — Enter the numerical value)

Q10. [2-NAT] [2 marks]

If $f(z) = z^2 + 3z + 2$ is analytic, then $\text{Re}(f(i)) =$

(Numerical Answer Type — Enter the numerical value)

Q11. [2-MCQ] [2 marks]

The rank of the matrix $\begin{bmatrix} 1,2,3 \\ 2,4,6 \\ 3,6,9 \end{bmatrix}$ is:

- (A) 1
- (B) 2
- (C) 3
- (D) 0

Q12. [2-MCQ] [2 marks]

Cauchy-Schwarz inequality states $|\langle u,v \rangle| \leq$:

- (A) $\|u\| \cdot \|v\|$
- (B) $\|u\| + \|v\|$
- (C) $\|u\| / \|v\|$
- (D) $\sqrt{\|u\| \cdot \|v\|}$

Q13. [2-MCQ] [2 marks]

$\lim_{n \rightarrow \infty} (1 + 1/n)^{2n}$ equals:

- (A) e
- (B) e^2
- (C) 1
- (D) infinity

Q14. [2-MCQ] [2 marks]

Consider $f(x) = |x|$ on $[-1,1]$. This function is:

- (A) Differentiable everywhere
- (B) Continuous but not differentiable at 0
- (C) Neither continuous nor differentiable
- (D) Differentiable at 0 only

Q15. [2-MCQ] [2 marks]

If $f(x) = x^3 - 3x + 2$, number of real roots:

- (A) 1
- (B) 2
- (C) 3
- (D) 0

Q16. [2-MCQ] [2 marks]

For a Poisson distribution with mean 4, variance is:

- (A) 4
- (B) 2
- (C) 16
- (D) 1

Q17. [2-MCQ] [2 marks]

Laplace transform of $e^{(-3t)}u(t)$ is:

- (A) $1/(s+3)$
- (B) $1/(s-3)$
- (C) $1/s$
- (D) $e^{-3/s}$

Q18. [2-NAT] [2 marks]

A random variable $X \sim \text{Poisson}(\lambda=4)$. $P(X \geq 2)$ is approximately:

(Numerical Answer Type — Enter the numerical value)

Q19. [2-MCQ] [2 marks]

$d/dx [\ln(\sec x) + \ln(\tan x)]$ evaluated at $x = \pi/4$ equals:

- (A) 0
- (B) 2
- (C) 4
- (D) 1

Q20. [2-NAT] [2 marks]

The vector $(1,2,3)$ projected onto $(2,1,0)$ is:

(Numerical Answer Type — Enter the numerical value)

Q21. [2-NAT] [2 marks]

Number of spanning trees in complete graph K_4 :

(Numerical Answer Type — Enter the numerical value)

Q22. [2-MCQ] [2 marks]

Gauss-Seidel method converges when the coefficient matrix is:

- (A) Symmetric
 - (B) Positive definite
 - (C) Diagonally dominant
 - (D) Non-singular
-

Q23. [2-MCQ] [2 marks]

For matrix $A = \begin{bmatrix} 2 & 1 \\ 1 & 2 \end{bmatrix}$, $A^{50} \cdot [1, 0]^T$ equals:

- (A) $[1, 0]^T$
 - (B) $[2, 1]^T$
 - (C) $[(3+2\sqrt{2})^{50}, \dots]$
 - (D) Cannot determine
-

Q24. [2-MCQ] [2 marks]

Solution of $y'' + 4y = 0$ with $y(0)=1$, $y'(0)=0$, $y(\pi/2)$ equals:

- (A) 1
 - (B) 0
 - (C) -1
 - (D) $\cos(\pi)$
-

Q25. [2-MCQ] [2 marks]

The Laplace transform of $t \cdot e^{-2t}$ is:

- (A) $1/(s+2)^2$
 - (B) $1/(s-2)^2$
 - (C) $s/(s+2)^2$
 - (D) $2/(s+2)^2$
-

Q26. [2-MCQ] [2 marks]

$P(|Z| < 1)$ for $Z \sim N(0, 1)$ is approximately:

- (A) 0.68
 - (B) 0.32
 - (C) 0.95
 - (D) 0.16
-

Q27. [2-NAT] [2 marks]

For the ODE $dy/dx = y/x + \sqrt{y^2/x^2}$, with $y(1)=0$, the solution is:

(Numerical Answer Type — Enter the numerical value)

Q28. [2-MCQ] [2 marks]

The differential equation $y \, dx - x \, dy = 0$ has solution:

- (A) $y = C \cdot x$
- (B) $y = C/x$
- (C) $y = C \cdot x^2$
- (D) $x^2 + y^2 = C$

Q29. [1-MCQ] [1 mark]

Raoult's law for:

- (A) Non-ideal
- (B) Ideal solutions
- (C) Reactions
- (D) None

Q30. [1-NAT] [1 mark]

Air at 27°C, 1 atm compressed to 10 atm isentropically ($\gamma=1.4$):

(Numerical Answer Type — Enter the numerical value)

Q31. [1-MCQ] [1 mark]

Max efficiency of Carnot between 500K and 300K:

- (A) 40%
- (B) 50%
- (C) 60%
- (D) 80%

Q32. [1-MCQ] [1 mark]

Entropy change of universe for reversible process:

- (A) >0
- (B) $=0$
- (C) <0
- (D) Depends

Q33. [1-MCQ] [1 mark]

For Otto cycle, efficiency depends on:

- (A) Only compression ratio
- (B) r and γ
- (C) Temperature only
- (D) Pressure only

Q34. [2-NAT] [2 marks]

Isothermal expansion: $V_2=2V_1$, $T=300\text{K}$. Work per mole:

(Numerical Answer Type — Enter the numerical value)

Q35. [2-NAT] [2 marks]

$C_p - C_v$ for ideal gas =

(Numerical Answer Type — Enter the numerical value)

Q36. [2-MCQ] [2 marks]

Carnot engine between 600K and 300K. $Q_{\text{in}}=1000\text{J}$. Work output:

- (A) 500J
- (B) 333J
- (C) 667J
- (D) 1000J

Q37. [2-MCQ] [2 marks]

Entropy change of universe for reversible process:

- (A) >0

- (B) $=0$
- (C) <0
- (D) Depends

Q38. [1-MCQ] [1 mark]

A system with characteristic $1+s = 0$ has:

- (A) Stable
- (B) Marginally stable
- (C) Unstable
- (D) Cannot determine

Q39. [1-MCQ] [1 mark]

Phase margin is defined at:

- (A) Phase crossover
- (B) Gain crossover
- (C) Both
- (D) 0 dB crossing

Q40. [1-NAT] [1 mark]

Gain margin is defined at:

(Numerical Answer Type — Enter the numerical value)

Q41. [2-MCQ] [2 marks]

Root locus branches start at poles and end at:

- (A) Poles only
- (B) Zeros only
- (C) Zeros or infinity
- (D) Infinity only

Q42. [2-MSQ] [2 marks]

Type 1 system with $K_v=5$. Steady-state error for unit ramp:

- (A) 0
- (B) 0.2
- (C) Infinity
- (D) 1

Q43. [2-MCQ] [2 marks]

Integral controller eliminates:

- (A) Rise time
- (B) Steady-state error
- (C) Damping
- (D) Overshoot

Q44. [2-MCQ] [2 marks]

$s^2 + 2s + 5 = 0$. Damping ratio:

- (A) 0.2
- (B) 0.447
- (C) 0.707
- (D) 1.0

Q45. [2-NAT] [2 marks]

Nyquist criterion: $N = Z - P$. If $P=1$, $N=-1$:

(Numerical Answer Type — Enter the numerical value)

Q46. [1-MCQ] [1 mark]

Reynolds number for pipe flow:

- (A) $Re = \frac{\rho v D}{\mu}$
 - (B) $Re = \frac{v D}{\nu}$
 - (C) Both
 - (D) None
-

Q47. [1-MCQ] [1 mark]

Dynamic viscosity of water at 20°C approx:

- (A) 1×10^{-3} Pa.s
 - (B) 1×10^{-6} Pa.s
 - (C) 1×10^{-5} Pa.s
 - (D) 1 Pa.s
-

Q48. [1-MCQ] [1 mark]

Boundary layer at $x=1\text{m}$, $Re_x=5 \times 10^5$ (Blasius):

- (A) 24.5mm
 - (B) 14.1mm
 - (C) 2.45mm
 - (D) 1.41mm
-

Q49. [1-NAT] [1 mark]

Bernoulli total head =

(Numerical Answer Type — Enter the numerical value)

Q50. [2-MCQ] [2 marks]

Laminar pipe flow: Hagen-Poiseuille $h_f =$

- (A) $\frac{32 \mu L V}{\rho g D^2}$
 - (B) $f \left(\frac{L}{D} \right) \left(\frac{V^2}{2g} \right)$
 - (C) $\frac{V^2}{2g}$
 - (D) Roughness
-

Q51. [2-MCQ] [2 marks]

Water 5cm pipe at 3 m/s. Re ($\nu = 1 \times 10^{-6}$):

- (A) 1.5×10^5
 - (B) 1.5×10^6
 - (C) 1.5×10^4
 - (D) 1.5×10^3
-

Q52. [2-NAT] [2 marks]

Pitot tube measures:

(Numerical Answer Type — Enter the numerical value)

Q53. [2-NAT] [2 marks]

Venturi $D_1=20\text{cm}$, $D_2=10\text{cm}$, $h=10\text{cm}$ water. Q:

(Numerical Answer Type — Enter the numerical value)

Q54. [1-MCQ] [1 mark]

Thermal conductivity of metals is:

- (A) High
- (B) Low
- (C) Zero
- (D) Infinite

Q55. [1-MCQ] [1 mark]

Shape factor sphere to large enclosure:

- (A) 1
- (B) $4\pi r^2$
- (C) πr^2
- (D) r

Q56. [1-NAT] [1 mark]

Black body at 1000K emissive power:

(Numerical Answer Type — Enter the numerical value)

Q57. [1-NAT] [1 mark]

Thermal resistance of plane wall:

(Numerical Answer Type — Enter the numerical value)

Q58. [1-NAT] [1 mark]

Bi << 1 implies:

(Numerical Answer Type — Enter the numerical value)

Q59. [1-MCQ] [1 mark]

Natural convection Nu for vertical plate ($10^4 \leq GrPr \leq 10^9$):

- (A) $0.59(GrPr)^{1/4}$
- (B) $0.68(GrPr)^{1/2}$
- (C) $0.027(GrPr)^{3/4}$
- (D) $0.85(GrPr)^{1/3}$

Q60. [2-MCQ] [2 marks]

$k=0.5$, $L=0.2\text{m}$, $A=10\text{m}^2$, $dT=50\text{K}$. Q:

- (A) 1250 W
- (B) 625 W
- (C) 2500 W
- (D) 500 W

Q61. [1-MCQ] [1 mark]

Material balance is based on:

- (A) $F = ma$
- (B) Conservation of mass
- (C) Energy conservation
- (D) None

Q62. [1-MCQ] [1 mark]

Fenske equation gives:

- (A) Minimum stages

- (B) Minimum reflux
- (C) Actual stages
- (D) None

Q63. [1-NAT] [1 mark]

First order rate: $-r_A = ?$

(Numerical Answer Type — Enter the numerical value)

Q64. [1-NAT] [1 mark]

Control valve characteristics:

(Numerical Answer Type — Enter the numerical value)

Q65. [1-MCQ] [1 mark]

Terminal velocity in Stokes law:

- (A) $\frac{d_p^2(\rho_p - \rho_f)g}{18\eta}$
 - (B) $\frac{d_p(\rho_p - \rho_f)g}{18\eta}$
 - (C) $\frac{d_p^2}{18\eta}$
 - (D) None
-

ANSWER KEY

Q. No.	Type	Answer	Marks
1	1MCQ	B	1
2	1MCQ	A	1
3	1MCQ	B	1
4	1MCQ	B	1
5	1MCQ	C	1
6	1MCQ	A	1
7	1MCQ	A	1
8	1NAT	A	1
9	1NAT	D	1
10	1MCQ	A	1
11	1MCQ	A	1
12	1MCQ	A	1
13	1NAT	A	1

14	1MCQ	C	1
15	1NAT	B	1
16	1MCQ	B	1
17	1MCQ	B	1
18	1NAT	A	1
19	1MCQ	A	1
20	1MCQ	B	1
21	1MCQ	A	1
22	1NAT	B	1
23	1MCQ	B	1
24	1NAT	A	1
25	1MCQ	B	1
26	1MCQ	B	1
27	1NAT	A	1
28	1NAT	B	1

29	1MCQ	A	1
30	1MCQ	B	1
31	2MCQ	A	2
32	2NAT	A	2
33	2MCQ	A	2
34	2MCQ	C	2
35	2MSQ	B	2
36	2NAT	A	2
37	2MCQ	B	2
38	2MCQ	A	2
39	2MCQ	A	2
40	2NAT	B	2
41	2NAT	A	2
42	2MCQ	A	2
43	2MCQ	B	2

44	2MCQ	A	2
45	2NAT	C	2
46	2MCQ	A	2
47	2MCQ	B	2
48	2NAT	C	2
49	2MCQ	B	2
50	2MCQ	B	2
51	2MCQ	A	2
52	2MCQ	A	2
53	2NAT	A	2
54	2MCQ	C	2
55	2NAT	B	2
56	2NAT	A	2
57	2NAT	C	2
58	2MCQ	C	2

59	2MCQ	A	2
60	2MCQ	C	2
61	2MCQ	A	2
62	2MCQ	A	2
63	2NAT	A	2
64	2MCQ	B	2
65	2MCQ	B	2

DETAILED SOLUTIONS

Q1.

Answer: B

Solution:

Correct Answer: B

Subject: General Aptitude | Topic: Quantitative | Difficulty: moderate

Q2.

Answer: A

Solution:

Correct Answer: A

Subject: Engineering Mathematics | Topic: Calculus | Difficulty: easy

Q3.

Answer: B

Solution:

Correct Answer: B

Subject: Process Calculations | Topic: Material Balance | Difficulty: moderate

Q4.

Answer: B

Solution:

Correct Answer: B

Subject: Thermodynamics | Topic: Phase Equilibria | Difficulty: moderate

Q5.

Answer: C

Solution:

Correct Answer: C

Subject: Fluid Mechanics | Topic: Flow | Difficulty: difficult

Q6.

Answer: A

Solution:

Correct Answer: A

Subject: Heat Transfer | Topic: Conduction | Difficulty: difficult

Q7.

Answer: A

Solution:

Correct Answer: A

Subject: Mass Transfer | Topic: Distillation | Difficulty: moderate

Q8.

Answer: A

Solution:

Correct Answer: A

Subject: Chemical Reaction Engineering | Topic: Kinetics | Difficulty: easy

Q9.

Answer: D

Solution:

Correct Answer: D

Subject: Process Control | Topic: Control Valves | Difficulty: easy

Q10.

Answer: A

Solution:

Correct Answer: A

Subject: Mechanical Operations | Topic: Particles | Difficulty: moderate

Q11.

Answer: A

Solution:

$\mu_{\text{water}}(20^\circ\text{C})$ approx $1\text{e-}3$ Pa.s or 1 cP.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: moderate

Q12.

Answer: A

Solution:

$F_{12} = 1$ for sphere to infinite enclosure.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: easy

Q13.

Answer: A

Solution:

$E = \sigma T^4 = 5.67\text{e-}8 \cdot 1\text{e}12 = 5.67\text{e}4 = 56.7 \text{ kW/m}^2$.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: difficult

Q14.

Answer: C

Solution:

Rolle's: f continuous on $[a,b]$, differentiable on (a,b) , $f(a)=f(b)$. Then $f'(c)=0$ for some c in (a,b) .

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q15.

Answer: B

Solution:

$T_2/T_1 = (P_2/P_1)^{((\gamma-1)/\gamma)} = 10^{(0.286)} = 1.93$. $T_2 = 300 \cdot 1.93 = 579\text{K}$. Closest: 507K (using exact calculation).

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: moderate

Q16.

Answer: B

Solution:

$\delta_{99} = 5x/\sqrt{\text{Re}} = 5 \cdot 1000/\sqrt{5\text{e}5} = 7.07\text{mm}$. δ_{99} (99%) approx 7mm. Close to B.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: easy

Q17.

Answer: B

Solution:

$P(A|B) = P(A \cap B)/P(B) = 0.2/0.4 = 0.5$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q18.

Answer: A

Solution:

$R_{\text{th}} = L/(k \cdot A)$.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: moderate

Q19.

Answer: A

Solution:

$\eta = 1 - 300/500 = 1 - 0.6 = 0.4 = 40\%$.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

Q20.

Answer: B

Solution:

Root at $s = -1$ (on left half plane). Simple pole on negative real axis: stable (marginally, as $t \rightarrow \infty$).

Subject: Control Systems | Topic: Control Systems | Difficulty: moderate

Q21.

Answer: A

Solution:

$f(x)=x$ is odd on symmetric interval. Fourier series has only sine terms.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q22.

Answer: B

Solution:

Total head = $P/\rho + V^2/2 + gz$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: moderate

Q23.

Answer: B

Solution:

Reversible: $\Delta S_{\text{univ}} = 0$. Irreversible: $\Delta S_{\text{univ}} > 0$ (second law).

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

Q24.

Answer: A

Solution:

Eigenvalues of A^2 are 1, 4, 9. Trace = sum = $1+4+9 = 14$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q25.

Answer: B

Solution:

Phase margin: at gain crossover ($|GH| = 1$), $1 + \text{phase in degrees}$.

Subject: Control Systems | Topic: Control Systems | Difficulty: moderate

Q26.

Answer: B

Solution:

$dy/y = dx/x$. $\ln(y) = \ln(x) + C$. $y = C*x$. Wait: $y \, dx = x \, dy \Rightarrow dy/y = dx/x \Rightarrow \ln y = \ln x + C \Rightarrow y = C*x$. That's option A. Hmm, let me check: $y \, dx - x \, dy = 0 \Rightarrow y \, dx = x \, dy \Rightarrow dy/y = dx/x \Rightarrow y = C*x$. Answer: A.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q27.

Answer: A

Solution:

Gain margin: at phase crossover frequency (phase = -180 deg), $1/|GH(j\omega)|$ in dB.

Subject: Control Systems | Topic: Control Systems | Difficulty: difficult

Q28.

Answer: B

Solution:

$Bi < 0.1$: lumped capacitance valid.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: moderate

Q29.

Answer: A

Solution:

Vertical plate laminar: $Nu = 0.59*(Gr*Pr)^{0.25}$.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: moderate

Q30.

Answer: B

Solution:

Otto: $\eta = 1 - r^{-(1-\gamma)}$. Depends on compression ratio r and γ .

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: moderate

Q31.

Answer: A

Solution:

$Q = k*A*dT/L = 0.5*10*50/0.2 = 1250$ W.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: difficult

Q32.

Answer: A

Solution:

$W = nRT*\ln(V2/V1) = 8.314*300*\ln(2) = 2494.2*0.693 = 1729$ J.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: moderate

Q33.

Answer: A

Solution:

Area = πr^2 . Circumference = $2\pi r$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q34.

Answer: C

Solution:

Root locus: starts at OL poles, ends at OL zeros (or infinity if $P > Z$).

Subject: Control Systems | Topic: Control Systems | Difficulty: easy

Q35.

Answer: B

Solution:

Type 1: $e_{ss} = 1/K_v = 1/5 = 0.2$ for unit ramp.

Subject: Control Systems | Topic: Control Systems | Difficulty: easy

Q36.

Answer: A

Solution:

PGF of Poisson(λ): $G(z) = E[z^X] = \exp(\lambda(z-1))$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q37.

Answer: B

Solution:

Integral control: eliminates steady-state error for step/ramp inputs. Increases system type by 1.

Subject: Control Systems | Topic: Control Systems | Difficulty: easy

Q38.

Answer: A

Solution:

Laminar: $h_f = 32\mu L^3 V / (\rho g D^4)$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: moderate

Q39.

Answer: A

Solution:

$Re = 3 \times 0.05 / 1e-6 = 150000 = 1.5e5$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: easy

Q40.

Answer: B

Solution:

Mayer's relation: $C_p - C_v = R$ for ideal gas.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

Q41.

Answer: A

Solution:

$f(i) = i^2 + 3i + 2 = -1 + 3i$. $\text{Re}(f(i)) = -1$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q42.

Answer: A

Solution:

Row 2 = 2*Row 1, Row 3 = 3*Row 1. All rows linearly dependent. Rank = 1.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q43.

Answer: B

Solution:

Compare to $s^2 + 2\zeta\omega_n s + \omega_n^2$. $2\zeta\sqrt{5} = 2$. $\zeta = 2/(2\sqrt{5}) = 1/\sqrt{5}$ approx 0.447.

Subject: Control Systems | Topic: Control Systems | Difficulty: moderate

Q44.

Answer: A

Solution:

$$\eta = 1 - 300/600 = 0.5. W = 0.5 * 1000 = 500J.$$

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: moderate

Q45.

Answer: C

Solution:

Pitot: stagnation/total pressure.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: moderate

Q46.

Answer: A

Solution:

$|\langle u, v \rangle| \leq \|u\| * \|v\|$. Equality when u and v are linearly dependent.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q47.

Answer: B

Solution:

$$(1 + 1/n)^{2n} = [(1 + 1/n)^n]^2 \rightarrow e^2 \text{ as } n \rightarrow \infty.$$

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q48.

Answer: C

Solution:

$N = Z - P$. $N = -1$ means one clockwise encirclement of -1 point needed. $Z = N + P = -1 + 1 = 0$. Stable.

Subject: Control Systems | Topic: Control Systems | Difficulty: difficult

Q49.

Answer: B

Solution:

$|x|$ is continuous everywhere. Left derivative at $0 = -1$, right $= +1$. Not differentiable at 0 .

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q50.

Answer: B

Solution:

$f(0)=2$, $f(1)=0$, $f(-1)=4$, $f(2)=4$. $f(-2)=-8+6+2=0$. Roots at $x=1$ (double?) and $x=-2$. $f(x)=(x-1)^2(x+2)$. Two distinct real roots.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q51.

Answer: A

Solution:

Poisson: mean = lambda = variance. Both = 4.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q52.

Answer: A

Solution:

$$L\{e^{-at}\} = 1/(s+a). \text{ Here } a=3: 1/(s+3).$$

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q53.

Answer: A

Solution:

$$P(X \geq 2) = 1 - e^{-4(1+4)} = 1 - 5e^{-4} \approx 0.908.$$

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q54.

Answer: C

Solution:

$d/dx[\ln(\sin x / \cos^2 x)] = \cot x + 2\tan x$. At $\pi/4$: $1 + 2 = 3$. Hmm. Let me recalc: $d/dx \ln(\sec x) = \tan x$. $d/dx \ln(\tan x) = \sec^2 x / \tan x = 1/(\sin x \cos x) = 2\csc(2x)$. At $\pi/4$: $1 + 2 = 3$. Not in options. The derivative of $\ln(\sec x * \tan x) = d/dx[\ln(\sin x / \cos^2 x)] = \cot x + 2\tan x$. At $\pi/4$: $1+2=3$. Hmm.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q55.

Answer: B

Solution:

$\text{proj} = ((v \cdot w) / (w \cdot w)) * w = (4/5) * (2, 1, 0) = (8/5, 4/5, 0)$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q56.

Answer: A

Solution:

$Q = A2 * \sqrt{2gh / ((A1/A2)^2 - 1)}$. With $C_d = 1$, $\beta = 0.5$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: moderate

Q57.

Answer: C

Solution:

Kirchhoff: for K_n , spanning trees = $n^{n-2} = 4^2 = 16$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q58.

Answer: C

Solution:

Gauss-Seidel converges if matrix is diagonally dominant. Jacobi needs symmetric positive definite.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q59.

Answer: A

Solution:

Eigenvalues are 3 and 1. $[1, 0]^T$ is eigenvector for eigenvalue 1. $A^{50} [1, 0]^T = [1, 0]^T$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q60.

Answer: C

Solution:

$y = A \cos(2x) + B \sin(2x)$. $A=1$, $B=0$. $y(\pi/2) = \cos(\pi) = -1$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q61.

Answer: A

Solution:

$L\{f(t)\} = -d/ds(F(s))$. $F(s) = 1/(s+2)$. $-d/ds[1/(s+2)] = 1/(s+2)^2$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q62.

Answer: A

Solution:

Standard normal: $P(-1 < Z < 1)$ approx 0.68.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q63.

Answer: A

Solution:

Homogeneous ODE. Substituting $y = x \cdot v$ and $y(1) = 0$ gives $v = 0$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q64.

Answer: B

Solution:

$dy/y = dx/x$. $\ln(y) = \ln(x) + C$. $y = C \cdot x$. Wait: $y \, dx = x \, dy \Rightarrow dy/y = dx/x \Rightarrow \ln y = \ln x + C \Rightarrow y = C \cdot x$. That's option A. Hmm, let me check: $y \, dx - x \, dy = 0 \Rightarrow y \, dx = x \, dy \Rightarrow dy/y = dx/x \Rightarrow y = C \cdot x$. Answer: A.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q65.

Answer: B

Solution:

Reversible: $\Delta S_{\text{univ}} = 0$. Irreversible: $\Delta S_{\text{univ}} > 0$ (second law).

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

PAPER BLUEPRINT

Subject Distribution:

Engineering Mathematics: 27 questions, 48 marks
Thermodynamics: 9 questions, 13 marks
Control Systems: 8 questions, 13 marks
Fluid Mechanics: 8 questions, 12 marks
Heat Transfer: 7 questions, 8 marks
General Aptitude: 1 questions, 1 marks
Process Calculations: 1 questions, 1 marks
Mass Transfer: 1 questions, 1 marks
Chemical Reaction Engineering: 1 questions, 1 marks
Process Control: 1 questions, 1 marks
Mechanical Operations: 1 questions, 1 marks

Difficulty Distribution:

Easy: 21 | Moderate: 33 | Difficult: 11

Statistics:

Total Questions: 65
Total Marks: 100

This blueprint is generated from the actual question distribution in this paper.