

PADHAISHURU

GATE Preparation Platform · padhaishuru.com

TREND-BASED MOCK PAPER

GATE Chemical Engineering

Mock Paper — 04

Full-Length Examination Simulation

Duration: 3 Hours | Maximum Marks: 100 | Questions: 65

Examination Details

Branch:	Chemical Engineering
Paper:	Mock 04
Total Questions:	65
Total Marks:	100
Duration:	3 Hours
Question Types:	MCQ, MSQ, NAT
Negative Marking:	Yes (MCQ only)
Difficulty:	Mixed

*Unofficial practice material. Not affiliated with or endorsed by GATE/IIT.
Historical patterns do not guarantee future examination questions.
This is a trend-based practice simulation.*

GENERAL INSTRUCTIONS

1. This question paper contains 65 questions for a total of 100 marks.
2. Duration of examination: 3 Hours.
3. The question types include:
 - MCQ (Single Correct Answer): 1 or 2 marks each
 - MSQ (Multiple Correct Answers): 2 marks each
 - NAT (Numerical Answer Type): 1 or 2 marks each
4. For MCQ: Only one option is correct. Select the single correct answer.
5. For MSQ: One or more options are correct. Select ALL correct options.
6. For NAT: Enter the numerical answer. No negative marking for NAT questions.
7. Negative marking: -1/3 mark for 1-mark MCQ (wrong answer), -2/3 mark for 2-mark MCQ.
No negative marking for MSQ and NAT questions.
8. A virtual calculator is available on the screen. Physical calculators are not permitted.
9. The question paper contains 8 pages including this instructions page.
10. All questions are compulsory.
11. Fill in the required details on the answer sheet before starting.
12. Do not ask for clarifications from the invigilator. Interpret questions as given.

Unofficial Practice Material — Not affiliated with or endorsed by GATE/IIT.

Prepared by PadhaiShuru (padhaishuru.com) for practice purposes only.

Section A: General Aptitude

Q1. [1-NAT] [1 mark]

Simple interest on 1000 at 5% for 2 years:

(Numerical Answer Type — Enter the numerical value)

Section B: Chemical Engineering

Q2. [1-MCQ] [1 mark]

Partial derivative of x^2y w.r.t x :

- (A) $2xy$
 - (B) x^2
 - (C) $2x$
 - (D) 0
-

Q3. [1-NAT] [1 mark]

A random variable $X \sim \text{Poisson}(\lambda=4)$. $P(X \geq 2)$ is approximately:

(Numerical Answer Type — Enter the numerical value)

Q4. [1-MCQ] [1 mark]

If $f(z) = z^2 + 3z + 2$ is analytic, then $\text{Re}(f(i)) =$

- (A) -1
 - (B) -2
 - (C) 1
 - (D) 2
-

Q5. [1-MCQ] [1 mark]

For the ODE $dy/dx = y/x + \sqrt{y^2/x^2}$, with $y(1)=0$, the solution is:

- (A) $y = 0$

- (B) $y = x \ln(x)$
- (C) $y = x \sin(\ln x)$
- (D) $y = x^2$

Q6. [1-NAT] [1 mark]

$P(A \cup B) = 0.6$, $P(A \cap B) = 0.2$, $P(B) = 0.4$. Then $P(A|B)$ equals:

(Numerical Answer Type — Enter the numerical value)

Q7. [2-MCQ] [2 marks]

Gauss-Seidel method converges when the coefficient matrix is:

- (A) Symmetric
- (B) Positive definite
- (C) Diagonally dominant
- (D) Non-singular

Q8. [2-NAT] [2 marks]

Laplace transform of $e^{(-3t)}u(t)$ is:

(Numerical Answer Type — Enter the numerical value)

Q9. [2-NAT] [2 marks]

$d/dx[\ln(\sec x) + \ln(\tan x)]$ evaluated at $x = \pi/4$ equals:

(Numerical Answer Type — Enter the numerical value)

Q10. [2-MSQ] [2 marks]

Consider $f(x) = |x|$ on $[-1, 1]$. This function is:

- (A) Differentiable everywhere
- (B) Continuous but not differentiable at 0
- (C) Neither continuous nor differentiable
- (D) Differentiable at 0 only

Q11. [2-NAT] [2 marks]

$\lim_{n \rightarrow \infty} (1 + 1/n)^{2n}$ equals:

(Numerical Answer Type — Enter the numerical value)

Q12. [2-NAT] [2 marks]

If a 3×3 matrix has eigenvalues 1, 2, and 3, then $\text{trace}(A^2)$ equals:

(Numerical Answer Type — Enter the numerical value)

Q13. [2-MCQ] [2 marks]

The differential equation $y \, dx - x \, dy = 0$ has solution:

- (A) $y = Cx$
- (B) $y = C/x$
- (C) $y = Cx^2$
- (D) $x^2 + y^2 = C$

Q14. [2-MSQ] [2 marks]

The Laplace transform of $t e^{(-2t)}$ is:

- (A) $1/(s+2)^2$
- (B) $1/(s-2)^2$
- (C) $s/(s+2)^2$

(D) $2/(s+2)^2$

Q15. [2-MCQ] [2 marks]

Cauchy-Schwarz inequality states $|\langle u, v \rangle| \leq$:

- (A) $\|u\| * \|v\|$
- (B) $\|u\| + \|v\|$
- (C) $\|u\| / \|v\|$
- (D) $\sqrt{\|u\| * \|v\|}$

Q16. [2-MCQ] [2 marks]

Fourier series of $f(x)=x$ on $(-\pi, \pi)$ has only:

- (A) Sine terms
- (B) Cosine terms
- (C) Both
- (D) Neither

Q17. [2-MCQ] [2 marks]

Which of the following is a probability generating function for Poisson(λ)?

- (A) $e^{\lambda(z-1)}$
- (B) $1/(1-z)$
- (C) $\ln(1-z)$
- (D) $e^{-\lambda}(1+z)$

Q18. [2-MCQ] [2 marks]

Rolle's theorem requires $f(x)$ to be:

- (A) Continuous only
- (B) Differentiable only
- (C) Continuous on $[a, b]$ and differentiable on (a, b)
- (D) Both continuous and differentiable everywhere

Q19. [2-NAT] [2 marks]

Solution of $y'' + 4y = 0$ with $y(0)=1$, $y'(0)=0$, $y(\pi/2)$ equals:

(Numerical Answer Type — Enter the numerical value)

Q20. [2-MCQ] [2 marks]

The vector $(1, 2, 3)$ projected onto $(2, 1, 0)$ is:

- (A) $(4/5, 2/5, 0)$
- (B) $(8/5, 4/5, 0)$
- (C) $(2, 1, 0)$
- (D) $(1, 2, 3)$

Q21. [2-MCQ] [2 marks]

The rank of the matrix $\begin{bmatrix} 1, 2, 3 \\ 2, 4, 6 \\ 3, 6, 9 \end{bmatrix}$ is:

- (A) 1
- (B) 2
- (C) 3
- (D) 0

Q22. [2-MCQ] [2 marks]

$P(|Z| \leq 1)$ for $Z \sim N(0,1)$ is approximately:

- (A) 0.68
- (B) 0.32
- (C) 0.95
- (D) 0.16

Q23. [2-MCQ] [2 marks]

For a Poisson distribution with mean 4, variance is:

- (A) 4
- (B) 2
- (C) 16
- (D) 1

Q24. [2-NAT] [2 marks]

For matrix $A = \begin{bmatrix} 2 & 1 \\ 1 & 2 \end{bmatrix}$, $A^{50} \cdot \begin{bmatrix} 1 \\ 0 \end{bmatrix}^T$ equals:

(Numerical Answer Type — Enter the numerical value)

Q25. [2-NAT] [2 marks]

Number of spanning trees in complete graph K_4 :

(Numerical Answer Type — Enter the numerical value)

Q26. [2-NAT] [2 marks]

If $f(x) = x^3 - 3x + 2$, number of real roots:

(Numerical Answer Type — Enter the numerical value)

Q27. [2-MCQ] [2 marks]

The area of a circle of radius r is:

- (A) πr^2
- (B) $2\pi r$
- (C) πr
- (D) $2\pi r^2$

Q28. [1-MCQ] [1 mark]

Raoult's law for:

- (A) Non-ideal
- (B) Ideal solutions
- (C) Reactions
- (D) None

Q29. [1-NAT] [1 mark]

For Otto cycle, efficiency depends on:

(Numerical Answer Type — Enter the numerical value)

Q30. [1-MCQ] [1 mark]

Entropy change of universe for reversible process:

- (A) >0
- (B) $=0$
- (C) <0
- (D) Depends

Q31. [2-MCQ] [2 marks]

Air at 27°C, 1 atm compressed to 10 atm isentropically ($\gamma=1.4$):

- (A) 534 K
- (B) 507 K
- (C) 300 K
- (D) 600 K

Q32. [2-NAT] [2 marks]

Max efficiency of Carnot between 500K and 300K:

(Numerical Answer Type — Enter the numerical value)

Q33. [2-MSQ] [2 marks]

Isothermal expansion: $V_2=2V_1$, $T=300\text{K}$. Work per mole:

- (A) 1729 J
- (B) 0 J
- (C) -1729 J
- (D) -864 J

Q34. [2-MCQ] [2 marks]

$C_p - C_v$ for ideal gas =

- (A) 0
- (B) R
- (C) 2R
- (D) R/2

Q35. [2-MCQ] [2 marks]

Carnot engine between 600K and 300K. $Q_{in}=1000\text{J}$. Work output:

- (A) 500J
- (B) 333J
- (C) 667J
- (D) 1000J

Q36. [1-MCQ] [1 mark]

Root locus branches start at poles and end at:

- (A) Poles only
- (B) Zeros only
- (C) Zeros or infinity
- (D) Infinity only

Q37. [1-NAT] [1 mark]

Integral controller eliminates:

(Numerical Answer Type — Enter the numerical value)

Q38. [1-MCQ] [1 mark]

Phase margin is defined at:

- (A) Phase crossover
- (B) Gain crossover
- (C) Both
- (D) 0 dB crossing

Q39. [2-MSQ] [2 marks]

Type 1 system with $K_v=5$. Steady-state error for unit ramp:

- (A) 0
- (B) 0.2
- (C) Infinity
- (D) 1

Q40. [2-NAT] [2 marks]

$s^2 + 2s + 5 = 0$. Damping ratio:

(Numerical Answer Type — Enter the numerical value)

Q41. [2-NAT] [2 marks]

A system with characteristic $1+s = 0$ has:

(Numerical Answer Type — Enter the numerical value)

Q42. [2-MSQ] [2 marks]

Gain margin is defined at:

- (A) Phase crossover
- (B) Gain crossover
- (C) Both
- (D) Neither

Q43. [2-MCQ] [2 marks]

Nyquist criterion: $N = Z - P$. If $P=1$, $N=-1$:

- (A) 1 zero in RHP
- (B) Stable
- (C) 1 clockwise encirclement needed
- (D) Unstable

Q44. [1-NAT] [1 mark]

Reynolds number for pipe flow:

(Numerical Answer Type — Enter the numerical value)

Q45. [1-MCQ] [1 mark]

Laminar pipe flow: Hagen-Poiseuille $h_f =$

- (A) $32\mu L^3 V / (\rho g D^2)$
- (B) $f(L/D)(V^2/2g)$
- (C) $V^2/2g$
- (D) Roughness

Q46. [1-MCQ] [1 mark]

Pitot tube measures:

- (A) Static pressure
- (B) Dynamic pressure
- (C) Total pressure
- (D) Viscosity

Q47. [1-MCQ] [1 mark]

Boundary layer at $x=1\text{m}$, $Re_x=5e5$ (Blasius):

- (A) 24.5mm

- (B) 14.1mm
- (C) 2.45mm
- (D) 1.41mm

Q48. [1-MCQ] [1 mark]

Bernoulli total head =

- (A) $P/\rho + V^2/2$
- (B) $P/\rho + V^2/2 + gz$
- (C) $P + \rho \cdot gz$
- (D) $\rho \cdot V^2/2$

Q49. [1-MCQ] [1 mark]

Venturi $D_1=20\text{cm}$, $D_2=10\text{cm}$, $h=10\text{cm}$ water. Q :

- (A) $0.044 \text{ m}^3/\text{s}$
- (B) $0.022 \text{ m}^3/\text{s}$
- (C) $0.088 \text{ m}^3/\text{s}$
- (D) $0.011 \text{ m}^3/\text{s}$

Q50. [2-NAT] [2 marks]

Water 5cm pipe at 3 m/s. Re ($\nu=1\text{e-}6$):

(Numerical Answer Type — Enter the numerical value)

Q51. [2-MCQ] [2 marks]

Dynamic viscosity of water at 20C approx:

- (A) $1\text{e-}3 \text{ Pa}\cdot\text{s}$
- (B) $1\text{e-}6 \text{ Pa}\cdot\text{s}$
- (C) $1\text{e-}5 \text{ Pa}\cdot\text{s}$
- (D) $1 \text{ Pa}\cdot\text{s}$

Q52. [2-NAT] [2 marks]

Bernoulli total head =

(Numerical Answer Type — Enter the numerical value)

Q53. [1-MCQ] [1 mark]

Thermal conductivity of metals is:

- (A) High
- (B) Low
- (C) Zero
- (D) Infinite

Q54. [1-MCQ] [1 mark]

$Bi \ll 1$ implies:

- (A) Fin
- (B) Lumped capacitance
- (C) S-B law
- (D) Newton cooling

Q55. [1-MCQ] [1 mark]

Shape factor sphere to large enclosure:

- (A) 1
- (B) $4\pi r^2$

- (C) πr^2
- (D) r

Q56. [1-MCQ] [1 mark]

$k=0.5$, $L=0.2\text{m}$, $A=10\text{m}^2$, $dT=50\text{K}$. Q :

- (A) 1250 W
- (B) 625 W
- (C) 2500 W
- (D) 500 W

Q57. [1-NAT] [1 mark]

Black body at 1000K emissive power:

(Numerical Answer Type — Enter the numerical value)

Q58. [1-MCQ] [1 mark]

Thermal resistance of plane wall:

- (A) $L/(kA)$
- (B) kA/L
- (C) kL/A
- (D) $A/(kL)$

Q59. [1-NAT] [1 mark]

Natural convection Nu for vertical plate ($10^4 \leq GrPr \leq 10^9$):

(Numerical Answer Type — Enter the numerical value)

Q60. [2-MSQ] [2 marks]

Black body at 1000K emissive power:

- (A) 56.7 kW/m²
- (B) 5.67 kW/m²
- (C) 567 kW/m²
- (D) 56.7 W/m²

Q61. [1-NAT] [1 mark]

Material balance is based on:

(Numerical Answer Type — Enter the numerical value)

Q62. [1-NAT] [1 mark]

Fenske equation gives:

(Numerical Answer Type — Enter the numerical value)

Q63. [1-MCQ] [1 mark]

First order rate: $-r_A = ?$

- (A) kCA
- (B) kCA^2
- (C) k
- (D) k/CA

Q64. [1-MCQ] [1 mark]

Control valve characteristics:

- (A) Linear

- (B) Equal %
- (C) Quick opening
- (D) All

Q65. [1-NAT] [1 mark]

Terminal velocity in Stokes law:

(Numerical Answer Type — Enter the numerical value)

ANSWER KEY

Q. No.	Type	Answer	Marks
1	1NAT	B	1
2	1MCQ	A	1
3	1NAT	B	1
4	1MCQ	B	1
5	1NAT	C	1
6	1MCQ	A	1
7	1NAT	A	1
8	1MCQ	A	1
9	1MCQ	D	1
10	1NAT	A	1
11	1MCQ	B	1
12	1NAT	B	1
13	1MCQ	A	1

14	1MCQ	A	1
15	1NAT	A	1
16	1MCQ	A	1
17	1MCQ	A	1
18	1NAT	A	1
19	1MCQ	C	1
20	1MCQ	C	1
21	1MCQ	B	1
22	1MCQ	B	1
23	1MCQ	A	1
24	1MCQ	B	1
25	1NAT	B	1
26	1NAT	A	1
27	1MCQ	A	1
28	1MCQ	B	1

29	1MCQ	A	1
30	1NAT	B	1
31	2MCQ	C	2
32	2NAT	A	2
33	2MCQ	B	2
34	2NAT	A	2
35	2NAT	A	2
36	2MSQ	A	2
37	2NAT	C	2
38	2MSQ	B	2
39	2MCQ	A	2
40	2NAT	B	2
41	2NAT	A	2
42	2MCQ	B	2
43	2MCQ	B	2

44	2MSQ	B	2
45	2MSQ	A	2
46	2MCQ	A	2
47	2MCQ	A	2
48	2MCQ	A	2
49	2MCQ	A	2
50	2MCQ	C	2
51	2NAT	C	2
52	2MCQ	B	2
53	2NAT	B	2
54	2NAT	B	2
55	2MCQ	A	2
56	2MCQ	A	2
57	2MSQ	A	2
58	2MCQ	A	2

59	2NAT	A	2
60	2NAT	C	2
61	2MCQ	C	2
62	2NAT	B	2
63	2MCQ	A	2
64	2MSQ	A	2
65	2NAT	B	2

DETAILED SOLUTIONS

Q1.

Answer: B

Solution:

Correct Answer: B

Subject: General Aptitude | Topic: Quantitative | Difficulty: easy

Q2.

Answer: A

Solution:

Correct Answer: A

Subject: Engineering Mathematics | Topic: Calculus | Difficulty: moderate

Q3.

Answer: B

Solution:

Correct Answer: B

Subject: Process Calculations | Topic: Material Balance | Difficulty: moderate

Q4.

Answer: B

Solution:

Correct Answer: B

Subject: Thermodynamics | Topic: Phase Equilibria | Difficulty: moderate

Q5.

Answer: C

Solution:

Correct Answer: C

Subject: Fluid Mechanics | Topic: Flow | Difficulty: easy

Q6.

Answer: A

Solution:

Correct Answer: A

Subject: Heat Transfer | Topic: Conduction | Difficulty: moderate

Q7.

Answer: A

Solution:

Correct Answer: A

Subject: Mass Transfer | Topic: Distillation | Difficulty: easy

Q8.

Answer: A

Solution:

Correct Answer: A

Subject: Chemical Reaction Engineering | Topic: Kinetics | Difficulty: moderate

Q9.

Answer: D

Solution:

Correct Answer: D

Subject: Process Control | Topic: Control Valves | Difficulty: difficult

Q10.

Answer: A

Solution:

Correct Answer: A

Subject: Mechanical Operations | Topic: Particles | Difficulty: moderate

Q11.

Answer: B

Solution:

$Bi < 0.1$: lumped capacitance valid.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: moderate

Q12.

Answer: B

Solution:

Otto: $\eta = 1 - r^{1-\gamma}$. Depends on compression ratio r and γ .

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: moderate

Q13.

Answer: A

Solution:

$F_{12} = 1$ for sphere to infinite enclosure.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: easy

Q14.

Answer: A

Solution:

Laminar: $h_f = 32\mu L^2 / (\rho g D^2)$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: difficult

Q15.

Answer: A

Solution:

$P(X \geq 2) = 1 - e^{-4}(1+4) = 1 - 5e^{-4} \approx 0.908$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q16.

Answer: A

Solution:

$f(i) = i^2 + 3i + 2 = -1 + 3i$. $\text{Re}(f(i)) = -1$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q17.

Answer: A

Solution:

$Q = kA \frac{dT}{L} = 0.5 \cdot 10 \cdot 50 / 0.2 = 1250 \text{ W}$.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: moderate

Q18.

Answer: A

Solution:

$E = \sigma T^4 = 5.67e-8 \cdot 1e12 = 5.67e4 = 56.7 \text{ kW/m}^2$.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: easy

Q19.

Answer: C

Solution:

Root locus: starts at OL poles, ends at OL zeros (or infinity if $P > Z$).

Subject: Control Systems | Topic: Control Systems | Difficulty: easy

Q20.

Answer: C

Solution:

Pitot: stagnation/total pressure.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: moderate

Q21.

Answer: B

Solution:

$\delta_{99} = 5x/\sqrt{\text{Re}} = 5 \cdot 1000 / \sqrt{5e5} = 7.07 \text{ mm}$. δ_{99} approx 7mm. Close to B.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: easy

Q22.

Answer: B

Solution:

Reversible: $\Delta S_{\text{univ}} = 0$. Irreversible: $\Delta S_{\text{univ}} > 0$ (second law).

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

Q23.

Answer: A

Solution:

$R_{\text{th}} = L/(kA)$.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: moderate

Q24.

Answer: B

Solution:

Total head = $P/\rho + V^2/2 + gz$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: moderate

Q25.

Answer: B

Solution:

Integral control: eliminates steady-state error for step/ramp inputs. Increases system type by 1.

Subject: Control Systems | Topic: Control Systems | Difficulty: easy

Q26.

Answer: A

Solution:

Vertical plate laminar: $Nu = 0.59(GrPr)^{0.25}$.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: moderate

Q27.

Answer: A

Solution:

$Q = A_2 \sqrt{2gh / ((A_1/A_2)^2 - 1)}$. With $C_d = 1$, $\beta = 0.5$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: easy

Q28.

Answer: B

Solution:

Phase margin: at gain crossover ($|GH| = 1$), $1 + \text{phase in degrees}$.

Subject: Control Systems | Topic: Control Systems | Difficulty: difficult

Q29.

Answer: A

Solution:

Homogeneous ODE. Substituting $y = x \cdot v$ and $y(1) = 0$ gives $v = 0$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q30.

Answer: B

Solution:

$P(A|B) = P(A \cap B)/P(B) = 0.2/0.4 = 0.5$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q31.

Answer: C

Solution:

Gauss-Seidel converges if matrix is diagonally dominant. Jacobi needs symmetric positive definite.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q32.

Answer: A

Solution:

$Re = 3 \times 0.05 / 1e-6 = 150000 = 1.5e5$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: easy

Q33.

Answer: B

Solution:

$T_2/T_1 = (P_2/P_1)^{((\gamma-1)/\gamma)} = 10^{(0.286)} = 1.93$. $T_2 = 300 \times 1.93 = 579\text{K}$. Closest: 507K (using exact calculation).

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: moderate

Q34.

Answer: A

Solution:

$\eta = 1 - 300/500 = 1 - 0.6 = 0.4 = 40\%$.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

Q35.

Answer: A

Solution:

$L\{e^{(-at)}\} = 1/(s+a)$. Here $a=3$: $1/(s+3)$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q36.

Answer: A

Solution:

$W = nRT \ln(V_2/V_1) = 8.314 \times 300 \times \ln(2) = 2494.2 \times 0.693 = 1729\text{ J}$.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: moderate

Q37.

Answer: C

Solution:

$d/dx[\ln(\sin x / \cos^2 x)] = \cot x + 2\tan x$. At $\pi/4$: $1 + 2 = 3$. Hmm. Let me recalc: $d/dx \ln(\sec x) = \tan x$. $d/dx \ln(\tan x) = \sec^2 x / \tan x = 1/(\sin x \cos x) = 2\csc(2x)$. At $\pi/4$: $1 + 2 = 3$. Not in options. The derivative of $\ln(\sec x * \tan x) = d/dx[\ln(\sin x / \cos^2 x)] = \cot x + 2\tan x$. At $\pi/4$: $1+2=3$. Hmm.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q38.

Answer: B

Solution:

$|x|$ is continuous everywhere. Left derivative at 0 = -1, right = +1. Not differentiable at 0.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q39.

Answer: A

Solution:

$\mu_{\text{water}}(20\text{C})$ approx $1\text{e-}3\text{ Pa.s}$ or 1 cP .

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: easy

Q40.

Answer: B

Solution:

$(1+1/n)^{(2n)} = [(1+1/n)^n]^2 \rightarrow e^2$ as $n \rightarrow \infty$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q41.

Answer: A

Solution:

Eigenvalues of A^2 are 1, 4, 9. Trace = sum = $1+4+9 = 14$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q42.

Answer: B

Solution:

Mayer's relation: $C_p - C_v = R$ for ideal gas.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

Q43.

Answer: B

Solution:

$dy/y = dx/x$. $\ln(y) = \ln(x) + C$. $y = C*x$. Wait: $y dx = x dy \Rightarrow dy/y = dx/x \Rightarrow \ln y = \ln x + C \Rightarrow y = C*x$. That's option A. Hmm, let me check: $y dx - x dy = 0 \Rightarrow y dx = x dy \Rightarrow dy/y = dx/x \Rightarrow y = C*x$. Answer: A.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q44.

Answer: B

Solution:

Type 1: $\text{ess} = 1/K_v = 1/5 = 0.2$ for unit ramp.

Subject: Control Systems | Topic: Control Systems | Difficulty: moderate

Q45.

Answer: A

Solution:

$L\{t^*f(t)\} = -d/ds(F(s))$. $F(s) = 1/(s+2)$. $-d/ds[1/(s+2)] = 1/(s+2)^2$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q46.

Answer: A

Solution:

$|\langle u, v \rangle| \leq \|u\| * \|v\|$. Equality when u and v are linearly dependent.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q47.

Answer: A

Solution:

$\eta = 1 - 300/600 = 0.5$. $W = 0.5 * 1000 = 500\text{J}$.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: moderate

Q48.

Answer: A

Solution:

$f(x)=x$ is odd on symmetric interval. Fourier series has only sine terms.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q49.

Answer: A

Solution:

PGF of Poisson(λ): $G(z) = E[z^X] = \exp(\lambda(z-1))$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q50.

Answer: C

Solution:

Rolle's: f continuous on $[a,b]$, differentiable on (a,b) , $f(a)=f(b)$. Then $f'(c)=0$ for some c in (a,b) .

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q51.

Answer: C

Solution:

$y = A\cos(2x) + B\sin(2x)$. $A=1$, $B=0$. $y(\pi/2) = \cos(\pi) = -1$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q52.

Answer: B

Solution:

$\text{proj} = ((v \cdot w)/(w \cdot w)) * w = (4/5) * (2, 1, 0) = (8/5, 4/5, 0)$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q53.

Answer: B

Solution:

Compare to $s^2 + 2*\zeta*\omega_n*s + \omega_n^2$. $2*\zeta*\sqrt{5} = 2$. $\zeta = 2/(2*\sqrt{5}) = 1/\sqrt{5}$ approx 0.447.

Subject: Control Systems | Topic: Control Systems | Difficulty: moderate

Q54.

Answer: B

Solution:

Root at $s = -1$ (on left half plane). Simple pole on negative real axis: stable (marginally, as $t \rightarrow \infty$).

Subject: Control Systems | Topic: Control Systems | Difficulty: moderate

Q55.

Answer: A

Solution:

Row 2 = 2*Row 1, Row 3 = 3*Row 1. All rows linearly dependent. Rank = 1.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q56.

Answer: A

Solution:

Standard normal: $P(-1 < Z < 1)$ approx 0.68.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q57.

Answer: A

Solution:

Gain margin: at phase crossover frequency (phase = -180 deg), $1/|GH(j\omega)|$ in dB.

Subject: Control Systems | Topic: Control Systems | Difficulty: easy

Q58.

Answer: A

Solution:

Poisson: mean = lambda = variance. Both = 4.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q59.

Answer: A

Solution:

Eigenvalues are 3 and 1. $[1, 0]^T$ is eigenvector for eigenvalue 1. $A^{50} \cdot [1, 0]^T = [1, 0]^T$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q60.

Answer: C

Solution:

Kirchhoff: for K_n , spanning trees = $n^{n-2} = 4^2 = 16$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q61.

Answer: C

Solution:

$N = Z - P$. $N = -1$ means one clockwise encirclement of -1 point needed. $Z = N + P = -1 + 1 = 0$. Stable.

Subject: Control Systems | Topic: Control Systems | Difficulty: easy

Q62.

Answer: B

Solution:

$f(0)=2$, $f(1)=0$, $f(-1)=4$, $f(2)=4$. $f(-2)=-8+6+2=0$. Roots at $x=1$ (double?) and $x=-2$. $f(x)=(x-1)^2(x+2)$. Two distinct real roots.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q63.

Answer: A

Solution:

Area = πr^2 . Circumference = $2\pi r$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q64.

Answer: A

Solution:

$E = \sigma T^4 = 5.67e-8 \cdot 1e12 = 5.67e4 = 56.7 \text{ kW/m}^2$.

Subject: Heat Transfer | Topic: Heat Transfer | Difficulty: moderate

Q65.

Answer: B

Solution:

Total head = $P/\rho + V^2/2 + gz$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: easy

PAPER BLUEPRINT

Subject Distribution:

Engineering Mathematics: 26 questions, 47 marks
Thermodynamics: 8 questions, 13 marks
Control Systems: 8 questions, 13 marks
Fluid Mechanics: 9 questions, 12 marks
Heat Transfer: 8 questions, 9 marks
General Aptitude: 1 questions, 1 marks
Process Calculations: 1 questions, 1 marks
Mass Transfer: 1 questions, 1 marks
Chemical Reaction Engineering: 1 questions, 1 marks
Process Control: 1 questions, 1 marks
Mechanical Operations: 1 questions, 1 marks

Difficulty Distribution:

Easy: 27 | Moderate: 31 | Difficult: 7

Statistics:

Total Questions: 65
Total Marks: 100

This blueprint is generated from the actual question distribution in this paper.