

PADHAISHURU

GATE Preparation Platform · padhaishuru.com

TREND-BASED MOCK PAPER

GATE Ecology and Evolution

Mock Paper — 04

Full-Length Examination Simulation

Duration: 3 Hours | Maximum Marks: 100 | Questions: 65

Examination Details

Branch:	Ecology and Evolution
Paper:	Mock 04
Total Questions:	65
Total Marks:	100
Duration:	3 Hours
Question Types:	MCQ, MSQ, NAT
Negative Marking:	Yes (MCQ only)
Difficulty:	Mixed

Unofficial practice material. Not affiliated with or endorsed by GATE/IIT.
Historical patterns do not guarantee future examination questions.
This is a trend-based practice simulation.

GENERAL INSTRUCTIONS

1. This question paper contains 65 questions for a total of 100 marks.
2. Duration of examination: 3 Hours.
3. The question types include:
 - MCQ (Single Correct Answer): 1 or 2 marks each
 - MSQ (Multiple Correct Answers): 2 marks each
 - NAT (Numerical Answer Type): 1 or 2 marks each
4. For MCQ: Only one option is correct. Select the single correct answer.
5. For MSQ: One or more options are correct. Select ALL correct options.
6. For NAT: Enter the numerical answer. No negative marking for NAT questions.
7. Negative marking: -1/3 mark for 1-mark MCQ (wrong answer), -2/3 mark for 2-mark MCQ.
No negative marking for MSQ and NAT questions.
8. A virtual calculator is available on the screen. Physical calculators are not permitted.
9. The question paper contains 8 pages including this instructions page.
10. All questions are compulsory.
11. Fill in the required details on the answer sheet before starting.
12. Do not ask for clarifications from the invigilator. Interpret questions as given.

Unofficial Practice Material — Not affiliated with or endorsed by GATE/IIT.

Prepared by PadhaiShuru (padhaishuru.com) for practice purposes only.

Section A: General Aptitude

Q1. [1-NAT] [1 mark]

Antonym of 'indigenous':

(Numerical Answer Type — Enter the numerical value)

Section B: Ecology and Evolution

Q2. [1-MCQ] [1 mark]

Standard deviation is:

- (A) Mean
 - (B) Spread
 - (C) Median
 - (D) Mode
-

Q3. [1-NAT] [1 mark]

Laplace transform of $e^{(-3t)}u(t)$ is:

(Numerical Answer Type — Enter the numerical value)

Q4. [1-MCQ] [1 mark]

For the ODE $dy/dx = y/x + \sqrt{y^2/x^2}$, with $y(1)=0$, the solution is:

- (A) $y = 0$
 - (B) $y = x \ln(x)$
 - (C) $y = x \sin(\ln x)$
 - (D) $y = x^2$
-

Q5. [1-NAT] [1 mark]

Number of spanning trees in complete graph K_4 :

(Numerical Answer Type — Enter the numerical value)

Q6. [1-MCQ] [1 mark]

Gauss-Seidel method converges when the coefficient matrix is:

- (A) Symmetric
- (B) Positive definite
- (C) Diagonally dominant
- (D) Non-singular

Q7. [1-MCQ] [1 mark]

Rolle's theorem requires $f(x)$ to be:

- (A) Continuous only
- (B) Differentiable only
- (C) Continuous on $[a,b]$ and differentiable on (a,b)
- (D) Both continuous and differentiable everywhere

Q8. [1-MCQ] [1 mark]

Which of the following is a probability generating function for $\text{Poisson}(\lambda)$?

- (A) $e^{\lambda(z-1)}$
- (B) $1/(1-z)$
- (C) $\ln(1-z)$
- (D) $e^{-\lambda}(1+z)$

Q9. [1-MCQ] [1 mark]

$P(|Z| \leq 1)$ for $Z \sim N(0,1)$ is approximately:

- (A) 0.68
- (B) 0.32
- (C) 0.95
- (D) 0.16

Q10. [2-MCQ] [2 marks]

Consider $f(x) = |x|$ on $[-1,1]$. This function is:

- (A) Differentiable everywhere
- (B) Continuous but not differentiable at 0
- (C) Neither continuous nor differentiable
- (D) Differentiable at 0 only

Q11. [2-MSQ] [2 marks]

A random variable $X \sim \text{Poisson}(\lambda=4)$. $P(X \geq 2)$ is approximately:

- (A) 0.908
- (B) 0.092
- (C) 0.762
- (D) 0.195

Q12. [2-MCQ] [2 marks]

If a 3×3 matrix has eigenvalues 1, 2, and 3, then $\text{trace}(A^2)$ equals:

- (A) 14
- (B) 6
- (C) 36
- (D) 12

Q13. [2-MCQ] [2 marks]

$\lim_{n \rightarrow \infty} (1 + 1/n)^{2n}$ equals:

- (A) e
- (B) e^2
- (C) 1
- (D) infinity

Q14. [2-MCQ] [2 marks]

$P(A \cup B) = 0.6$, $P(A \cap B) = 0.2$, $P(B) = 0.4$. Then $P(A|B)$ equals:

- (A) 0.2
- (B) 0.5
- (C) 0.6
- (D) 0.4

Q15. [2-MCQ] [2 marks]

For a Poisson distribution with mean 4, variance is:

- (A) 4
- (B) 2
- (C) 16
- (D) 1

Q16. [2-MCQ] [2 marks]

The differential equation $y \, dx - x \, dy = 0$ has solution:

- (A) $y = C \cdot x$
- (B) $y = C/x$
- (C) $y = C \cdot x^2$
- (D) $x^2 + y^2 = C$

Q17. [2-MCQ] [2 marks]

$d/dx [\ln(\sec x) + \ln(\tan x)]$ evaluated at $x = \pi/4$ equals:

- (A) 0
- (B) 2
- (C) 4
- (D) 1

Q18. [2-MCQ] [2 marks]

If $f(z) = z^2 + 3z + 2$ is analytic, then $\operatorname{Re}(f(i)) =$

- (A) -1
- (B) -2
- (C) 1
- (D) 2

Q19. [2-MCQ] [2 marks]

The rank of the matrix $\begin{bmatrix} 1, 2, 3 \\ 2, 4, 6 \\ 3, 6, 9 \end{bmatrix}$ is:

- (A) 1
- (B) 2
- (C) 3
- (D) 0

Q20. [2-NAT] [2 marks]

For matrix $A = \begin{bmatrix} 2 & 1 \\ 1 & 2 \end{bmatrix}$, $A^{50} \cdot \begin{bmatrix} 1 & 0 \end{bmatrix}^T$ equals:

(Numerical Answer Type — Enter the numerical value)

Q21. [2-MCQ] [2 marks]

The area of a circle of radius r is:

- (A) πr^2
 - (B) $2\pi r$
 - (C) πr
 - (D) $2\pi r^2$
-

Q22. [2-MSQ] [2 marks]

The Laplace transform of $t e^{-2t}$ is:

- (A) $1/(s+2)^2$
 - (B) $1/(s-2)^2$
 - (C) $s/(s+2)^2$
 - (D) $2/(s+2)^2$
-

Q23. [2-NAT] [2 marks]

The vector $(1, 2, 3)$ projected onto $(2, 1, 0)$ is:

(Numerical Answer Type — Enter the numerical value)

Q24. [2-MSQ] [2 marks]

If $f(x) = x^3 - 3x + 2$, number of real roots:

- (A) 1
 - (B) 2
 - (C) 3
 - (D) 0
-

Q25. [2-MCQ] [2 marks]

Cauchy-Schwarz inequality states $|\langle u, v \rangle| \leq$:

- (A) $\|u\| \cdot \|v\|$
 - (B) $\|u\| + \|v\|$
 - (C) $\|u\| / \|v\|$
 - (D) $\sqrt{\|u\| \cdot \|v\|}$
-

Q26. [2-MCQ] [2 marks]

Fourier series of $f(x)=x$ on $(-\pi, \pi)$ has only:

- (A) Sine terms
 - (B) Cosine terms
 - (C) Both
 - (D) Neither
-

Q27. [2-MCQ] [2 marks]

Solution of $y'' + 4y = 0$ with $y(0)=1$, $y'(0)=0$, $y(\pi/2)$ equals:

- (A) 1
- (B) 0
- (C) -1
- (D) $\cos(\pi)$

Q28. [2-NAT] [2 marks]

Consider $f(x) = |x|$ on $[-1,1]$. This function is:

(Numerical Answer Type — Enter the numerical value)

Q29. [2-MCQ] [2 marks]

The area of a circle of radius r is:

- (A) πr^2
 - (B) $2\pi r$
 - (C) πr
 - (D) $2\pi r^2$
-

Q30. [1-MCQ] [1 mark]

Logistic growth has:

- (A) No limit
 - (B) Carrying capacity
 - (C) Exponential
 - (D) None
-

Q31. [1-NAT] [1 mark]

Most abundant greenhouse gas:

(Numerical Answer Type — Enter the numerical value)

Q32. [1-MCQ] [1 mark]

Logistic growth equation has carrying capacity:

- (A) $dN/dt = rN$
 - (B) $dN/dt = rN(1-N/K)$
 - (C) $dN/dt = r$
 - (D) $dN/dt = K-N$
-

Q33. [1-MCQ] [1 mark]

Trophic level energy transfer efficiency:

- (A) 10%
 - (B) 50%
 - (C) 90%
 - (D) 1%
-

Q34. [2-MCQ] [2 marks]

Logistic growth equation has carrying capacity:

- (A) $dN/dt = rN$
 - (B) $dN/dt = rN(1-N/K)$
 - (C) $dN/dt = r$
 - (D) $dN/dt = K-N$
-

Q35. [2-MCQ] [2 marks]

Most abundant greenhouse gas:

- (A) CO_2
- (B) CH_4
- (C) N_2O
- (D) Water vapor

Q36. [2-MCQ] [2 marks]

Logistic growth equation has carrying capacity:

- (A) $dN/dt = rN$
- (B) $dN/dt = rN(1-N/K)$
- (C) $dN/dt = r$
- (D) $dN/dt = K-N$

Q37. [2-MCQ] [2 marks]

Most abundant greenhouse gas:

- (A) CO₂
- (B) CH₄
- (C) N₂O
- (D) Water vapor

Q38. [2-MCQ] [2 marks]

Logistic growth equation has carrying capacity:

- (A) $dN/dt = rN$
- (B) $dN/dt = rN(1-N/K)$
- (C) $dN/dt = r$
- (D) $dN/dt = K-N$

Q39. [2-MCQ] [2 marks]

Most abundant greenhouse gas:

- (A) CO₂
- (B) CH₄
- (C) N₂O
- (D) Water vapor

Q40. [2-MCQ] [2 marks]

Most abundant greenhouse gas:

- (A) CO₂
- (B) CH₄
- (C) N₂O
- (D) Water vapor

Q41. [1-MCQ] [1 mark]

Hardy-Weinberg needs:

- (A) No mutation
- (B) No migration
- (C) Large pop
- (D) All

Q42. [1-NAT] [1 mark]

mRNA processing:

(Numerical Answer Type — Enter the numerical value)

Q43. [1-NAT] [1 mark]

DNA B-form base pairs per turn:

(Numerical Answer Type — Enter the numerical value)

Q44. [1-MCQ] [1 mark]

AaBb x aabb. Genotypic ratio:

- (A) 1:1:1:1
- (B) 3:1
- (C) 9:3:3:1
- (D) 1:2:1

Q45. [1-MCQ] [1 mark]

ABO blood group has how many alleles?

- (A) 2
- (B) 3
- (C) 4
- (D) 6

Q46. [1-NAT] [1 mark]

Linked genes show:

(Numerical Answer Type — Enter the numerical value)

Q47. [2-NAT] [2 marks]

Linked genes show:

(Numerical Answer Type — Enter the numerical value)

Q48. [2-MCQ] [2 marks]

ABO blood group has how many alleles?

- (A) 2
- (B) 3
- (C) 4
- (D) 6

Q49. [2-NAT] [2 marks]

AaBb x aabb. Genotypic ratio:

(Numerical Answer Type — Enter the numerical value)

Q50. [2-MCQ] [2 marks]

mRNA processing:

- (A) Transcription only
- (B) Capping, splicing, poly-A
- (C) Translation only
- (D) Replication

Q51. [1-NAT] [1 mark]

Mendelian dihybrid cross (both heterozygous) ratio:

(Numerical Answer Type — Enter the numerical value)

Q52. [1-NAT] [1 mark]

DNA replication in eukaryotes occurs in:

(Numerical Answer Type — Enter the numerical value)

Q53. [1-MCQ] [1 mark]

Central dogma: reverse transcription is:

- (A) RNA->DNA
- (B) DNA->RNA
- (C) Protein->DNA
- (D) RNA->Protein

Q54. [1-NAT] [1 mark]

Photosynthesis light reactions produce:

(Numerical Answer Type — Enter the numerical value)

Q55. [1-MCQ] [1 mark]

Competitive enzyme inhibition: K_m

- (A) Increases
- (B) Decreases
- (C) Unchanged
- (D) Zero

Q56. [2-NAT] [2 marks]

Mendelian dihybrid cross (both heterozygous) ratio:

(Numerical Answer Type — Enter the numerical value)

Q57. [2-MCQ] [2 marks]

Competitive enzyme inhibition: K_m

- (A) Increases
- (B) Decreases
- (C) Unchanged
- (D) Zero

Q58. [2-MCQ] [2 marks]

Competitive enzyme inhibition: K_m

- (A) Increases
- (B) Decreases
- (C) Unchanged
- (D) Zero

Q59. [2-MCQ] [2 marks]

Photosynthesis light reactions produce:

- (A) Glucose only
- (B) ATP and NADPH
- (C) CO_2
- (D) O_2 only

Q60. [1-NAT] [1 mark]

Darwin finches from:

(Numerical Answer Type — Enter the numerical value)

Q61. [1-MCQ] [1 mark]

Biodiversity hotspot criteria:

- (A) Endemism
- (B) Deforestation
- (C) Both
- (D) None

Q62. [1-NAT] [1 mark]

Mitochondria function:

(Numerical Answer Type — Enter the numerical value)

Q63. [1-MCQ] [1 mark]

Photosynthesis in:

- (A) Mitochondria
- (B) Chloroplast
- (C) Nucleus
- (D) Ribosome

Q64. [1-MCQ] [1 mark]

Binomial nomenclature by:

- (A) Linnaeus
- (B) Darwin
- (C) Mendel
- (D) Watson

Q65. [1-MCQ] [1 mark]

Monarch butterfly migrates from:

- (A) Canada to Mexico
 - (B) India
 - (C) Africa
 - (D) Europe
-

ANSWER KEY

Q. No.	Type	Answer	Marks
1	1NAT	B	1
2	1MCQ	B	1
3	1MCQ	B	1
4	1NAT	A	1
5	1MCQ	D	1
6	1MCQ	C	1
7	1NAT	B	1
8	1MCQ	B	1
9	1MCQ	A	1
10	1MCQ	A	1
11	1NAT	B	1
12	1NAT	B	1
13	1NAT	D	1

14	1NAT	B	1
15	1MCQ	A	1
16	1NAT	A	1
17	1MCQ	A	1
18	1NAT	B	1
19	1MCQ	A	1
20	1NAT	B	1
21	1MCQ	A	1
22	1NAT	C	1
23	1MCQ	B	1
24	1MCQ	A	1
25	1MCQ	C	1
26	1MCQ	C	1
27	1MCQ	A	1
28	1MCQ	B	1

29	1NAT	C	1
30	1MCQ	A	1
31	2MCQ	B	2
32	2MSQ	A	2
33	2MCQ	A	2
34	2MCQ	B	2
35	2MCQ	B	2
36	2MCQ	A	2
37	2MCQ	B	2
38	2MCQ	C	2
39	2MCQ	A	2
40	2MCQ	A	2
41	2NAT	A	2
42	2MCQ	A	2
43	2MSQ	A	2

44	2NAT	B	2
45	2MSQ	B	2
46	2MCQ	A	2
47	2MCQ	A	2
48	2MCQ	C	2
49	2NAT	B	2
50	2MCQ	A	2
51	2MCQ	B	2
52	2MCQ	D	2
53	2NAT	C	2
54	2MCQ	B	2
55	2MCQ	A	2
56	2NAT	B	2
57	2MCQ	D	2
58	2MCQ	B	2

59	2MCQ	B	2
60	2MCQ	D	2
61	2MCQ	B	2
62	2NAT	A	2
63	2MCQ	B	2
64	2MCQ	D	2
65	2MCQ	A	2

DETAILED SOLUTIONS

Q1.

Answer: B

Solution:

Correct Answer: B

Subject: General Aptitude | Topic: Verbal | Difficulty: moderate

Q2.

Answer: B

Solution:

Correct Answer: B

Subject: Engineering Mathematics | Topic: Statistics | Difficulty: moderate

Q3.

Answer: B

Solution:

Correct Answer: B

Subject: Ecology | Topic: Population | Difficulty: difficult

Q4.

Answer: A

Solution:

Correct Answer: A

Subject: Evolution | Topic: Natural Selection | Difficulty: easy

Q5.

Answer: D

Solution:

Correct Answer: D

Subject: Genetics | Topic: Population Genetics | Difficulty: easy

Q6.

Answer: C

Solution:

Correct Answer: C

Subject: Environmental Science | Topic: Biodiversity | Difficulty: moderate

Q7.

Answer: B

Solution:

Correct Answer: B

Subject: Cell Biology | Topic: Mitochondria | Difficulty: moderate

Q8.

Answer: B

Solution:

Correct Answer: B

Subject: Plant Physiology | Topic: Photosynthesis | Difficulty: moderate

Q9.

Answer: A

Solution:

Correct Answer: A

Subject: Zoology | Topic: Taxonomy | Difficulty: moderate

Q10.

Answer: A

Solution:

Correct Answer: A

Subject: Behavioral Ecology | Topic: Migration | Difficulty: moderate

Q11.

Answer: B

Solution:

AaBb x AaBb: phenotypic ratio 9:3:3:1.

Subject: Biology | Topic: Biology | Difficulty: moderate

Q12.

Answer: B

Solution:

DNA replication: S phase in nucleus. Mitochondrial DNA replicates separately.

Subject: Biology | Topic: Biology | Difficulty: moderate

Q13.

Answer: D

Solution:

Water vapor: most abundant GHG by concentration and radiative forcing.

Subject: Ecology | Topic: Ecology | Difficulty: easy

Q14.

Answer: B

Solution:

Pre-mRNA: 5 cap, intron splicing, 3 poly-A tail.

Subject: Genetics | Topic: Genetics | Difficulty: moderate

Q15.

Answer: A

Solution:

Reverse transcription: RNA->DNA (retroviruses like HIV).

Subject: Biology | Topic: Biology | Difficulty: easy

Q16.

Answer: A

Solution:

$L\{e^{(-at)}\} = 1/(s+a)$. Here $a=3$: $1/(s+3)$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q17.

Answer: A

Solution:

Homogeneous ODE. Substituting $y=x*v$ and $y(1)=0$ gives $y=0$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q18.

Answer: B

Solution:

Light reactions: ATP + NADPH for Calvin cycle. O₂ is byproduct.

Subject: Biology | Topic: Biology | Difficulty: easy

Q19.

Answer: A

Solution:

Competitive: V_{max} unchanged, K_m increases (more substrate needed).

Subject: Biology | Topic: Biology | Difficulty: difficult

Q20.

Answer: B

Solution:

B-DNA: ~10.4 bp per turn.

Subject: Genetics | Topic: Genetics | Difficulty: moderate

Q21.

Answer: A

Solution:

AaBb x aabb: offspring AaBb, Aabb, aaBb, aabb in 1:1:1:1.

Subject: Genetics | Topic: Genetics | Difficulty: moderate

Q22.

Answer: C

Solution:

Kirchhoff: for K_n , spanning trees = $n^{n-2} = 4^2 = 16$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q23.

Answer: B

Solution:

Logistic: $dN/dt = rN(1-N/K)$. K is carrying capacity.

Subject: Ecology | Topic: Ecology | Difficulty: moderate

Q24.

Answer: A

Solution:

10% law: ~10% energy transferred between trophic levels (Lindeman).

Subject: Ecology | Topic: Ecology | Difficulty: difficult

Q25.

Answer: C

Solution:

Gauss-Seidel converges if matrix is diagonally dominant. Jacobi needs symmetric positive definite.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q26.

Answer: C

Solution:

Rolle's: f continuous on $[a,b]$, differentiable on (a,b) , $f(a)=f(b)$. Then $f'(c)=0$ for some c in (a,b) .

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q27.

Answer: A

Solution:

PGF of Poisson(λ): $G(z) = E[z^X] = \exp(\lambda(z-1))$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q28.

Answer: B

Solution:

ABO: I^A , I^B , i (three alleles).

Subject: Genetics | Topic: Genetics | Difficulty: moderate

Q29.

Answer: C

Solution:

Linked genes on same chromosome: recombination < 50%.

Subject: Genetics | Topic: Genetics | Difficulty: easy

Q30.

Answer: A

Solution:

Standard normal: $P(-1 < Z < 1)$ approx 0.68.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q31.

Answer: B

Solution:

$|x|$ is continuous everywhere. Left derivative at 0 = -1, right = +1. Not differentiable at 0.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q32.

Answer: A

Solution:

$P(X \geq 2) = 1 - e^{-4(1+4)} = 1 - 5e^{-4}$ approx 0.908.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q33.

Answer: A

Solution:

Eigenvalues of A^2 are 1, 4, 9. Trace = sum = $1+4+9 = 14$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q34.

Answer: B

Solution:

$(1+1/n)^{2n} = [(1+1/n)^n]^2 \rightarrow e^2$ as $n \rightarrow \infty$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q35.

Answer: B

Solution:

$P(A|B) = P(A \cap B)/P(B) = 0.2/0.4 = 0.5$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q36.

Answer: A

Solution:

Poisson: mean = λ = variance. Both = 4.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q37.

Answer: B

Solution:

$dy/y = dx/x$. $\ln(y) = \ln(x) + C$. $y = C*x$. Wait: $y \, dx = x \, dy \Rightarrow dy/y = dx/x \Rightarrow \ln y = \ln x + C \Rightarrow y = C*x$. That's option A. Hmm, let me check: $y \, dx - x \, dy = 0 \Rightarrow y \, dx = x \, dy \Rightarrow dy/y = dx/x \Rightarrow y = C*x$. Answer: A.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q38.

Answer: C

Solution:

$d/dx[\ln(\sin x / \cos^2 x)] = \cot x + 2\tan x$. At $\pi/4$: $1 + 2 = 3$. Hmm. Let me recalc: $d/dx \ln(\sec x) = \tan x$. $d/dx \ln(\tan x) = \sec^2 x / \tan x = 1/(\sin x \cos x) = 2\csc(2x)$. At $\pi/4$: $1 + 2 = 3$. Not in options. The derivative of $\ln(\sec x * \tan x) = d/dx[\ln(\sin x / \cos^2 x)] = \cot x + 2\tan x$. At $\pi/4$: $1+2=3$. Hmm.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q39.

Answer: A

Solution:

$f(i) = i^2 + 3i + 2 = -1 + 3i$. $\text{Re}(f(i)) = -1$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q40.

Answer: A

Solution:

Row 2 = $2 \times$ Row 1, Row 3 = $3 \times$ Row 1. All rows linearly dependent. Rank = 1.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q41.

Answer: A

Solution:

Eigenvalues are 3 and 1. $[1,0]^T$ is eigenvector for eigenvalue 1. $A^{50} [1,0]^T = [1,0]^T$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q42.

Answer: A

Solution:

Area = πr^2 . Circumference = $2\pi r$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q43.

Answer: A

Solution:

$L\{t^*f(t)\} = -d/ds(F(s))$. $F(s) = 1/(s+2)$. $-d/ds[1/(s+2)] = 1/(s+2)^2$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q44.

Answer: B

Solution:

$\text{proj} = ((v \cdot w)/(w \cdot w)) * w = (4/5) * (2, 1, 0) = (8/5, 4/5, 0)$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q45.

Answer: B

Solution:

$f(0)=2$, $f(1)=0$, $f(-1)=4$, $f(2)=4$. $f(-2)=-8+6+2=0$. Roots at $x=1$ (double?) and $x=-2$. $f(x)=(x-1)^2(x+2)$. Two distinct real roots.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q46.

Answer: A

Solution:

$|\langle u, v \rangle| \leq \|u\| * \|v\|$. Equality when u and v are linearly dependent.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q47.

Answer: A

Solution:

$f(x)=x$ is odd on symmetric interval. Fourier series has only sine terms.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q48.

Answer: C

Solution:

$y = A \cos(2x) + B \sin(2x)$. $A=1$, $B=0$. $y(\pi/2) = \cos(\pi) = -1$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q49.

Answer: B

Solution:

$AaBb \times AaBb$: phenotypic ratio 9:3:3:1.

Subject: Biology | Topic: Biology | Difficulty: moderate

Q50.

Answer: A

Solution:

Competitive: V_{max} unchanged, K_m increases (more substrate needed).

Subject: Biology | Topic: Biology | Difficulty: difficult

Q51.

Answer: B

Solution:

Logistic: $dN/dt = rN(1-N/K)$. K is carrying capacity.

Subject: Ecology | Topic: Ecology | Difficulty: moderate

Q52.

Answer: D

Solution:

Water vapor: most abundant GHG by concentration and radiative forcing.

Subject: Ecology | Topic: Ecology | Difficulty: easy

Q53.

Answer: C

Solution:

Linked genes on same chromosome: recombination $< 50\%$.

Subject: Genetics | Topic: Genetics | Difficulty: moderate

Q54.

Answer: B

Solution:

Logistic: $dN/dt = rN(1-N/K)$. K is carrying capacity.

Subject: Ecology | Topic: Ecology | Difficulty: easy

Q55.

Answer: A

Solution:

Competitive: V_{max} unchanged, K_m increases (more substrate needed).

Subject: Biology | Topic: Biology | Difficulty: moderate

Q56.

Answer: B

Solution:

$|x|$ is continuous everywhere. Left derivative at 0 = -1, right = +1. Not differentiable at 0.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q57.

Answer: D

Solution:

Water vapor: most abundant GHG by concentration and radiative forcing.

Subject: Ecology | Topic: Ecology | Difficulty: moderate

Q58.

Answer: B

Solution:

ABO: I^A , I^B , i (three alleles).

Subject: Genetics | Topic: Genetics | Difficulty: moderate

Q59.

Answer: B

Solution:

Logistic: $dN/dt = rN(1-N/K)$. K is carrying capacity.

Subject: Ecology | Topic: Ecology | Difficulty: easy

Q60.

Answer: D

Solution:

Water vapor: most abundant GHG by concentration and radiative forcing.

Subject: Ecology | Topic: Ecology | Difficulty: moderate

Q61.

Answer: B

Solution:

Light reactions: ATP + NADPH for Calvin cycle. O_2 is byproduct.

Subject: Biology | Topic: Biology | Difficulty: difficult

Q62.

Answer: A

Solution:

AaBb x aabb: offspring AaBb, Aabb, aaBb, aabb in 1:1:1:1.

Subject: Genetics | Topic: Genetics | Difficulty: easy

Q63.

Answer: B

Solution:

Pre-mRNA: 5 cap, intron splicing, 3 poly-A tail.

Subject: Genetics | Topic: Genetics | Difficulty: moderate

Q64.

Answer: D

Solution:

Water vapor: most abundant GHG by concentration and radiative forcing.

Subject: Ecology | Topic: Ecology | Difficulty: moderate

Q65.

Answer: A

Solution:

Area = πr^2 . Circumference = $2\pi r$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

PAPER BLUEPRINT

Subject Distribution:

Engineering Mathematics: 28 questions, 48 marks
Ecology: 11 questions, 18 marks
Genetics: 10 questions, 14 marks
Biology: 9 questions, 13 marks
General Aptitude: 1 questions, 1 marks
Evolution: 1 questions, 1 marks
Environmental Science: 1 questions, 1 marks
Cell Biology: 1 questions, 1 marks
Plant Physiology: 1 questions, 1 marks
Zoology: 1 questions, 1 marks
Behavioral Ecology: 1 questions, 1 marks

Difficulty Distribution:

Easy: 17 | Moderate: 36 | Difficult: 12

Statistics:

Total Questions: 65
Total Marks: 100

This blueprint is generated from the actual question distribution in this paper.