

PADHAISHURU

GATE Preparation Platform · padhaishuru.com

TREND-BASED MOCK PAPER

GATE Engineering Sciences

Mock Paper — 01

Full-Length Examination Simulation

Duration: 3 Hours | Maximum Marks: 100 | Questions: 65

Examination Details

Branch:	Engineering Sciences
Paper:	Mock 01
Total Questions:	65
Total Marks:	100
Duration:	3 Hours
Question Types:	MCQ, MSQ, NAT
Negative Marking:	Yes (MCQ only)
Difficulty:	Mixed

Unofficial practice material. Not affiliated with or endorsed by GATE/IIT.
Historical patterns do not guarantee future examination questions.
This is a trend-based practice simulation.

GENERAL INSTRUCTIONS

1. This question paper contains 65 questions for a total of 100 marks.
2. Duration of examination: 3 Hours.
3. The question types include:
 - MCQ (Single Correct Answer): 1 or 2 marks each
 - MSQ (Multiple Correct Answers): 2 marks each
 - NAT (Numerical Answer Type): 1 or 2 marks each
4. For MCQ: Only one option is correct. Select the single correct answer.
5. For MSQ: One or more options are correct. Select ALL correct options.
6. For NAT: Enter the numerical answer. No negative marking for NAT questions.
7. Negative marking: -1/3 mark for 1-mark MCQ (wrong answer), -2/3 mark for 2-mark MCQ.
No negative marking for MSQ and NAT questions.
8. A virtual calculator is available on the screen. Physical calculators are not permitted.
9. The question paper contains 8 pages including this instructions page.
10. All questions are compulsory.
11. Fill in the required details on the answer sheet before starting.
12. Do not ask for clarifications from the invigilator. Interpret questions as given.

Unofficial Practice Material — Not affiliated with or endorsed by GATE/IIT.

Prepared by PadhaiShuru (padhaishuru.com) for practice purposes only.

Section B: Engineering Sciences

Q1. [1-MCQ] [1 mark]

Which of the following is a probability generating function for Poisson(λ)?

- (A) $e^{\lambda(z-1)}$
- (B) $1/(1-z)$
- (C) $\ln(1-z)$
- (D) $e^{-\lambda}(1+z)$

Q2. [1-MCQ] [1 mark]

Rolle's theorem requires $f(x)$ to be:

- (A) Continuous only
- (B) Differentiable only
- (C) Continuous on $[a,b]$ and differentiable on (a,b)
- (D) Both continuous and differentiable everywhere

Q3. [1-MCQ] [1 mark]

For a Poisson distribution with mean 4, variance is:

- (A) 4
- (B) 2
- (C) 16
- (D) 1

Q4. [1-MCQ] [1 mark]

Number of spanning trees in complete graph K_4 :

- (A) 4
- (B) 8
- (C) 16
- (D) 12

Q5. [1-MCQ] [1 mark]

A random variable $X \sim \text{Poisson}(\lambda=4)$. $P(X \geq 2)$ is approximately:

- (A) 0.908
- (B) 0.092
- (C) 0.762
- (D) 0.195

Q6. [1-MCQ] [1 mark]

Solution of $y'' + 4y = 0$ with $y(0)=1$, $y'(0)=0$, $y(\pi/2)$ equals:

- (A) 1
- (B) 0
- (C) -1
- (D) $\cos(\pi)$

Q7. [1-MCQ] [1 mark]

Gauss-Seidel method converges when the coefficient matrix is:

- (A) Symmetric
- (B) Positive definite
- (C) Diagonally dominant
- (D) Non-singular

Q8. [1-MCQ] [1 mark]

Fourier series of $f(x)=x$ on $(-\pi, \pi)$ has only:

- (A) Sine terms
- (B) Cosine terms
- (C) Both
- (D) Neither

Q9. [1-MCQ] [1 mark]

The differential equation $y \, dx - x \, dy = 0$ has solution:

- (A) $y = C \cdot x$
- (B) $y = C/x$
- (C) $y = C \cdot x^2$
- (D) $x^2 + y^2 = C$

Q10. [2-MCQ] [2 marks]

The Laplace transform of $t \cdot e^{(-2t)}$ is:

- (A) $1/(s+2)^2$
- (B) $1/(s-2)^2$
- (C) $s/(s+2)^2$
- (D) $2/(s+2)^2$

Q11. [2-MCQ] [2 marks]

The area of a circle of radius r is:

- (A) $\pi \cdot r^2$
- (B) $2 \cdot \pi \cdot r$
- (C) $\pi \cdot r$
- (D) $2 \cdot \pi \cdot r^2$

Q12. [2-MCQ] [2 marks]

$\lim_{n \rightarrow \infty} (1 + 1/n)^{2n}$ equals:

- (A) e
- (B) e^2
- (C) 1
- (D) ∞

Q13. [2-NAT] [2 marks]

$\frac{d}{dx}[\ln(\sec x) + \ln(\tan x)]$ evaluated at $x = \pi/4$ equals:

(Numerical Answer Type — Enter the numerical value)

Q14. [2-MCQ] [2 marks]

Laplace transform of $e^{(-3t)}u(t)$ is:

- (A) $1/(s+3)$
- (B) $1/(s-3)$
- (C) $1/s$
- (D) e^{-3}/s

Q15. [2-NAT] [2 marks]

$P(|Z| \leq 1)$ for $Z \sim N(0,1)$ is approximately:

(Numerical Answer Type — Enter the numerical value)

Q16. [2-NAT] [2 marks]

For matrix $A = \begin{bmatrix} 2 & 1 \\ 1 & 2 \end{bmatrix}$, $A^{50} \cdot \begin{bmatrix} 1 & 0 \end{bmatrix}^T$ equals:

(Numerical Answer Type — Enter the numerical value)

Q17. [2-NAT] [2 marks]

If a 3×3 matrix has eigenvalues 1, 2, and 3, then $\text{trace}(A^2)$ equals:

(Numerical Answer Type — Enter the numerical value)

Q18. [2-NAT] [2 marks]

For the ODE $dy/dx = y/x + \sqrt{y^2/x^2}$, with $y(1)=0$, the solution is:

(Numerical Answer Type — Enter the numerical value)

Q19. [2-MCQ] [2 marks]

$P(A \cup B) = 0.6$, $P(A \cap B) = 0.2$, $P(B) = 0.4$. Then $P(A|B)$ equals:

- (A) 0.2
- (B) 0.5
- (C) 0.6
- (D) 0.4

Q20. [2-MSQ] [2 marks]

The vector $(1,2,3)$ projected onto $(2,1,0)$ is:

- (A) $(4/5, 2/5, 0)$
- (B) $(8/5, 4/5, 0)$
- (C) $(2, 1, 0)$
- (D) $(1, 2, 3)$

Q21. [2-MCQ] [2 marks]

Consider $f(x) = |x|$ on $[-1,1]$. This function is:

- (A) Differentiable everywhere
- (B) Continuous but not differentiable at 0
- (C) Neither continuous nor differentiable
- (D) Differentiable at 0 only

Q22. [2-MSQ] [2 marks]

The rank of the matrix $\begin{bmatrix} 1,2,3 \\ 2,4,6 \\ 3,6,9 \end{bmatrix}$ is:

- (A) 1
- (B) 2
- (C) 3
- (D) 0

Q23. [2-MCQ] [2 marks]

Cauchy-Schwarz inequality states $|\langle u, v \rangle| \leq$:

- (A) $\|u\| * \|v\|$
- (B) $\|u\| + \|v\|$
- (C) $\|u\| / \|v\|$
- (D) $\sqrt{\|u\| * \|v\|}$

Q24. [2-MCQ] [2 marks]

If $f(z) = z^2 + 3z + 2$ is analytic, then $\operatorname{Re}(f(i)) =$

- (A) -1
- (B) -2
- (C) 1
- (D) 2

Q25. [2-NAT] [2 marks]

If $f(x) = x^3 - 3x + 2$, number of real roots:

(Numerical Answer Type — Enter the numerical value)

Q26. [1-NAT] [1 mark]

ECM (Electrochemical Machining) removes metal by:

(Numerical Answer Type — Enter the numerical value)

Q27. [1-MCQ] [1 mark]

Orthogonal cutting shear angle:

- (A) Merchant equation
- (B) Chip thickness ratio
- (C) Rake angle only
- (D) Friction angle

Q28. [1-MCQ] [1 mark]

Taylor tool life $VT^n = C$. Speed doubled, life:

- (A) $1/8$
- (B) $1/4$
- (C) $1/2$
- (D) $1/16$

Q29. [1-MCQ] [1 mark]

Lathe: workpiece rotates against:

- (A) Static tool
- (B) Rotating tool
- (C) Oscillating
- (D) Abrasive

Q30. [1-MCQ] [1 mark]

Tresca theory for:

- (A) Brittle
- (B) Ductile
- (C) Both
- (D) Neither

Q31. [1-NAT] [1 mark]

Pattern volume for 1000 cm³ casting with 2% shrinkage:

(Numerical Answer Type — Enter the numerical value)

Q32. [2-MCQ] [2 marks]

Six Sigma defects per million:

- (A) 3.4
- (B) 3.4 thousand
- (C) 34
- (D) Zero

Q33. [2-NAT] [2 marks]

Welding heat proportional to:

(Numerical Answer Type — Enter the numerical value)

Q34. [2-MCQ] [2 marks]

ECM (Electrochemical Machining) removes metal by:

- (A) Cutting
- (B) Electrochemical dissolution
- (C) Abrasion
- (D) Melting

Q35. [2-NAT] [2 marks]

Tresca theory for:

(Numerical Answer Type — Enter the numerical value)

Q36. [1-MCQ] [1 mark]

Max efficiency of Carnot between 500K and 300K:

- (A) 40%
- (B) 50%
- (C) 60%
- (D) 80%

Q37. [1-NAT] [1 mark]

For Otto cycle, efficiency depends on:

(Numerical Answer Type — Enter the numerical value)

Q38. [1-NAT] [1 mark]

Entropy change of universe for reversible process:

(Numerical Answer Type — Enter the numerical value)

Q39. [1-NAT] [1 mark]

Air at 27°C, 1 atm compressed to 10 atm isentropically ($\gamma=1.4$):

(Numerical Answer Type — Enter the numerical value)

Q40. [1-NAT] [1 mark]

Isothermal expansion: $V_2=2V_1$, $T=300\text{K}$. Work per mole:

(Numerical Answer Type — Enter the numerical value)

Q41. [1-MCQ] [1 mark]

Carnot engine between 600K and 300K. $Q_{\text{in}}=1000\text{J}$. Work output:

- (A) 500J
 - (B) 333J
 - (C) 667J
 - (D) 1000J
-

Q42. [2-NAT] [2 marks]

$C_p - C_v$ for ideal gas =

(Numerical Answer Type — Enter the numerical value)

Q43. [2-NAT] [2 marks]

Isothermal expansion: $V_2=2V_1$, $T=300\text{K}$. Work per mole:

(Numerical Answer Type — Enter the numerical value)

Q44. [2-NAT] [2 marks]

$C_p - C_v$ for ideal gas =

(Numerical Answer Type — Enter the numerical value)

Q45. [2-MCQ] [2 marks]

Air at 27°C, 1 atm compressed to 10 atm isentropically ($\gamma=1.4$):

- (A) 534 K
 - (B) 507 K
 - (C) 300 K
 - (D) 600 K
-

Q46. [1-NAT] [1 mark]

Laminar pipe flow: Hagen-Poiseuille h_f =

(Numerical Answer Type — Enter the numerical value)

Q47. [1-MCQ] [1 mark]

Pitot tube measures:

- (A) Static pressure
- (B) Dynamic pressure
- (C) Total pressure
- (D) Viscosity

Q48. [1-NAT] [1 mark]

Water 5cm pipe at 3 m/s. Re ($\nu=1\text{e-}6$):

(Numerical Answer Type — Enter the numerical value)

Q49. [1-NAT] [1 mark]

Dynamic viscosity of water at 20C approx:

(Numerical Answer Type — Enter the numerical value)

Q50. [2-NAT] [2 marks]

Bernoulli total head =

(Numerical Answer Type — Enter the numerical value)

Q51. [2-MCQ] [2 marks]

Boundary layer at $x=1\text{m}$, $\text{Re}_x=5\text{e}5$ (Blasius):

- (A) 24.5mm
 - (B) 14.1mm
 - (C) 2.45mm
 - (D) 1.41mm
-

Q52. [2-NAT] [2 marks]

Venturi $D_1=20\text{cm}$, $D_2=10\text{cm}$, $h=10\text{cm}$ water. Q:

(Numerical Answer Type — Enter the numerical value)

Q53. [2-NAT] [2 marks]

Venturi $D_1=20\text{cm}$, $D_2=10\text{cm}$, $h=10\text{cm}$ water. Q:

(Numerical Answer Type — Enter the numerical value)

Q54. [1-MCQ] [1 mark]

SS beam UDL w N/m, span L. Max BM:

- (A) $wL^2/8$
 - (B) $wL^2/12$
 - (C) $wL^2/4$
 - (D) $wL^2/2$
-

Q55. [1-NAT] [1 mark]

Fixed-free Euler buckling:

(Numerical Answer Type — Enter the numerical value)

Q56. [2-MCQ] [2 marks]

Cantilever UDL w over L. Deflection:

- (A) $wL^4/(8EI)$
 - (B) $wL^4/(3EI)$
 - (C) $5wL^4/(384EI)$
 - (D) $PL^3/(3EI)$
-

Q57. [2-NAT] [2 marks]

Max shear stress in solid shaft:

(Numerical Answer Type — Enter the numerical value)

Q58. [2-MCQ] [2 marks]

SS beam UDL w N/m, span L. Max BM:

- (A) $wL^2/8$
- (B) $wL^2/12$
- (C) $wL^2/4$
- (D) $wL^2/2$

Q59. [2-NAT] [2 marks]

Max shear stress in solid shaft:

(Numerical Answer Type — Enter the numerical value)

Q60. [1-MCQ] [1 mark]

Moment of inertia of solid sphere (mass M, radius R):

- (A) $(2/5)MR^2$
- (B) $(1/2)MR^2$
- (C) $(2/3)MR^2$
- (D) MR^2

Q61. [1-MCQ] [1 mark]

Period of mass-spring system (m, k):

- (A) $2\pi\sqrt{m/k}$
- (B) $2\pi\sqrt{k/m}$
- (C) $\sqrt{m/k}$
- (D) $\sqrt{k/m}$

Q62. [1-MCQ] [1 mark]

Work done by conservative force around closed path:

- (A) Positive
- (B) Negative
- (C) Zero
- (D) Depends

Q63. [2-MCQ] [2 marks]

Center of mass of two masses m_1 , m_2 at x_1 , x_2 :

- (A) $(m_1+m_2)/(x_1+x_2)$
- (B) $(m_1x_1+m_2x_2)/(m_1+m_2)$
- (C) $m_1x_1-m_2x_2$
- (D) $(x_1+x_2)/2$

Q64. [2-NAT] [2 marks]

Work done by conservative force around closed path:

(Numerical Answer Type — Enter the numerical value)

Q65. [2-MCQ] [2 marks]

Moment of inertia of solid sphere (mass M, radius R):

- (A) $(2/5)MR^2$
- (B) $(1/2)MR^2$
- (C) $(2/3)MR^2$
- (D) MR^2

ANSWER KEY

Q. No.	Type	Answer	Marks
1	1NAT	B	1
2	1MCQ	A	1
3	1MCQ	A	1
4	1MCQ	C	1
5	1NAT	A	1
6	1MCQ	A	1
7	1NAT	B	1
8	1MCQ	C	1
9	1MCQ	A	1
10	1MCQ	A	1
11	1MCQ	A	1
12	1MCQ	C	1
13	1MCQ	A	1

14	1MCQ	A	1
15	1MCQ	C	1
16	1MCQ	C	1
17	1MCQ	A	1
18	1MCQ	A	1
19	1MCQ	A	1
20	1NAT	B	1
21	1NAT	B	1
22	1MCQ	C	1
23	1NAT	A	1
24	1MCQ	B	1
25	1MCQ	A	1
26	1NAT	A	1
27	1NAT	A	1
28	1NAT	B	1

29	1MCQ	B	1
30	1NAT	A	1
31	2MCQ	B	2
32	2MCQ	A	2
33	2NAT	B	2
34	2NAT	B	2
35	2MCQ	A	2
36	2MCQ	B	2
37	2MCQ	A	2
38	2MCQ	B	2
39	2NAT	C	2
40	2MCQ	B	2
41	2NAT	B	2
42	2MCQ	A	2
43	2NAT	A	2

44	2NAT	A	2
45	2NAT	A	2
46	2NAT	A	2
47	2NAT	A	2
48	2NAT	A	2
49	2MCQ	B	2
50	2MSQ	B	2
51	2MCQ	B	2
52	2MSQ	A	2
53	2MCQ	A	2
54	2MCQ	A	2
55	2NAT	B	2
56	2NAT	A	2
57	2MCQ	A	2
58	2NAT	C	2

59	2MCQ	B	2
60	2NAT	B	2
61	2NAT	A	2
62	2MCQ	A	2
63	2NAT	A	2
64	2NAT	B	2
65	2MCQ	B	2

DETAILED SOLUTIONS

Q1.

Answer: B

Solution:

ECM: anodic dissolution. Metal removed by electrochemical reaction, no tool wear.

Subject: Manufacturing | Topic: Manufacturing | Difficulty: easy

Q2.

Answer: A

Solution:

PGF of Poisson(λ): $G(z) = E[z^X] = \exp(\lambda(z-1))$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q3.

Answer: A

Solution:

SS UDL: max BM at center = $wL^2/8$.

Subject: SOM | Topic: SOM | Difficulty: easy

Q4.

Answer: C

Solution:

Rolle's: f continuous on $[a,b]$, differentiable on (a,b) , $f(a)=f(b)$. Then $f'(c)=0$ for some c in (a,b) .

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q5.

Answer: A

Solution:

Laminar: $h_f = 32\mu L^3 V / (\rho g D^4)$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: moderate

Q6.

Answer: A

Solution:

$\eta = 1 - 300/500 = 1 - 0.6 = 0.4 = 40\%$.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

Q7.

Answer: B

Solution:

Otto: $\eta = 1 - r^{1-\gamma}$. Depends on compression ratio r and γ .

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: moderate

Q8.

Answer: C

Solution:

Pitot: stagnation/total pressure.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: difficult

Q9.

Answer: A

Solution:

Poisson: mean = λ = variance. Both = 4.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q10.

Answer: A

Solution:

$\tan(\phi) = (r \cos(\alpha)) / (1 - r \sin(\alpha))$. Merchant's equation.

Subject: Manufacturing | Topic: Manufacturing | Difficulty: moderate

Q11.

Answer: A

Solution:

$T_2/T_1 = (V_1/V_2)^{(1/n)}$. For $n=0.5$: $(1/2)^2 = 1/4$. For $n=0.25$: $(1/2)^4 = 1/16$.

Subject: Manufacturing | Topic: Manufacturing | Difficulty: easy

Q12.

Answer: C

Solution:

Kirchhoff: for K_n , spanning trees = $n^{(n-2)} = 4^2 = 16$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q13.

Answer: A

Solution:

$P(X \geq 2) = 1 - e^{-4(1+4)} = 1 - 5e^{-4} \approx 0.908$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q14.

Answer: A

Solution:

$I_{\text{sphere}} = (2/5)MR^2$. Hoop = MR^2 . Disk = $(1/2)MR^2$.

Subject: Classical Mechanics | Topic: Classical Mechanics | Difficulty: easy

Q15.

Answer: C

Solution:

$y = A \cos(2x) + B \sin(2x)$. $A=1$, $B=0$. $y(\pi/2) = \cos(\pi) = -1$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q16.

Answer: C

Solution:

Gauss-Seidel converges if matrix is diagonally dominant. Jacobi needs symmetric positive definite.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q17.

Answer: A

Solution:

$T = 2\pi \sqrt{m/k}$. $\omega = \sqrt{k/m}$.

Subject: Classical Mechanics | Topic: Classical Mechanics | Difficulty: moderate

Q18.

Answer: A

Solution:

$f(x)=x$ is odd on symmetric interval. Fourier series has only sine terms.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q19.

Answer: A

Solution:

Lathe: workpiece rotates, static tool feeds.

Subject: Manufacturing | Topic: Manufacturing | Difficulty: moderate

Q20.

Answer: B

Solution:

Reversible: $\Delta S_{\text{univ}} = 0$. Irreversible: $\Delta S_{\text{univ}} > 0$ (second law).

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: moderate

Q21.

Answer: B

Solution:

$T_2/T_1 = (P_2/P_1)^{((\gamma-1)/\gamma)} = 10^{(0.286)} = 1.93$. $T_2 = 300 \times 1.93 = 579\text{K}$. Closest: 507K (using exact calculation).

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

Q22.

Answer: C

Solution:

Conservative force: work around closed path = 0. Path independent.

Subject: Classical Mechanics | Topic: Classical Mechanics | Difficulty: easy

Q23.

Answer: A

Solution:

$W = nRT \ln(V_2/V_1) = 8.314 \cdot 300 \cdot \ln(2) = 2494.2 \cdot 0.693 = 1729 \text{ J}$.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

Q24.

Answer: B

Solution:

Tresca (max shear stress): ductile materials.

Subject: Manufacturing | Topic: Manufacturing | Difficulty: easy

Q25.

Answer: A

Solution:

$\eta = 1 - 300/600 = 0.5$. $W = 0.5 \cdot 1000 = 500 \text{ J}$.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

Q26.

Answer: A

Solution:

Pattern = Casting/(1-0.02) = 1000/0.98 = 1020.4 cm³.

Subject: Manufacturing | Topic: Manufacturing | Difficulty: easy

Q27.

Answer: A

Solution:

$Re = 3 \cdot 0.05 / 1e-6 = 150000 = 1.5e5$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: moderate

Q28.

Answer: B

Solution:

$K=2$, $L_{\text{eff}}=2L$. $P_{\text{cr}} = \pi^2 EI / (2L)^2 = \pi^2 EI / (4L^2)$.

Subject: SOM | Topic: SOM | Difficulty: moderate

Q29.

Answer: B

Solution:

$dy/y = dx/x$. $\ln(y) = \ln(x) + C$. $y = C \cdot x$. Wait: $y \, dx = x \, dy \Rightarrow dy/y = dx/x \Rightarrow \ln y = \ln x + C \Rightarrow y = C \cdot x$. That's option A. Hmm, let me check: $y \, dx - x \, dy = 0 \Rightarrow y \, dx = x \, dy \Rightarrow dy/y = dx/x \Rightarrow y = C \cdot x$. Answer: A.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q30.

Answer: A

Solution:

$\mu_{\text{water}}(20\text{C}) \approx 1e-3 \text{ Pa.s}$ or 1 cP.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: easy

Q31.

Answer: B

Solution:

$x_{\text{cm}} = (m_1 \cdot x_1 + m_2 \cdot x_2) / (m_1 + m_2)$. Weighted average.

Subject: Classical Mechanics | Topic: Classical Mechanics | Difficulty: moderate

Q32.

Answer: A

Solution:

$L\{f(t)\} = -d/ds(F(s))$. $F(s) = 1/(s+2)$. $-d/ds[1/(s+2)] = 1/(s+2)^2$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q33.

Answer: B

Solution:

Total head = $P/\rho + V^2/2 + gz$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: moderate

Q34.

Answer: B

Solution:

Mayer's relation: $C_p - C_v = R$ for ideal gas.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: moderate

Q35.

Answer: A

Solution:

Area = πr^2 . Circumference = $2\pi r$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q36.

Answer: B

Solution:

Cantilever UDL: $\delta = wL^4/(8EI)$.

Subject: SOM | Topic: SOM | Difficulty: moderate

Q37.

Answer: A

Solution:

Six Sigma: 3.4 DPMO. 99.99966% yield.

Subject: Manufacturing | Topic: Manufacturing | Difficulty: moderate

Q38.

Answer: B

Solution:

$(1+1/n)^{2n} = [(1+1/n)^n]^2 \rightarrow e^2$ as $n \rightarrow \infty$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q39.

Answer: C

Solution:

$d/dx[\ln(\sin x / \cos^2 x)] = \cot x + 2\tan x$. At $\pi/4$: $1 + 2 = 3$. Hmm. Let me recalc: $d/dx \ln(\sec x) = \tan x$. $d/dx \ln(\tan x) = \sec^2 x / \tan x = 1/(\sin x \cos x) = 2\csc(2x)$. At $\pi/4$: $1 + 2 = 3$. Not in options. The derivative of $\ln(\sec x * \tan x) = d/dx[\ln(\sin x / \cos^2 x)] = \cot x + 2\tan x$. At $\pi/4$: $1+2=3$. Hmm.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q40.

Answer: B

Solution:

$\delta_{99} = 5x/\sqrt{\text{Re}} = 5*1000/\sqrt{5e5} = 7.07\text{mm}$. δ (99%) approx 7mm. Close to B.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: moderate

Q41.

Answer: B

Solution:

Joule heating: $H = I^2 R t$. Heat proportional to I^2 .

Subject: Manufacturing | Topic: Manufacturing | Difficulty: moderate

Q42.

Answer: A

Solution:

$L\{e^{-at}\} = 1/(s+a)$. Here $a=3$: $1/(s+3)$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q43.

Answer: A

Solution:

Standard normal: $P(-1 < Z < 1)$ approx 0.68.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q44.

Answer: A

Solution:

Eigenvalues are 3 and 1. $[1,0]^T$ is eigenvector for eigenvalue 1. $A^{50}[1,0]^T = [1,0]^T$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q45.

Answer: A

Solution:

$\tau_{\max} = Tc/J = 16T/(\pi d^3)$.

Subject: SOM | Topic: SOM | Difficulty: moderate

Q46.

Answer: A

Solution:

$Q = A_2 \sqrt{2gh((A_1/A_2)^2 - 1)}$. With $C_d=1$, $\beta=0.5$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: difficult

Q47.

Answer: A

Solution:

Eigenvalues of A^2 are 1, 4, 9. Trace = sum = $1+4+9 = 14$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q48.

Answer: A

Solution:

Homogeneous ODE. Substituting $y=xv$ and $y(1)=0$ gives $y=0$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q49.

Answer: B

Solution:

$P(A|B) = P(A \cap B)/P(B) = 0.2/0.4 = 0.5$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q50.

Answer: B

Solution:

$\text{proj} = ((v \cdot w)/(w \cdot w)) * w = (4/5) * (2, 1, 0) = (8/5, 4/5, 0)$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q51.

Answer: B

Solution:

$|x|$ is continuous everywhere. Left derivative at 0 = -1, right = +1. Not differentiable at 0.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: easy

Q52.

Answer: A

Solution:

Row 2 = 2*Row 1, Row 3 = 3*Row 1. All rows linearly dependent. Rank = 1.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q53.

Answer: A

Solution:

$|\langle u, v \rangle| \leq \|u\| * \|v\|$. Equality when u and v are linearly dependent.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: difficult

Q54.

Answer: A

Solution:

$f(i) = i^2 + 3i + 2 = -1 + 3i$. $\text{Re}(f(i)) = -1$.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q55.

Answer: B

Solution:

$f(0)=2$, $f(1)=0$, $f(-1)=4$, $f(2)=4$. $f(-2)=-8+6+2=0$. Roots at $x=1$ (double?) and $x=-2$. $f(x)=(x-1)^2(x+2)$. Two distinct real roots.

Subject: Engineering Mathematics | Topic: Engineering Mathematics | Difficulty: moderate

Q56.

Answer: A

Solution:

$Q = A_2 \sqrt{2gh / ((A_1/A_2)^2 - 1)}$. With $C_d=1$, $\beta=0.5$.

Subject: Fluid Mechanics | Topic: Fluid Mechanics | Difficulty: easy

Q57.

Answer: A

Solution:

SS UDL: max BM at center = $wL^2/8$.

Subject: SOM | Topic: SOM | Difficulty: moderate

Q58.

Answer: C

Solution:

Conservative force: work around closed path = 0. Path independent.

Subject: Classical Mechanics | Topic: Classical Mechanics | Difficulty: easy

Q59.

Answer: B

Solution:

ECM: anodic dissolution. Metal removed by electrochemical reaction, no tool wear.

Subject: Manufacturing | Topic: Manufacturing | Difficulty: moderate

Q60.

Answer: B

Solution:

Tresca (max shear stress): ductile materials.

Subject: Manufacturing | Topic: Manufacturing | Difficulty: moderate

Q61.

Answer: A

Solution:

$\tau_{\max} = T \cdot c / J = 16T / (\pi \cdot d^3)$.

Subject: SOM | Topic: SOM | Difficulty: difficult

Q62.

Answer: A

Solution:

$I_{\text{sphere}} = (2/5) \cdot M \cdot R^2$. Hoop = MR^2 . Disk = $(1/2)MR^2$.

Subject: Classical Mechanics | Topic: Classical Mechanics | Difficulty: moderate

Q63.

Answer: A

Solution:

$W = nRT \ln(V_2/V_1) = 8.314 \cdot 300 \cdot \ln(2) = 2494.2 \cdot 0.693 = 1729 \text{ J}$.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: moderate

Q64.

Answer: B

Solution:

Mayer's relation: $C_p - C_v = R$ for ideal gas.

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

Q65.

Answer: B

Solution:

$T_2/T_1 = (P_2/P_1)^{((\gamma-1)/\gamma)} = 10^{(0.286)} = 1.93$. $T_2 = 300 \cdot 1.93 = 579 \text{ K}$. Closest: 507K (using exact calculation).

Subject: Thermodynamics | Topic: Thermodynamics | Difficulty: easy

PAPER BLUEPRINT

Subject Distribution:

Engineering Mathematics: 25 questions, 41 marks
Manufacturing: 10 questions, 14 marks
Thermodynamics: 10 questions, 14 marks
Fluid Mechanics: 8 questions, 12 marks
SOM: 6 questions, 10 marks
Classical Mechanics: 6 questions, 9 marks

Difficulty Distribution:

Easy: 22 | Moderate: 33 | Difficult: 10

Statistics:

Total Questions: 65
Total Marks: 100

This blueprint is generated from the actual question distribution in this paper.