








LOC ES	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			B	ECR-16-007582	01JUN2016	M.S	X.X
			C	ECR-18-020006	03APR2019	M.S	M.S
			C1	ECR-19-013399	26DEC2019	F.F	M.S
			C2	ECR-20-009837	14JULY2020	W.Z	M.S



PART NUMBER	PART COLOR
2271183-1	ORANGE
2271183-2	BLACK
2271183-3	WHITE (NATURAL)

- NOTES:
- 1. TE PART NUMBER:SEE TABLE.
 - 2. MATERIAL
 - 3. TERMINAL: COPPER ALLOY.
 - 4. HOUSING : NYLON, UL 94-V0. COLOR: ORANGE.
 - 5. FINISH
 - 6. TERMINAL : TIN PLATING OVERALL.
 - 7. APPLICABLE WIRE: AWG18-22 SOLID OR TIN DIPPED STRANDED. (16 STRANDS MAX. FOR 18 AWG, 7 STRANDS MAX FOR 20-22 AWG. SEE RELATED APPLICATION SPECIFICATION AND PRODUCT SPECIFICATION)
 - 8. STRIP LENGTH:9.0-9.6mm.
 - 9. APPLICABLE MATING PLUG:2271180 SERIES.
 - 10. PRODUCT COMPLIES TO UL 2459 REQUIREMENT AND QUALIFIED: ZMNA.E308110 ; ZMNA7.E308110

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	26DEC2019		<div></div> TE Connectivity								
		CHK	26DEC2019										
DIMENSIONS: mm		FRANK FAN			NAME 2 PINS WIRE TO WIRE CONNECTOR RECEPTACLE								
		GEORGE FU											
		APVD						SIZE					
		26DEC2019									CAGE CODE		
		MING SHI			DRAWING NO								
		PRODUCT SPEC											
TOLERANCES UNLESS OTHERWISE SPECIFIED: ± 0.5		108-137020											
0 PLC ±		APPLICATION SPEC											
1 PLC ±					114-137020								
2 PLC ±								WEIGHT					
3 PLC ±											1.82 g		
4 PLC ±		CUSTOMER DRAWING											
ANGLES ±5°					SCALE								
MATERIAL								SHEET					
FINISH											1 OF		
2		3											
3					REV								
								C2					
											</		

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

ES

P

LTR





DESCRIPTION

DATE

DWN

APVD

MATED WITH PLUG



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:
± 0.5

0-PLC ±
1-PLC ±
2-PLC ±
3-PLC ±
4-PLC ±
ANGLES ± 5°

FINISH

DWN 26DEC2019

FRANK FAN

CHK 26DEC2019

GEORGE FU

APVD 26DEC2019

MING SHI

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING



TE Connectivity

NAME
2 PINS WIRE TO WIRE CONNECTOR
RECEPTACLE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO


A300779C-2271183

-


SCALE 4:1

SHEET 2 OF 3


REV C2




2271183-X



PLASTIC BAG



CARTON



NOTE:
1. PACKAGING QUANTITY: SEE TABLE.

PARTS PER BAG	BAGS PER CARTON	PARTS PER CARTON
500 PCS	8	4000 PCS

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±10.0
2 PLC ±5.0
3 PLC ±
4 PLC ±
ANGLES ±5°

MATERIAL

FINISH

DWN

26DEC2019
FRANK FAN

CHK

26DEC2019
GEORGE FU

APVD

26DEC2019
MING SHI

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING



TE Connectivity

NAME

2 PINS WIRE TO WIRE CONNECTOR
RECEPTACLE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779C-2271183

-

SCALE 4:1

SHEET 3 OF 3

REV C2