WAC LIGHTING

Paloma LED512

9.5W Monopoint Luminaire

Fixture Type:	
Catalog Number:	
Project:	
Location:	

system Type	Model	Beam	Color Temp & CRI	Lumens	CBCb	Finish
MO	LED512	F 36°	827 2700K - 85	850	2150	BK Black
		N 24°	830 3000K - 85	885	2195	WT White
		S 19°	835 3500K - 85	910	2259	
			840 4000K - 85	920	2282	
			927 2700K - 90	710	1755	
			930 3000K - 90	735	1821	
		827 2700K - 85	685	3152		
		830 3000K - 85	860	3268		
		835 3500K - 85	885	3382		
			840 4000K - 85	895	3417	
			927 2700K - 90	685	2628	
		930 3000K - 90	715	2727		
		827 2700K - 85	800	3373		
		827 2700K - 85	800	3773		
		830 3000K - 85	835	3832		
		835 3500K - 85	860	4048		
		840 4000K - 85	870	4089		
		927 2700K - 90	670	3145		
		930 3000K - 90	695	3264		

Example: MO-LED512F-827-BK

DESCRIPTION

Paloma is a museum-quality LED luminaire with high performance reflector optics. Available in 12W or 22W options in multiple color temperature, beam distribution, and finish options. Canopy is included with fixture. Monopoint can be ordered with an extension rod (6", 12", 18", 24", 36") to drop the head.

FEATURES

- High Output COB LED
- Accommodates 1 filter lens or 1 accessory
- 365° horizontal rotation and 180° vertical aiming
- Ceiling and wall mountable
- Driver concealed within the fixture
- 5 year warranty

SPECIFICATIONS

Construction Die-cast aluminum with driver enclosed in canopy and cap

ring. Clear glass lens included.

Power: 9.5W

Input: 120-277 VAC,50/60Hz

Dimming: ELV: 100-5%

Light Source: Integrated LED, 3 Step Mac Adam Ellipse

Rated Life: 50,000 Hours

Mounting: Can be mounted on ceiling or wall in all orientations

Finish: Electrostatically Powder Coated: Black, White

Operating Temp: -4°F to 104°F (-20°C to 40°C)

Standards: ETL, cETL, Damp Location Listed



FINISHES:



Black White




Paloma LED512

9.5W Monopoint Luminaire

Fixture Type:	
Catalog Number:	
Project:	
Location:	

LINE DRAWING:





Paloma LED512

9.5W Monopoint Luminaire

Catalog Number: Project:		
Location:		

ACCESSORIES

 Model	Description	Finish
LENS-16-RED LENS-16-GRN LENS-16-BLU LENS-16-AMB	Colored Lens Colored Lens Colored Lens Colored Lens	Red Green Blue Amber
LENS-16-FR	Clear/Frosted Lens	Frosted
LENS-16-SPR	Spread Lens	Spread Lens
LENS-16-BEL	Beam Elongating Lens	Beam Elongating
LENS-16-HCL	Honeycomb Louver	Black