

Stack

48" Pendant 3000K

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-29803 48" -	3000K - 90	42W	3950	AL Brushed
3 Light				Aluminum
				BK Black

Example: PD-29803-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

A clean look no matter how you hang it.

FEATURES

- Height and slope of each pendant strip can be individually adjusted for personalized creative display
- Thin color matched powered aircraft cables and hardware
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy
- 5 year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120-277V,50/60Hz


CRI 90

Dimming: ELV: 100-10%, 0-10V: 100-5%

Rated Life: 50,000 Hours

Standards: ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed

Construction Aluminum body with extruded acrylic diffuser






FINISHES:



LINE DRAWING:



WAC LIGHTING

Stack

48" Pendant 3000K

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-29806 48" -	3000K - 90	84W	7900	AL Brushed
6 Light				Aluminum
				BK Black

Example: PD-29806-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

A clean look no matter how you hang it.

FEATURES

- Height and slope of each pendant strip can be individually adjusted for personalized creative display
- Thin color matched powered aircraft cables and hardware
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy
- 5 year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120-277V,50/60Hz

CRI 90

Dimming: ELV: 100-10%, 0-10V: 100-5%

Rated Life: 50,000 Hours

Standards: ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed

Construction Aluminum body with extruded acrylic diffuser



FINISHES:

Fixture Type:

Project:


Location:

Catalog Number:





LINE DRAWING:



WAC LIGHTING

Stack

48" Pendant 3000K

Model & Size	Color Temp & CRI	Watt	Lumens	Finish
PD-29809 48" -	3000K - 90	126W	11850	AL Brushed
9 Light				Aluminum
				BK Black

Example: PD-29809-BK

For custom requests please contact customs@waclighting.com

DESCRIPTION

A clean look no matter how you hang it.

FEATURES

- Height and slope of each pendant strip can be individually adjusted for personalized creative display
- Thin color matched powered aircraft cables and hardware
- Can be mounted on a sloped ceiling
- Driver concealed within the canopy
- 5 year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120-277V,50/60Hz

CRI 90

Dimming: ELV: 100-10%, 0-10V: 100-5%

Rated Life: 50,000 Hours

Standards: ETL, cETL, Title 24 JA8 Compliant, Damp Location Listed

Construction Aluminum body with extruded acrylic diffuser



FINISHES:

Fixture Type:

Project:

Location:

Catalog Number:



Black Brushed Aluminum

LINE DRAWING:

