

Student 40 **THANJAVURU SUMANTH** 192372182RA

2 / 2 submitted

Q1. Food Delivery Billing System (Multiple Inheritance using Two Interfaces)

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;
interface delivery{
    double Cal();
}
interface discount{
    double Calc();
}
class foodorder implements delivery,discount{
    double foodcost;
    String couponcode;
    public foodorder(double foodcost,String couponcode){
        this.foodcost=foodcost;
        this.couponcode=couponcode;
    }
    public double Cal(){
        return foodcost>=500?0.0:50.0;
    }
    public double Calc(){
        return "SAVE10".equals(couponcode)?foodcost*0.10:0.0;
    }
    public void display(){
        double deliveryc=Cal();
        double discountc=Calc();
        double finalbill=foodcost+deliveryc-discountc;
        System.out.println("Food Cost : "+foodcost);
        System.out.println("Delivery Charge : "+deliveryc);
        System.out.println("Discount : "+discountc);
        System.out.println("Final Bill : "+ finalbill);
    }

    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        double foodcost=sc.nextDouble();
        String couponcode=sc.next();
        foodorder order=new foodorder(foodcost,couponcode);
        order.display();
    }
}
```

INPUT

600
SAVE10

OUTPUT

Food Cost : 600.0
Delivery Charge : 0.0
Discount : 60.0
Final Bill : 540.0

Q2. Hotel Billing System (Multiple Inheritance using One Class and One Interface)

Score: 10.00 TC: 3/3 passed

CODE

```
import java.util.Scanner;
interface sc{
    double calc();
}
class rm{
    int rno;
    String name;
    double rent;
    public rm(int rno,String name,double rent){
        this.rno=rno;
        this.name=name;
        this.rent=rent;
    }
    public static void main(String[] args){
        Scanner s=new Scanner(System.in);
        int rno=s.nextInt();
        s.nextLine();
        String name=s.nextLine();
        double rent=s.nextDouble();
        hotelbill b=new hotelbill(rno,name,rent);
        b.show();
        s.close();
    }
}
class hotelbill extends rm implements sc{
    public hotelbill(int rno,String name,double rent){
        super(rno,name,rent);
    }
    public double calc(){
        return rent>=5000?rent*0.12:rent*0.08;
    }
    public void show(){
        double schg=calc();
        double total=rent+schg;
        System.out.println("Room Number : "+rno);
        System.out.println("Guest Name : "+name);
        System.out.println("Room Rent : "+rent);
        System.out.println("Service Charge : "+schg);
        System.out.println("Final Bill : "+total);
    }
}
```

INPUT

205
Ananya
6000

OUTPUT

Room Number : 205
Guest Name : Ananya
Room Rent : 6000.0
Service Charge : 720.0
Final Bill : 6720.0