Name:Sumedha
Registration number:23MIS0175
Experiment 9: Pipeline with Directory Operations

Version 1
• Task 1: Checkout the repository from GitHub.
• Task 2: Create a directory named testfolder using BAT command.
• Task 3: Verify the folder creation by listing workspace contents.



Create a new repository

Repositories contain a project's files and version history. Have a project elsewhere? Import a repository.

Required fields are marked with an asterisk (*).

1 General

Owner *

sumedhachowdary /

Repository name *

examrepo

examrepo is available.

Great repository names are short and memorable. How about automatic-octo-disco?

Description

0 / 350 characters

2 Configuration

Choose visibility *
Choose who can see and commit to this repository — Public

Add README
READMEs can be used as longer descriptions. About READMEs — Off

Add .gitignore
.gitignore tells git which files not to track. About ignoring files — No .gitignore

Add license
Licenses explain how others can use your code. About licenses — No license

Create repository

```
C:\Users\batch1.VITUNIVERSITY\Downloads>mkdir testfolder
```


examrepo
Public
Pin
Watch 0
main
1 Branch
0 Tags
Go to file
t
Add file
Code
sanjaynilavan6767 Initial commit
40deabb · 1 minute ago
1 Commit
code.py
Initial commit
1 minute ago
README
Add a README
Help people interested in this repository understand your project.
Add a README




```
Writing objects: 100% (3/3), 324 bytes | 324.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/sumedhachowdary/examrepo.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder>
```

Version 2

- **Task 1: Checkout updated repository.**
- **Task 2: Create two files inside the testfolder directory.**
- **Task 3: Display all files inside the directory.**

```
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder> git add code2.py
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder> git commit -m "added file"
[main 35e0e61] added file
 1 file changed, 1 insertion(+)
 create mode 100644 code2.py
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder> git push -u origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 20 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 299 bytes | 299.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/sumedhachowdary/examrepo.git
   40deabb..35e0e61  main -> main
branch 'main' set up to track 'origin/main'.
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder>
```



```
 Directory of C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder

06-03-2026  16:24    <DIR>          .
06-03-2026  16:20    <DIR>          ..
06-03-2026  16:13               253 code.py
06-03-2026  16:24                20 code2.py
               2 File(s)            273 bytes
               2 Dir(s)  302,729,842,688 bytes free

C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder>
```

Version 3

- **Task 1: Checkout the latest repository version.**
- **Task 2: Copy an existing workspace file into testfolder.**
- **Task 3: Display directory contents again to confirm copy operation.**

```
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder> git checkout -b release/v1.0
Switched to a new branch 'release/v1.0'
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder> git merge release/v1.0
Already up to date.
```

```
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder> git checkout -b release/v2.0
Switched to a new branch 'release/v2.0'
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder> git push -u origin release/v2.0
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote:
remote: Create a pull request for 'release/v2.0' on GitHub by visiting:
remote:      https://github.com/sumedhachowdary/examrepo/pull/new/release/v2.0
remote:
To https://github.com/sumedhachowdary/examrepo.git
 * [new branch]      release/v2.0 -> release/v2.0
branch 'release/v2.0' set up to track 'origin/release/v2.0'.
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder> git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder> git merge release/v2.0
Already up to date.
PS C:\Users\batch1.VITUNIVERSITY\Downloads\testfolder>
```





Version 4

- **Task 1: Checkout updated repository.**
- **Task 2: Delete the testfolder directory using BAT command.**
- **Task 3: Confirm that the directory has been removed.**

Experiment 11: Pipeline Execution Messages and Status

Version 1
• Task 1: Checkout the project from GitHub repository.
• Task 2: Display a message indicating that pipeline execution has started.
• Task 3: Display a message indicating pipeline completion.



Script ?

```
pipeline{
    agent any
    stages{
        stage('checkout'){
            steps{
                checkout scmGit(branches: [[name: '*/main']], extensions: [], userRemoteConfigs: [[url: 'https://github.com/sumedhachowdar
            }
        }
        stage('bat'){
            steps{
                bat 'dir'
            }
        }
    }
```

☑ Use Groovy Sandbox ?

Pipeline Syntax

Jenkins / pipeline_sumi / #3 / Console Output

- Edit build information
- Delete build '#3'
- Timings
- Git Build Data
- Rebuild
- Open Blue Ocean
- Pipeline Overview
- Restart from Stage
- Replay
- Pipeline Steps
- Workspaces
- Previous Build

```
Running on Jenkins in C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_sumi
[Pipeline] {
[Pipeline] stage
[Pipeline] { (checkout)
[Pipeline] checkout
The recommended git tool is: NONE
No credentials specified
 > git.exe rev-parse --resolve-git-dir C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_sumi\.git # t
Fetching changes from the remote Git repository
 > git.exe config remote.origin.url https://github.com/sumedhachowdary/JenkinsPractice2.git # timeout=1
Fetching upstream changes from https://github.com/sumedhachowdary/JenkinsPractice2.git
 > git.exe --version # timeout=10
 > git --version # 'git version 2.52.0.windows.1'
 > git.exe fetch --tags --force --progress -- https://github.com/sumedhachowdary/JenkinsPractice2.git +
 > git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision 769fbc6cec207e8ee684679cbdbfef311eb97b6d (refs/remotes/origin/main)
 > git.exe config core.sparsecheckout # timeout=10
 > git.exe checkout -f 769fbc6cec207e8ee684679cbdbfef311eb97b6d # timeout=10
Commit message: "bj"
 > git.exe rev-list --no-walk 769fbc6cec207e8ee684679cbdbfef311eb97b6d # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (echo)
[Pipeline] echo
pipeline is created
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

- Edit build information
- Delete build '#4'
- Timings
- Git Build Data
- Rebuild
- Open Blue Ocean
- Pipeline Overview
- Restart from Stage
- Replay
- Pipeline Steps
- Workspaces
- Previous Build

```
Running on Jenkins in C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_sumi
[Pipeline] {
[Pipeline] stage
[Pipeline] { (checkout)
[Pipeline] checkout
The recommended git tool is: NONE
No credentials specified
 > git.exe rev-parse --resolve-git-dir C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_sumi\.git # timeout=10
Fetching changes from the remote Git repository
 > git.exe config remote.origin.url https://github.com/sumedhachowdary/JenkinsPractice2.git # timeout=10
Fetching upstream changes from https://github.com/sumedhachowdary/JenkinsPractice2.git
 > git.exe --version # timeout=10
 > git --version # 'git version 2.52.0.windows.1'
 > git.exe fetch --tags --force --progress -- https://github.com/sumedhachowdary/JenkinsPractice2.git +refs/heads/*:
 > git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision 769fbc6cec207e8ee684679cbdbfef311eb97b6d (refs/remotes/origin/main)
 > git.exe config core.sparsecheckout # timeout=10
 > git.exe checkout -f 769fbc6cec207e8ee684679cbdbfef311eb97b6d # timeout=10
Commit message: "bj"
 > git.exe rev-list --no-walk 769fbc6cec207e8ee684679cbdbfef311eb97b6d # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (echo)
[Pipeline] echo
pipeline has been completed
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```

- Status
- Changes
- Build Now
- Configure
- Delete Pipeline
- Full Stage View
- Favorite
- Job Config History
- Open Blue Ocean
- Stages
- Rename
- Pipeline Syntax
- Set Next Build Number

Builds

Filter /

pipeline_sumi

Stage View

	Success checkout (Logs)	echo
Average stage times: (full run time: ~2s)		66ms
#4 Mar 06 16:54 No Changes	1s	54ms
#3 Mar 06 16:52 No Changes	1s	79ms

Permalinks

- Last build (#4), 31 sec ago
- Last stable build (#4), 31 sec ago
- Last successful build (#4), 31 sec ago
- Last failed build (#1), 5 min 20 sec ago
- Last unsuccessful build (#1), 5 min 20 sec ago
- Last completed build (#4), 31 sec ago

Version 2
• Task 1: Checkout updated repository.
• Task 2: Print a message indicating that project files are being processed.
• Task 3: Display message indicating processing completion.

pipeline script

```
pipeline {
    agent any
    stages {
        stage('Checkout') {
            steps {
                checkout scmGit(
                    branches: [[name: '*/main']],
                    extensions: [],
                    userRemoteConfigs: [[url:
'https://github.com/sumedhachowdary/JenkinsPractice2.git']]
                )
            }
        }

        stage('Verify Files') {
            steps {
                echo 'Pipeline has been initialized'

                bat 'dir'
            }
        }

        stage('Display Code') {
            steps {

                bat 'type code.py'
            }
        }

        stage('Create Status File') {
            steps {

                bat 'echo build_successful > status.txt'
                echo 'Status file created.'
            }
        }

        stage('Cleanup/Verification') {
            steps {
                echo 'Confirming files in workspace:'
                bat 'dir'
                echo 'Pipeline has been completed'
            }
        }
```

}





Name	Date modified	Type	Size
.git	06-03-2026 17:08	File folder	
code.py	06-03-2026 16:50	Python.File	1 KB
code2.py	06-03-2026 16:50	Python.File	1 KB
status	06-03-2026 17:08	Text Document	1 KB

```
Started by user admin
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_sumi
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Checkout)
[Pipeline] checkout
The recommended git tool is: NONE
No credentials specified
 > git.exe rev-parse --resolve-git-dir C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_sumi\.git # timeout=10
Fetching changes from the remote Git repository
 > git.exe config remote.origin.url https://github.com/sumedhachowdary/JenkinsPractice2.git # timeout=10
Fetching upstream changes from https://github.com/sumedhachowdary/JenkinsPractice2.git
 > git.exe --version # timeout=10
 > git --version # 'git version 2.52.0.windows.1'
 > git.exe fetch --tags --force --progress -- https://github.com/sumedhachowdary/JenkinsPractice2.git +refs/heads/*:refs/remotes/origin/* # timeout=10
 > git.exe rev-parse "refs/remotes/origin/main^{commit}" # timeout=10
Checking out Revision 769fbc6cec207e8ee684679cbdbfef311eb97b6d (refs/remotes/origin/main)
 > git.exe config core.sparsecheckout # timeout=10
 > git.exe checkout -f 769fbc6cec207e8ee684679cbdbfef311eb97b6d # timeout=10
Commit message: "bj"
 > git.exe rev-list --no-walk 769fbc6cec207e8ee684679cbdbfef311eb97b6d # timeout=10
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Verify Files)
[Pipeline] echo
Pipeline has been initialized
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_sumi>dir
 Volume in drive C is Windows
 Volume Serial Number is 368D-E1FD
```

```
 Directory of C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_sumi

06-03-2026  16:50    <DIR>          .
06-03-2026  16:59    <DIR>          ..
06-03-2026  16:50               244 code.py
06-03-2026  16:50                69 code2.py
               2 File(s)            313 bytes
               2 Dir(s)  302,721,273,856 bytes free
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Display Code)
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_sumi>type code.py
num1=10
num2=20
operator='+'
if operator=='+':
    result=num1+num2
elif operator=='-':
    result=num1-num2
elif operator=='/':
    result=num1/num2
elif operator=='*':
    result=num1*num2
else:
    result="Invalid"
print(result)
```

```
C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_sumi>echo build_successful  1>status.txt
[Pipeline] echo
Status file created.
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Cleanup/Verification)
[Pipeline] echo
Confirming files in workspace:
[Pipeline] bat

C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_sumi>dir
 Volume in drive C is Windows
 Volume Serial Number is 368D-E1FD

 Directory of C:\ProgramData\Jenkins\.jenkins\workspace\pipeline_sumi

06-03-2026  17:08    <DIR>          .
06-03-2026  16:59    <DIR>          ..
06-03-2026  16:50               244 code.py
06-03-2026  16:50                69 code2.py
06-03-2026  17:08                19 status.txt
               3 File(s)            332 bytes
               2 Dir(s)  302,720,704,512 bytes free
[Pipeline] echo
Pipeline has been completed
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // node
[Pipeline] End of Pipeline
Finished: SUCCESS
```