

Oufpaixx8

August 4, 2023

1 20104169 - SUMESH R

2 Importing Libraries

```
[1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

```
[2]: from google.colab import drive
drive.mount('/content/drive')
df=pd.read_csv("/content/drive/MyDrive/mydatasets/rainfall/rainfall_coastal_
↪karnataka.csv")
df
```

Mounted at /content/drive

```
[2]:
```

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	\	
0	3542	COASTAL KARNATAKA	1901	1.8	0.6	10.7	52.4	81.6	960.9		
1	3543	COASTAL KARNATAKA	1902	3.2	0.3	4.9	10.2	54.6	698.4		
2	3544	COASTAL KARNATAKA	1903	0.7	0.0	0.0	4.1	202.8	536.5		
3	3545	COASTAL KARNATAKA	1904	2.4	0.0	4.8	23.7	93.2	1108.2		
4	3546	COASTAL KARNATAKA	1905	0.0	0.2	0.0	6.4	83.1	767.3		
..		
110	3652	COASTAL KARNATAKA	2011	4.8	3.8	8.7	66.1	49.3	1018.4		
111	3653	COASTAL KARNATAKA	2012	NaN	11.4	5.1	77.0	22.9	650.9		
112	3654	COASTAL KARNATAKA	2013	2.4	19.6	19.0	28.5	100.4	1153.0		
113	3655	COASTAL KARNATAKA	2014	0.0	0.3	1.9	40.5	181.9	507.0		
114	3656	COASTAL KARNATAKA	2015	1.4	1.0	32.3	72.2	150.3	735.3		
		JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May	\
0	991.2	606.4	108.0	120.5	104.9	17.8	3056.9		2.4	144.7	
1	1401.6	454.2	708.4	180.4	50.8	132.2	3699.2		3.5	69.7	
2	1405.5	593.8	304.4	185.0	79.3	5.3	3317.4		0.7	206.9	
3	1070.0	465.6	245.3	127.2	0.7	0.0	3141.1		2.4	121.7	
4	777.3	586.9	172.9	222.2	36.1	0.0	2652.3		0.2	89.4	
..	

110	1080.5	861.3	545.2	178.8	81.5	10.2	3908.6	8.6	124.1
111	754.6	1027.6	382.0	115.1	68.0	3.6	NaN	NaN	104.9
112	1515.3	680.2	379.1	265.1	56.9	10.0	4229.4	21.9	147.9
113	1155.4	1121.0	379.3	226.4	40.0	30.8	3684.4	0.3	224.3
114	930.9	575.2	260.3	208.5	124.2	14.3	3106.0	2.4	254.8

	Jun-Sep	Oct-Dec
0	2666.6	243.3
1	3262.6	363.5
2	2840.1	269.6
3	2889.1	127.9
4	2304.3	258.4
..
110	3505.4	270.5
111	2815.1	186.7
112	3727.6	332.0
113	3162.6	297.2
114	2501.8	347.1

[115 rows x 20 columns]

3 Data Cleaning and Data Preprocessing

```
[3]: df=df.dropna()
```

```
[4]: df.columns
```

```
[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
          'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
          'Mar-May', 'Jun-Sep', 'Oct-Dec'],
          dtype='object')
```

```
[5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           114 non-null   int64
1   SUBDIVISION     114 non-null   object
2   YEAR            114 non-null   int64
3   JAN             114 non-null   float64
4   FEB             114 non-null   float64
5   MAR             114 non-null   float64
6   APR             114 non-null   float64
```

```


7  MAY          114 non-null    float64
8  JUN          114 non-null    float64
9  JUL          114 non-null    float64
10 AUG          114 non-null    float64
11 SEP          114 non-null    float64
12 OCT          114 non-null    float64
13 NOV          114 non-null    float64
14 DEC          114 non-null    float64
15 ANNUAL       114 non-null    float64
16 Jan-Feb     114 non-null    float64
17 Mar-May     114 non-null    float64
18 Jun-Sep     114 non-null    float64
19 Oct-Dec     114 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB

```

4 Line chart

```
[6]: df.plot.line(subplots=True)
```


```
[6]: array([<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >], dtype=object)
```



5 Line chart

```
[7]: df.plot.line()
```


```
[7]: <Axes: >
```



6 Bar chart

```
[8]: df.plot.bar()
```


```
[8]: <Axes: >
```



7 Histogram

```
[9]: df.plot.hist()
```


```
[9]: <Axes: ylabel='Frequency'>
```



8 Area chart

```
[10]: df.plot.area()
```


```
[10]: <Axes: >
```



9 Box chart

```
[11]: df.plot.box()
```


```
[11]: <Axes: >
```



10 Pie chart

```
[12]: df.plot.pie(y='ANNUAL' )
```


```
[12]: <Axes: ylabel='ANNUAL'>
```

11 Scatter chart

```
[13]: df.plot.scatter(x='SUBDIVISION',y='ANNUAL')
```


```
[13]: <Axes: xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



12 Seaborn

```
[14]: sns.pairplot(df[0:50])
```

```
[14]: <seaborn.axisgrid.PairGrid at 0x7e6d1efcc760>
```



```
[15]: sns.distplot(df['ANNUAL'])
```

<ipython-input-15-5daa97052ca5>:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(df['ANNUAL'])
```

```
[15]: <Axes: xlabel='ANNUAL', ylabel='Density'>
```



```
[16]: sns.heatmap(df.corr())
```

```
<ipython-input-16-aa4f4450a243>:1: FutureWarning: The default value of  
numeric_only in DataFrame.corr is deprecated. In a future version, it will  
default to False. Select only valid columns or specify the value of numeric_only  
to silence this warning.
```

```
sns.heatmap(df.corr())
```

```
[16]: <Axes: >
```

