

hkoh0nydh

August 4, 2023

1 20104169 - SUMESH R

2 Importing Libraries

```
[1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

```
[2]: from google.colab import drive
drive.mount('/content/drive')
df=pd.read_csv("/content/drive/MyDrive/mydatasets/rainfall/rainfall_haryana_
↳delhi & chandigarh.csv")
df
```

Mounted at /content/drive

```
[2]:
```

	index		SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	\		
0	1357	HARYANA DELHI & CHANDIGARH	1901	35.4	28.9	11.1	0.0	5.1				
1	1358	HARYANA DELHI & CHANDIGARH	1902	0.0	0.7	2.9	10.2	15.8				
2	1359	HARYANA DELHI & CHANDIGARH	1903	14.7	0.5	2.3	0.5	8.5				
3	1360	HARYANA DELHI & CHANDIGARH	1904	7.6	0.7	48.0	0.5	29.3				
4	1361	HARYANA DELHI & CHANDIGARH	1905	44.8	20.8	14.0	1.3	7.4				
..				
110	1467	HARYANA DELHI & CHANDIGARH	2011	0.7	26.7	6.9	8.9	28.7				
111	1468	HARYANA DELHI & CHANDIGARH	2012	8.2	0.2	0.1	11.8	3.8				
112	1469	HARYANA DELHI & CHANDIGARH	2013	21.1	52.2	5.3	3.3	1.4				
113	1470	HARYANA DELHI & CHANDIGARH	2014	13.0	17.3	26.8	7.5	20.3				
114	1471	HARYANA DELHI & CHANDIGARH	2015	12.4	6.6	71.8	34.8	8.4				
		JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May	\
0	13.2	126.4	151.5	10.5	2.0	0.0	6.1	390.1	64.3	16.2		
1	74.6	149.3	97.1	59.8	9.3	0.0	0.0	419.8	0.7	28.9		
2	8.6	151.6	138.2	97.7	4.0	0.0	2.3	428.9	15.2	11.3		
3	34.3	109.7	162.9	102.3	1.5	10.4	20.3	527.8	8.3	77.8		
4	20.1	93.6	23.1	92.6	0.0	0.0	5.1	322.9	65.7	22.7		
..		

110	94.4	85.0	127.3	133.1	0.0	0.0	0.4	512.0	27.5	44.4
111	5.3	68.1	196.6	90.7	2.4	0.6	3.5	391.4	8.4	15.8
112	62.1	96.5	161.9	42.8	10.9	1.7	2.1	461.2	73.2	10.0
113	25.9	72.3	34.8	67.3	10.5	0.2	9.6	305.5	30.3	54.6
114	43.7	130.3	89.2	32.1	3.7	2.3	0.2	435.3	18.9	114.9

	Jun-Sep	Oct-Dec
0	301.6	8.1
1	380.9	9.3
2	396.1	6.2
3	409.3	32.3
4	229.4	5.1
..
110	439.8	0.4
111	360.7	6.5
112	363.3	14.7
113	200.2	20.3
114	295.2	6.2

[115 rows x 20 columns]

3 Data Cleaning and Data Preprocessing

```
[3]: df=df.dropna()
```

```
[4]: df.columns
```

```
[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
           'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
           'Mar-May', 'Jun-Sep', 'Oct-Dec'],
          dtype='object')
```

```
[5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           115 non-null   int64
1   SUBDIVISION     115 non-null   object
2   YEAR            115 non-null   int64
3   JAN             115 non-null   float64
4   FEB             115 non-null   float64
5   MAR             115 non-null   float64
6   APR             115 non-null   float64
```

```


7  MAY          115 non-null    float64
8  JUN          115 non-null    float64
9  JUL          115 non-null    float64
10 AUG          115 non-null    float64
11 SEP          115 non-null    float64
12 OCT          115 non-null    float64
13 NOV          115 non-null    float64
14 DEC          115 non-null    float64
15 ANNUAL       115 non-null    float64
16 Jan-Feb     115 non-null    float64
17 Mar-May     115 non-null    float64
18 Jun-Sep     115 non-null    float64
19 Oct-Dec     115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB

```

4 Line chart

```
[6]: df.plot.line(subplots=True)
```


```
[6]: array([<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >], dtype=object)
```



5 Line chart

```
[7]: df.plot.line()
```


```
[7]: <Axes: >
```



6 Bar chart

```
[8]: df.plot.bar()
```


```
[8]: <Axes: >
```



7 Histogram

```
[9]: df.plot.hist()
```


```
[9]: <Axes: ylabel='Frequency'>
```



8 Area chart

```
[10]: df.plot.area()
```


```
[10]: <Axes: >
```



9 Box chart

```
[11]: df.plot.box()
```

```
[11]: <Axes: >
```



10 Pie chart


```
[12]: df.plot.pie(y='ANNUAL' )
```

```
[12]: <Axes: ylabel='ANNUAL'>
```


11 Scatter chart

```
[13]: df.plot.scatter(x='SUBDIVISION',y='ANNUAL')
```


```
[13]: <Axes: xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



12 Seaborn

```
[14]: sns.pairplot(df[0:50])
```

```
[14]: <seaborn.axisgrid.PairGrid at 0x7d5460223220>
```



```
[15]: sns.distplot(df['ANNUAL'])
```

<ipython-input-15-5daa97052ca5>:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(df['ANNUAL'])
```

```
[15]: <Axes: xlabel='ANNUAL', ylabel='Density'>
```



```
[16]: sns.heatmap(df.corr())
```

```
<ipython-input-16-aa4f4450a243>:1: FutureWarning: The default value of
numeric_only in DataFrame.corr is deprecated. In a future version, it will
default to False. Select only valid columns or specify the value of numeric_only
to silence this warning.
    sns.heatmap(df.corr())
```

```
[16]: <Axes: >
```

