

t5uz3bbic

August 4, 2023

1 20104169 - SUMESH R

2 Importing Libraries

```
[1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

```
[2]: from google.colab import drive
drive.mount('/content/drive')
df=pd.read_csv("/content/drive/MyDrive/mydatasets/rainfall/rainfall_uttarakhand.
↪csv")
df
```

Mounted at /content/drive

```
[2]:
```

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	\
0	1242	UTTARAKHAND	1901	134.5	81.4	44.5	5.9	60.8	33.6	381.1	
1	1243	UTTARAKHAND	1902	0.0	17.0	52.2	63.7	52.1	113.1	444.1	
2	1244	UTTARAKHAND	1903	68.0	7.9	87.6	10.3	37.5	83.0	251.6	
3	1245	UTTARAKHAND	1904	40.0	5.2	78.3	13.6	61.1	180.1	449.6	
4	1246	UTTARAKHAND	1905	115.4	80.7	99.8	26.1	70.3	111.5	299.9	
..	
110	1352	UTTARAKHAND	2011	30.9	65.2	18.0	30.9	84.2	223.1	433.3	
111	1353	UTTARAKHAND	2012	38.8	11.9	28.1	39.2	9.1	46.0	387.1	
112	1354	UTTARAKHAND	2013	73.0	188.3	22.0	24.7	18.2	488.9	413.4	
113	1355	UTTARAKHAND	2014	45.9	99.9	68.4	37.6	52.9	62.9	462.7	
114	1356	UTTARAKHAND	2015	54.5	62.6	127.3	57.3	38.0	186.6	337.0	
..	
	AUG	SEP	OCT	NOV	DEC	ANNUAL	Jan-Feb	Mar-May	Jun-Sep	\	
0	612.3	167.1	16.3	0.0	24.9	1562.5	215.9	111.3	1194.1		
1	327.5	220.4	31.9	2.1	0.0	1324.2	17.1	168.1	1105.1		
2	442.7	249.3	57.5	0.0	11.3	1306.5	75.9	135.4	1026.5		
3	417.2	174.1	6.3	35.6	31.0	1492.0	45.2	153.0	1221.0		
4	349.5	129.5	0.0	1.0	18.5	1302.1	196.0	196.2	890.4		
..		

110	523.7	148.4	3.4	1.2	2.3	1564.7	96.1	133.1	1328.5
111	419.5	220.6	4.7	3.4	15.5	1223.9	50.8	76.4	1073.1
112	359.4	111.3	29.1	3.2	3.8	1735.4	261.3	65.0	1373.0
113	264.2	107.9	40.8	0.0	44.3	1287.4	145.8	158.8	897.7
114	305.3	52.6	16.8	2.4	7.2	1247.6	117.0	222.6	881.5

	Oct-Dec
0	41.3
1	34.0
2	68.7
3	72.9
4	19.5
..	...
110	6.9
111	23.6
112	36.2
113	85.1
114	26.4

[115 rows x 20 columns]

3 Data Cleaning and Data Preprocessing

```
[3]: df=df.dropna()
```

```
[4]: df.columns
```

```
[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
          'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
          'Mar-May', 'Jun-Sep', 'Oct-Dec'],
          dtype='object')
```

```
[5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           115 non-null   int64
1   SUBDIVISION     115 non-null   object
2   YEAR            115 non-null   int64
3   JAN             115 non-null   float64
4   FEB             115 non-null   float64
5   MAR             115 non-null   float64
6   APR             115 non-null   float64
```

```


7 MAY 115 non-null float64
8 JUN 115 non-null float64
9 JUL 115 non-null float64
10 AUG 115 non-null float64
11 SEP 115 non-null float64
12 OCT 115 non-null float64
13 NOV 115 non-null float64
14 DEC 115 non-null float64
15 ANNUAL 115 non-null float64
16 Jan-Feb 115 non-null float64
17 Mar-May 115 non-null float64
18 Jun-Sep 115 non-null float64
19 Oct-Dec 115 non-null float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.1+ KB

```

4 Line chart

```
[6]: df.plot.line(subplots=True)
```


```
[6]: array([<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >, <Axes: >,
<Axes: >], dtype=object)
```



5 Line chart

```
[7]: df.plot.line()
```


```
[7]: <Axes: >
```



6 Bar chart

```
[8]: df.plot.bar()
```


```
[8]: <Axes: >
```



7 Histogram

```
[9]: df.plot.hist()
```


```
[9]: <Axes: ylabel='Frequency'>
```



8 Area chart

```
[10]: df.plot.area()
```


```
[10]: <Axes: >
```



9 Box chart

```
[11]: df.plot.box()
```


```
[11]: <Axes: >
```



10 Pie chart

```
[12]: df.plot.pie(y='ANNUAL' )
```


```
[12]: <Axes: ylabel='ANNUAL'>
```

11 Scatter chart

```
[13]: df.plot.scatter(x='SUBDIVISION',y='ANNUAL')
```


```
[13]: <Axes: xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



12 Seaborn

```
[14]: sns.pairplot(df[0:50])
```

```
[14]: <seaborn.axisgrid.PairGrid at 0x7ad57bdf490>
```



```
[15]: sns.distplot(df['ANNUAL'])
```

<ipython-input-15-5daa97052ca5>:1: UserWarning:


`distplot` is a deprecated function and will be removed in seaborn v0.14.0.

Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see <https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(df['ANNUAL'])
```

```
[15]: <Axes: xlabel='ANNUAL', ylabel='Density'>
```



```
[16]: sns.heatmap(df.corr())
```

<ipython-input-16-aa4f4450a243>:1: FutureWarning: The default value of numeric_only in DataFrame.corr is deprecated. In a future version, it will default to False. Select only valid columns or specify the value of numeric_only to silence this warning.

```
sns.heatmap(df.corr())
```

```
[16]: <Axes: >
```

