DEPARTMENT OF
COMPUTER SCIENCE & ENGINEERING
Discover. Learn. Empower.

Experiment 9

Student Name: Tanmaya Kumar
UID: 22BCS12986
Branch: CSE
Section/Group: KRG_IOT_1B
Semester: 6th
Date of Performance: 7/4/25
Subject Name: Cloud IoT
Subject Code: 22CSP-367

1. Aim: Automate quality inspection of products using cameras and edge computing.

2. Objective: To design and implement an automated quality inspection system for products using cameras and edge computing.

3. Hardware / Software Used: IoT Cameras, Edge Computing Devices, Cloud Integration (Optional), Actuators and Alerts.

4. Procedure:

a. Data Collection (Image Acquisition)

- Cameras: Use industrial/machine vision cameras placed along the production line.
- Lighting: Optimize lighting to reduce shadows and enhance defect visibility.
- Trigger Mechanism: Use sensors to capture images as products pass by. b. Image Preprocessing
- Enhancement: Remove noise and highlight key features.
- Resizing: Standardize image size (e.g., 224x224 pixels).
- Normalization: Scale pixel values.
- Data Augmentation: Apply rotations, lighting variations, etc., for training diversity.

c. Defect Detection Model

- CNNs: Use CNNs for image-based defect classification.
- Pre-trained Models: Fine-tune models like ResNet or VGG16 on labeled datasets.
- Edge Inference: Deploy the model on edge devices for real-time detection.

d. Edge Computing

- Real-Time Processing: Analyze images locally to reduce latency.
- Hardware: Use Raspberry Pi, NVIDIA Jetson, or Intel NUC based on performance needs.
- Model Optimization:
- Quantization: Reduce weight precision (e.g., float32 → int8).
- Pruning: Remove unnecessary model components.

e. Integration with Actuators

- Defect Rejection: Trigger actuators to remove defective products.
- Alerts: Notify operators via SMS, email, or IoT dashboards.

5. Code:

```
import cv2 import
numpy as np import
 tensorflow as tf
from  tensorflow.keras.applications  import
VGG16    from    tensorflow.keras.models
import              Sequential              from
tensorflow.keras.layers    import    Dense,
Flatten

# Load and preprocess image image =
cv2.imread("product.jpg") image_resized =
cv2.resize(image,         (224,  224))
 image_normalized = image_resized / 255.0

# Expand dimensions to match model input shape input_image
 = np.expand_dims(image_normalized, axis=0)

# Load trained model (already trained and saved as .h5)
model =
tf.keras.models.load_model("defect_detection_model.h
5")

# Make prediction prediction =
model.predict(input_image) class_index
 = np.argmax(prediction)

# Interpret and act on
prediction if       class_index
     ==      0:
 print("Product is defective")
```

```
    send_alert("Defective product detected!")
    trigger_actuator()
else: print("Product is not
        defective") 6.
```

Result:



7. Learning Outcomes:

1. Understand how to preprocess images (resizing, normalization) and feed them into a deep learning model for real-time classification.
2. Gain practical experience in using transfer learning by fine-tuning a pre-trained VGG16 model for a specific task like defect detection.
3. Learn how to integrate machine learning models with alert systems and actuators to enable automated decision-making in industrial environments.