

Infosys Springboard 6.0

ClimateScope **Visualizing Global Weather Trends** **and Extreme Events**

By-Sumit bera

Supervised By - Bhoomika Mallireddy

CONTENTS

- 1. ABSTRACT**
- 2. INTRODUCTION**
- 3. PROPOSED SYSTEM**
- 4. DATASET DESCRIPTION**
- 5. TECH STACK**
- 6. IMPLEMENTATION**
- 7. MODULES**
- 8. ANALYTICAL INSIGHTS**
- 9. CONCLUSION**
- 10. FUTURE ENHANCEMENTS**
- 11. FIGURES**
- 12. APPENDIX A – DATASET SCREENSHOTS**
- 13. APPENDIX B – HTML CODES AND TABLES**

ABSTRACT

Climate variability and the growing occurrence of extreme weather events present critical challenges for environmental assessment and infrastructure resilience worldwide. The ClimateScope project is a comprehensive, data-driven web application developed to analyze, visualize, and interpret large-scale climate data in order to support informed decision-making. The system integrates historical and near real-time weather datasets to examine key climatic parameters, including temperature, humidity, precipitation, wind speed, air quality, and extreme weather indicators across multiple geographical regions.

The project adopts a milestone-based development methodology encompassing data acquisition and preprocessing, exploratory data analysis, statistical evaluation, and interactive dashboard design. Using Python-based technologies such as Pandas, Plotly, and Streamlit, the application delivers intuitive and interactive visualizations, including time-series trend analyses, geospatial choropleth maps, heatmaps, and extreme event visual analytics. These visual components enable users to identify climate patterns, regional variations, and anomalies effectively.

The application is deployed as a scalable web-based platform on Streamlit Community Cloud, ensuring accessibility, interactivity, and real-time data exploration for researchers, policymakers, and stakeholders.

INTRODUCTION

Project objective :

The objective of ClimateScope is to analyze and visually represent global weather patterns using the Global Weather Repository dataset. This project aims to uncover seasonal trends, regional variations, and extreme weather events through interactive and insightful visualizations. By leveraging daily-updated, worldwide weather data, the project will enable users to explore climate behavior over time, compare conditions across regions, and identify anomalies. The ultimate goal is to provide an accessible, data-driven platform that supports climate awareness, decision-making, and further research into global weather dynamics.

Scope of Project :

- Allows region-wise and time-based filtering for better comparative analysis.
- Presents insights through interactive charts, graphs, and maps for improved decision-making.
- Assists researchers, students, and policymakers in understanding climate behavior and its impact.
- Facilitates data-driven analysis to detect unusual patterns or extreme weather events.
- Designed with a user-friendly interface accessible through a web-based platform.

PROPOSED SYSTEM

Data Acquisition

- Download the Global Weather Repository dataset from Kaggle[<https://www.kaggle.com/datasets/nelgiriyeWithana/global-weather-repository/data>].
- Ensure daily updates are synchronized if using the live version.

Data Understanding & Exploration

- Inspect dataset structure, data types, and key variables (temperature, humidity, precipitation, wind speed, etc.).
- Identify missing values, anomalies, and coverage across regions.

Data Cleaning & Preprocessing

- Handle missing or inconsistent entries.
- Convert units (if necessary) and normalize values.
- Aggregate or filter data (e.g., daily → monthly averages) for efficiency.

Data Analysis

- Perform statistical analysis to understand distributions and correlations.
- Identify seasonal patterns, trends, and extreme weather events.
- Compare weather conditions across countries, continents, or climate zones.

Data Visualization Design

- Select suitable visualization types:
- Choropleth maps for geographic patterns.
- Line charts for time-series trends.
- Scatterplots for correlations.
- Heatmaps for seasonal variation.
- Design an interactive dashboard layout.

Visualization Development

- Build static and interactive visualizations using tools like Plotly, Tableau, Power BI, or D3.js.
- Integrate filters, sliders, and region selectors for user interactivity.
- Insights Generation
- Highlight notable findings such as temperature anomalies, high-precipitation zones, or wind speed extremes.
- Summarize regional and global climate trends.

Final Dashboard & Reporting

- Deploy the dashboard as a web app or presentation.
- Document methodology, visualizations, and insights in a project report.

DATASET DESCRIPTION

Global Weather Repository

The Global Weather Repository is a comprehensive dataset that provides daily weather information for capital cities and global locations around the world. It contains a wide range of meteorological parameters collected over time, making it suitable for climate analysis and exploratory data tasks.

Key characteristics of this dataset include:

- 📅 Daily weather records for multiple global locations, offering a detailed temporal view of climate behavior.
- 🌐 Includes 40+ weather features such as temperature, wind speed, atmospheric pressure, humidity, precipitation, visibility, and air quality measurements.
- 📊 Designed to reflect current and historical weather conditions (not forecast data), supporting trend analysis and visualization.
- 💡 Useful for tasks like climate trend analysis, pattern discovery, correlation studies between weather variables, and visual analytics.
- 📁 Typically provided in CSV format, which makes it easy to preprocess and integrate into data-driven projects like ClimateScope.

Detail	Compact	Column	10 of 41 columns						
Δ country	Δ location_n...	Δ latitude	Δ longitude	Δ timezone	# last_updat...	📅 last_updated	# temperatu...	# temperatu...	
Afghanistan	Kabul	34.52	69.18	Asia/Kabul	1715849100	2024-05-16 13:15	26.6	79.8	
Albania	Tirana	41.33	19.82	Europe/Tirane	1715849100	2024-05-16 10:45	19.0	66.2	
Algeria	Algiers	36.76	3.05	Africa/Algiers	1715849100	2024-05-16 09:45	23.0	73.4	
Andorra	Andorra La Vella	42.5	1.52	Europe/Andorra	1715849100	2024-05-16 10:45	6.3	43.3	
Angola	Luanda	-8.84	13.23	Africa/Luanda	1715849100	2024-05-16 09:45	26.0	78.8	
Antigua and Barbuda	Saint John's	17.12	-61.85	America/Antigua	1715849100	2024-05-16 04:45	26.0	78.8	
Argentina	Buenos Aires	-34.59	-58.67	America/Argentina/Buenos_Aires	1715849100	2024-05-16 05:45	8.0	46.4	
Armenia	Yerevan	40.18	44.51	Asia/Yerevan	1715849100	2024-05-16 12:45	19.0	66.2	
Australia	Canberra	-35.28	149.22	Australia/Sydney	1715849100	2024-05-16 18:45	9.0	48.2	
Austria	Vienna	48.2	16.37	Europe/Vienna	1715849100	2024-05-16 10:45	16.0	68.8	
Azerbaijan	Baku	40.4	49.88	Asia/Baku	1715849100	2024-05-16 12:45	17.0	62.6	
Bahamas	Nassau	25.08	-77.35	America/Nassau	1715849100	2024-05-16 04:45	27.0	88.6	

Fig :Dataset snippet

TECH STACK

1. Programming Language

- Python 3 – for data processing and visualization.

2. Data Handling

- pandas – clean and transform data.
- kaggle API – download dataset.

3. Visualization

- Plotly – create interactive charts and maps.
- Streamlit – build interactive dashboard.

4. Storage

- CSV / Parquet files – store raw and processed data locally.

5. Optional Tools

- folium – for additional map visualizations
- python-dotenv – manage API keys securely.

IMPLEMENTATION

1. Data Collection

- The Global Weather Repository dataset was sourced from Kaggle in CSV format.
- It contains global weather records with multiple climate parameters..

2. Data Preprocessing

- Data cleaning was performed to handle missing values, duplicates, and inconsistent formats.
- Region-wise and time-based filtering ensured reliable analysis.

3. Backend Development

- The backend was implemented using Python.
- Pandas was used for data manipulation and statistical analysis.
- Backend functions manage data loading, filtering, and computations.

4. Dashboard and Visualization

- The user interface was developed using Streamlit.
- Interactive charts and maps were created using Plotly and Matplotlib.
- Filters and controls allow dynamic data exploration.

5. Integration and Workflow

- Backend and frontend components were seamlessly integrated.
- User inputs trigger real-time data processing.

6. Testing and Validation

- The system was tested under multiple scenarios.
- Accuracy of data processing and visualizations was verified.
- Performance and usability issues were resolved.

7. Deployment

- The application was prepared for cloud deployment.
- Dependencies were listed in requirements.txt.
- The dashboard is accessible via a web browser.

1. OVERVIEW MODULE

Features :

- Provides a high-level summary of key climate indicators such as average temperature, rainfall, humidity, and wind speed.
- Displays KPI cards and summary charts for quick insights.
- Helps users understand overall climate conditions at a glance.




Fig : Overview page

Visualizations :

- **Average Precipitation Probability gauge**, which visually represents the likelihood of rainfall during the selected period. This helps users quickly assess weather uncertainty and rainfall trends.
- **Average Wind Direction and Speed polar chart** illustrates dominant wind patterns. This visualization shows both wind direction and intensity, helping users analyze prevailing wind behavior in the selected region.

2. TRENDS & SEASONALITY MODULE

Features :

- Visualizes long-term trends in climate parameters over time.
- Highlights seasonal variations and recurring weather patterns.
- Enables comparison of climate behavior across different time periods.




Fig : Trends & Seasonality page

Visualizations :

- **The Temperature Comparison Across Countries chart** presents monthly average temperatures, enabling clear comparison of seasonal changes among different countries. This view highlights how climatic seasons vary geographically and across hemispheres.
- **Cumulative Temperature chart** shows the progressive accumulation of temperature values over the selected period. It provides insight into the overall heat exposure experienced by each region and helps in comparing cumulative climate impact over time.

3. EXTREME EVENTS MODULE

Features :

- Identifies unusual or extreme weather conditions such as heatwaves, heavy rainfall, or strong winds.
- Helps detect climate anomalies and sudden changes.
- Supports analysis of extreme events and their potential impact.




Fig : Extreme Events page

Visualizations :

- **The Extreme Days Overview highlights** the number of days exceeding predefined extreme thresholds, such as unusually high temperatures. This visualization helps users understand how frequently extreme conditions occur in each country.
- **Threshold Highlights chart** displays temperature values over time, where extreme days are visually distinguished from normal conditions. This allows users to easily identify periods of heatwaves or abnormal temperature spikes.

4. MAPS MODULE

Features :

- Displays geographical distribution of climate variables using interactive maps.
- Allows users to compare climate conditions across regions.
- Enhances spatial understanding of global and regional climate patterns.



Fig : Geographical page

visualizations :

- **The Station Map visualizes** temperature readings at individual weather stations using an interactive world map. Each marker represents a station, with color intensity indicating temperature levels. This helps users identify regional temperature variations and hotspots.
- **The Country-wise Average Temperature map highlights** average temperature values for selected countries using a choropleth-style visualization. This allows easy comparison of climate conditions across countries and improves understanding of global climate distribution.

5. DISTRIBUTION & STATISTICAL VIEWS MODULE

Features :

- Presents statistical distributions of climate parameters using histograms and box plots.
- Helps analyze data spread, variability, and outliers.
- Supports deeper statistical understanding of climate data behavior.




Fig : Distribution & Statistical Views page

Visualizations :

- **A Histogram of Temperature** is used to visualize the frequency distribution of temperature values. This helps identify common temperature ranges, skewness, and the presence of extreme values for different regions.
- The **Density Distribution plot** provides a smooth probability-based view of temperature variations, allowing effective comparison of climate patterns between multiple countries and highlighting overlaps or shifts in temperature distributions.
- **The Cumulative Distribution Function (CDF)** illustrates the probability of temperature values falling below a given threshold. This enables percentile-based analysis and helps assess climate variability and risk levels across regions.

ANALYTICAL INSIGHTS

1 Trend Analysis

- Identifies long-term patterns in temperature, rainfall, and humidity.
- Highlights seasonal variations, enabling users to predict typical weather conditions for each region.

2 Extreme Weather Detection

- Pinpoints anomalies and extreme events, such as heatwaves, storms, or unusually high rainfall.
- Supports understanding of climate variability and potential risk areas.

3 Regional Comparison

- Maps and charts allow cross-region analysis of climate parameters.
- Users can quickly identify hotspots, regions with extreme weather, or areas with stable climate conditions.

4 Statistical Insights

- Distribution and box plot visualizations reveal data spread, variability, and outliers.
- Helps in understanding average, minimum, and maximum values, and how often extreme values occur.

5 Decision Support

- Combines visual and statistical analysis to provide data-driven insights.
- Useful for researchers, students, and policymakers to monitor climate trends and plan for future events.

CONCLUSION

The ClimateScope project successfully demonstrates the application of data-driven analytics and interactive visualization techniques to analyze and interpret large-scale climate data. By integrating historical and near real-time weather datasets, the system provides meaningful insights into key climatic parameters such as temperature, humidity, precipitation, wind speed, air quality, and extreme weather events across multiple regions.

Through systematic data preprocessing, exploratory analysis, and advanced visualization development, the project delivers an intuitive and scalable web-based dashboard that enables effective exploration of climate patterns, regional variability, and anomalies. The inclusion of an Infrastructure Risk Management module further enhances the practical relevance of the application by translating climate indicators into actionable risk metrics for resilience planning.

Overall, the project highlights the effectiveness of interactive visual analytics in supporting environmental monitoring and informed decision-making, while providing a robust foundation for future extensions such as real-time data integration, advanced risk modeling, and enhanced regional analysis.

FUTURE ENHANCEMENTS

- Integrate real-time weather APIs for live updates and forecasting.
- Incorporate machine learning models for anomaly detection and extreme event prediction.
- Add more granular geographic coverage, e.g., city-level data with high-resolution maps.
- Enhance user interactivity, including customizable dashboards and downloadable reports.
- Include climate comparison over multiple years to analyze long-term trends.
- Implement mobile-friendly and responsive design for broader accessibility.

FIGURES




Fig 2:correlation_heatmap




Fig 1:Bulgaria_seasonal_heatmap




Fig 3:temp_boxplot_top_countries

APPENDIX A – DATASET SCREENSHOTS

GlobalWeatherRepository.csv (30.66 MB)

Detail Compact Column 41 of 41 columns

#	country	location_name	latitude	longitude	timezone	last_updated	last_updated	temperature	temperature	condition	wind_mph	wind_kph	wind_degree	wind_dir	pressure	pressure	#
1	Afghanistan	Kabul	34.52	69.18	Asia/Kabul	1715849100	2024-05-16 12:15	26.6	79.8	Partly Cloudy	8.3	13.3	338	NNW	1012.0	29.89	0.4
2	Albania	Tirana	41.33	19.82	Europe/Tirane	1715849100	2024-05-16 10:45	19.0	66.2	Partly cloudy	6.9	11.2	320	NN	1012.0	29.88	0.1
3	Algeria	Algiers	36.76	3.85	Africa/Algiers	1715849100	2024-05-16 09:45	23.0	73.4	Sunny	9.4	15.1	280	N	1011.0	29.85	0.4
4	Andorra	Andorra La Vella	42.5	1.52	Europe/Andorra	1715849100	2024-05-16 10:45	6.3	43.3	Light drizzle	7.4	11.9	215	SW	1007.0	29.75	0.1
5	Angola	Luanda	-8.84	13.23	Africa/Luanda	1715849100	2024-05-16 09:45	26.0	78.8	Partly cloudy	8.1	13.0	150	SSE	1011.0	29.85	0.4
6	Antigua and Barbuda	Saint John's	17.12	-61.85	America/Antigua	1715849100	2024-05-16 04:45	26.0	78.8	Partly cloudy	5.6	9.0	90	E	1013.0	29.91	0.4
7	Argentina	Buenos Aires	-34.59	-58.67	America/Argentina/Buenos_Aires	1715849100	2024-05-16 05:45	8.0	46.4	Clear	2.2	3.6	10	N	1014.0	29.94	0.4
8	Armenia	Yerevan	40.18	44.51	Asia/Yerevan	1715849100	2024-05-16 12:45	19.0	66.2	Partly cloudy	4.3	6.8	140	SE	1017.0	30.03	0.1
9	Australia	Canberra	-35.28	149.22	Australia/Sydney	1715849100	2024-05-16 10:45	9.0	48.2	Clear	2.5	4.0	100	E	1027.0	30.33	0.4
10	Austria	Vienna	48.2	16.37	Europe/Vienna	1715849100	2024-05-16 10:45	16.0	60.8	Partly cloudy	12.5	20.2	110	ESE	1013.0	29.91	0.4
11	Azerbaijan	Baku	40.4	49.88	Asia/Baku	1715849100	2024-05-16 12:45	17.0	62.6	Partly cloudy	4.3	6.8	20	NNE	1020.0	30.12	0.4
12	Bahamas	Nassau	25.80	-77.35	America/Nassau	1715849100	2024-05-16 04:45	27.0	80.6	Partly cloudy	16.1	25.9	180	S	1012.0	29.87	0.4
13	Bahrain	Manama	26.24	50.58	Asia/Bahrain	1715849100	2024-05-16 11:45	36.0	96.8	Sunny	13.6	22.0	140	SE	1007.0	29.74	0.4
14	Bangladesh	Dhaka	23.72	90.41	Asia/Dhaka	1715849100	2024-05-16 16:45	30.4	101.2	Partly Cloudy	4.3	6.8	222	SW	1006.0	29.71	0.4
15	Barbados	Bridgetown	13.1	-59.62	America/Barbados	1715849100	2024-05-16 04:45	20.0	82.4	Partly cloudy	16.1	25.9	90	E	1012.0	29.88	0.4
16	Belarus	Minsk	53.9	27.57	Europe/Minsk	1715849100	2024-05-16 11:45	17.0	62.6	Sunny	11.9	19.1	150	SSE	1027.0	30.33	0.4
17	Belgium	Brussels	50.83	4.33	Europe/Brussels	1715849100	2024-05-16 10:45	15.0	59.0	Partly cloudy	3.8	6.1	240	NNW	1003.0	29.82	0.1
18	Belize	Belmopan	17.25	-88.77	America/Belize	1715849100	2024-05-16 02:45	26.0	78.9	Overcast	4.3	6.8	99	E	1007.0	29.75	0.4

Fig :Original dataset

Columns found: ['station_id', 'country', 'month', 'temperature', 'precipitation', 'wind_speed', 'humidity', 'lat', 'lon']
First rows:

	station_id	country	month	temperature	precipitation	wind_speed	humidity	lat	lon
0	'S Gravenjansdijk	Belgium	2024-05-01	16.000000	0.29	7.805618	82.000000	51.25	3.63
1	'S Gravenjansdijk	Belgium	2024-06-01	20.041176	2.52	4.666704	64.294118	51.25	3.63
2	'S Gravenjansdijk	Belgium	2024-07-01	21.250000	4.14	4.461345	63.071429	51.25	3.63
3	'S Gravenjansdijk	Belgium	2024-08-01	23.567742	2.37	4.674769	56.387097	51.25	3.63
4	'S Gravenjansdijk	Belgium	2024-09-01	18.736667	5.95	5.643564	70.533333	51.25	3.63

Data summary:
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 3984 entries, 0 to 3983
Data columns (total 9 columns):
Column Non-Null Count Dtype

0 station_id 3984 non-null object
1 country 3984 non-null object
2 month 3984 non-null datetime64[ns]
3 temperature 3984 non-null float64
4 precipitation 3984 non-null float64
5 wind_speed 3984 non-null float64
6 humidity 3984 non-null float64
7 lat 3984 non-null float64
8 lon 3984 non-null float64
dtypes: datetime64[ns](1), float64(6), object(2)
memory usage: 280.2+ KB
None

Fig :columns in processed dataset

APPENDIX B – CODES AND TABLES

```
C> Users > mukhe > OneDrive > Desktop > coding > project1 > climatescope-project > reports > figures > temp_vs_precip_extremes.html
```

```
1  <html>
2  <head><meta charset="utf-8" /></head>
3  <body>
4      <div>
5          <script type="text/javascript">window.PlotlyConfig = (MathJaxConfig: 'local');</script>
6          <script type="text/javascript">/**
7           * Plotly.js v3.3.0
8           * Copyright 2012-2025, Plotly, Inc.
9           * All rights reserved.
10          * Licensed under the MIT License
11          */
12          (function(root, factory) {
13              if (typeof module === "object" && module.exports) {
14                  module.exports = factory();
15              } else {
16                  root.moduleName = factory();
17              }
18          }) (typeof self !== "undefined" ? self : this, () => {
19              "use strict";var Plotly=({})=>{var ut=Object.create;var CS=Object.defineProperty,ctt=Object.defineProperties,ftt=Object.getOwnPropertyDescriptor,htt=Object.
20              getOwnPropertyDescriptors,dt=Object.getOwnPropertyNames,s6=Object.getOwnPropertySymbols,vtt=Object.getPrototypeOf,o=Object.prototype.hasOwnProperty,see=Object.
21              prototype.propertyIsEnumerable;var oee=(e,t,r)->t in e?CS(e,t,{enumerable:!0,configurable:!0,writable:!0,value:r}):e[t]=r,mg=(e,t)->{for(var r in t){t[t]=o.call
22              (t,r)&&oee(e,r,t[r]);return e},ql=(e,t)->{ctt(e,htt(t));var lee=(e,t)->{var r={};for(var n in e)o.call(e,n)&&t.
23              indexOf(n)&&[r[n]=e[n]];if(e!=null&&s6)for(var n of s6(e))t.indexOf(n)&&see.call(e,n)&&[r[n]=e[n]];return r};var gu=(e,t)->{>{&&(t=e(e=0)),t};var ye=(e,t)->{
24              =>t|e({t:exports:}).exports,t,exports},uee=(e,t)->{for(var r in t)CS(e,r,{get:t[r],enumerable:!0})},cee=(e,t,r,n)->{{if(t&&typeof t=="object"||typeof
25              t=="function")for(let i of dtt(t))o.call(e,i)&&i!=r&&CS(e,i,{get:()=>t[i],enumerable:!0,configurable:!0,writable:!0});return e};var ptt=(e,t,r)->{r=e!=null?ptt(vtt
26              (t):{}),cee(t|le|le._esModule?CS(r,"default",{value:e,enumerable:!0}):r,e)},ob=e->cee(CS({},_esModule,{value:!0}),e);var l6=ye(fee)->{"use strict";fee.
27              version="3.3.0"};var dee=ye((hee,ue)->{function(t,r,n){r[t]=r[t]||n(),typeof ue!="undefined"&&ue.exports&&(ue.exports=r[t])}})("Promise",typeof window!="undefined"?
28              window:hee,function(){"use strict";var t,r,n,i=Object.prototype.toString,a=typeof setImmediate!="undefined"?function(k){return setImmediate(k)}:setTimeout;try
29              {Object.defineProperty({},x,{}),t=function(k,E,S,L){return Object.defineProperty(k,E,{value:S,writable:!0,configurable:L==1})}}catch(p){t=function(E,S,L){return
30              E[S]=L,E}=function({var k,E,S;function l(x,C){this.fn=x,this.self=C,this.next=void 0}return(add:function(C,M){S=new l(C,M),E?E.next=S:k=S,E=S,void 0},
31              drain:function({var C=k;for(k=E=r=void 0;(C=C.next)||C.call(C.self,C.next)});function o(p,k)(n.add(p,k),r){r=a(n.drain)})function s(p){var k,E=typeof p;return
32              p!=null&&(E=="object"||E=="function")&&(k=p.then),typeof k!="function"?l(function l(){for(var p=0;p<this.chain.length;p++)u(this,this.state==1?this.chain[p].
33              success:this.chain[p].failure,this.chain[p]);this.chain.length=0}function u(p,k,E){var S,L;try{k==1?E.reject(p.msg):(k==0?S=p.msg:S=k.call(void 0,p,msg),S==E.
34              promise?E.reject(TypeError("Promise-chain cycle")):(L=S(S))&&L.call(S,E.resolve,E.reject):E.resolve(S))}catch(x){E.reject(x)}}function c(p){var k,E=this;if(!E.
35              triggered){E.triggered=!0,E.def&&(E.def)();try{(k=S(p))?o(function(){var S=new d(E);try{k.call(p,function(){c.apply(S,arguments)}),function(){f.apply(S,arguments)}})
36              catch(l){f.call(S,l)}):E.msp-p.E.state-1,E.chain.length>&&o(l,E)}catch(S){f.call(new d(E,S))}}function f(p){var k=this;k.triggered||(k.triggered=!0,k.def&&(k.k.
37              def,k.msp-p.E.state-2,k.chain.length>&&l(k))}function h(p,k,E,S){for(L=0;L<k.length;L++){function C(h){p.resolve(k[C]).then(function(e){f(C,e),S())})}L))
```

Fig : temp_vs_precip_extremes

A	B	C	D	E	F	G	H	I	J	K
	count	mean	std	min	25%	50%	75%	max	na_pct	
temperatu	3984	22.27355	8.680905	-24.9	17.53661	24.42049	28.02981	45		0
precipitati	3984	3.856591	6.26154	0	0.07	1.46	4.7125	70.29		0
wind_speed	3984	3.623921	1.779317	1.000008	2.30647	3.41983	4.622797	32.47896		0
humidity	3984	65.33796	21.57971	4.966667	51.16963	69.85269	82.04291	100		0

Fig :overall_stats

```
C:\Users\mukhe> OneDrive> Desktop> coding> project1> climatescope-project> reports> figures> global_monthly_climateology.html
project1\reports\figures\global_monthly_climateology.html
1 <html>
2 <head><meta charset="utf-8" /></head>
3 <body>
4
5     <div>
6         <script type="text/javascript">window.PlotlyConfig = {MathJaxConfig: 'local'};</script>
7         <script type="text/javascript">/*
8          * plotly.js v3.3.0
9          * Copyright 2012-2025, Plotly, Inc.
10          * ALL rights reserved.
11          * licensed under the MIT license
12          */
13          (
14              function(root, factory) {
15                  if (typeof module === "object" && module.exports) {
16                      module.exports = factory();
17                  } else {
18                      root.moduleName = factory();
19                  }
20              }
21          )
22      </div>
23  </body>
24 </html>
```

Fig : global_monthly_climatology