

```

bjit@bjit-Vostro-15-3568:~/Desktop/git-exam/bitbandits-git-github-exam$ git pull
origin development
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (3/3), 926 bytes | 926.00 KiB/s, done.
From github.com:sumit-ch-bjit/bitbandits-git-github-exam
 * branch                development -> FETCH HEAD
   50967fb..9d3e9b1      development -> origin/development
Updating 50967fb..9d3e9b1
Fast-forward
 README.md | 11 ++++++++--
 1 file changed, 9 insertions(+), 2 deletions(-)
bjit@bjit-Vostro-15-3568:~/Desktop/git-exam/bitbandits-git-github-exam$ git bran
ch --list
* development
  main
bjit@bjit-Vostro-15-3568:~/Desktop/git-exam/bitbandits-git-github-exam$ ls
README.md
bjit@bjit-Vostro-15-3568:~/Desktop/git-exam/bitbandits-git-github-exam$ gedit RE
ADME.md
bjit@bjit-Vostro-15-3568:~/Desktop/git-exam/bitbandits-git-github-exam$

```

Branch name pattern \*

main

Protect matching branches

☒ **Require a pull request before merging**  
 When enabled, all commits must be made to a non-protected branch and submitted via a pull request before they can be merged into a branch that matches this rule.


☒ **Require approvals**  
 When enabled, pull requests targeting a matching branch require a number of approvals and no changes requested before they can be merged.  
 Required number of approvals before merging: 1 ▼



☐ **Dismiss stale pull request approvals when new commits are pushed**  
 New reviewable commits pushed to a matching branch will dismiss pull request review approvals.




☒ **Require review from Code Owners**  
 Require an approved review in pull requests including files with a designated code owner.

☒ **Require approval of the most recent reviewable push**  
 Whether the most recent reviewable push must be approved by someone other than the person who pushed it.

```
bjit@bjit-Vostro-15-3568: ~/Desktop$ ls
bit-bandits  git-exam          mongodb-auth  practice-project
class-codes  localeiningguide  node-apps    practise-repo
bjit@bjit-Vostro-15-3568:~/Desktop$ cd git-exam/
bjit@bjit-Vostro-15-3568:~/Desktop/git-exam$ ls
bjit@bjit-Vostro-15-3568:~/Desktop/git-exam$ git clone git@github.com:sumit-ch-b
jit/bitbandits-git-github-exam.git
```

 **bitbandits-git-github-exam** Public

 Pin  Unwatch 1

 main  1 branch  0 tags


[Go to file](#) [Add file](#) [Code](#)

Switch branches/tags


development

Branches

Tags

 Create branch: development from 'main'

[View all branches](#)

50967fb 3 minutes ago  1 commit

Initial commit 3 minutes ago



Add a collaborator to **bitbandits-git-github-exam**



**Ujjal K. Saha**

uksaha77



Add uksaha77 to this repository

```

bjit@bjit-Vostro-15-3568:~/Desktop/git-exam/bitbandits-git-github-exam$ ls
README.md
bjit@bjit-Vostro-15-3568:~/Desktop/git-exam/bitbandits-git-github-exam$ git branch --list
  development
  main
* table-of-contents
bjit@bjit-Vostro-15-3568:~/Desktop/git-exam/bitbandits-git-github-exam$ git add .
bjit@bjit-Vostro-15-3568:~/Desktop/git-exam/bitbandits-git-github-exam$ git commit -m "added 1st task" -m "added table of contents and introduction" -m "ref #1"
[table-of-contents 9b69c7c] added 1st task
1 file changed, 31 insertions(+), 2 deletions(-)
bjit@bjit-Vostro-15-3568:~/Desktop/git-exam/bitbandits-git-github-exam$ git pull origin development
From github.com:sumit-ch-bjit/bitbandits-git-github-exam
 * branch                development -> FETCH_HEAD
Already up to date.
bjit@bjit-Vostro-15-3568:~/Desktop/git-exam/bitbandits-git-github-exam$ git merge development
Already up to date.
bjit@bjit-Vostro-15-3568:~/Desktop/git-exam/bitbandits-git-github-exam$

```


## Create a new repository

A repository contains all project files, including the revision history. Already have a project repository elsewhere?

[Import a repository.](#)

Required fields are marked with an asterisk (\*).

Owner \*

 sumit-ch-bjit

Repository name \*

bitbandits-git-github-exam

✔ bitbandits-git-github-exam is available.

Great repository names are short and memorable. Need inspiration? How about [fantastic-octo-umbrella](#) ?

Description (optional)

git and github practice exam



**Public**

Anyone on the internet can see this repository. You choose who can commit.



**Private**

You choose who can see and commit to this repository.

Initialize this repository with:



**Add a README file**



This is where you can write a long description for your project. [Learn more about READMEs.](#)


Add .gitignore


.gitignore template:None


Choose which files not to track from a list of templates. [Learn more about ignoring files.](#)


# added 1st task #1

 Open sumit-ch-bjit wants to merge 1 commit into `development` from `table-of-contents` 

 Conversation 0

 Commits 1

 Checks 0

 Files changed 1





**sumit-ch-bjit** commented now

Owner ...

added table of contents and introduction

ref #1



  added 1st task ...

9b69c7c

Add more commits by pushing to the `table-of-contents` branch on **sumit-ch-bjit/bitbandits-git-github-exam**.



## Review required

New changes require approval from someone other than the last pusher. [Learn more](#).



## Merging is blocked

Merging can be performed automatically with 1 approving review.