

```

#include <stdio.h>
#include <stdlib.h>

struct Student
{
    int roll;
    char name[50];
    float marks;
};

void addStudent()
{
    struct Student s;
    FILE *fp;

    fp = fopen("student.txt", "a");

    printf("\nEnter Roll Number: ");
    scanf("%d", &s.roll);

    printf("Enter Name: ");
    scanf("%s", s.name);

    printf("Enter Marks: ");
    scanf("%f", &s.marks);

    fprintf(fp, "%d %s %.2f\n", s.roll, s.name, s.marks);

    fclose(fp);

    printf("Student Added Successfully!\n");
}

void displayStudent()
{
    struct Student s;
    FILE *fp;

    fp = fopen("student.txt", "r");

    if(fp == NULL)
    {
        printf("No Record Found\n");
        return;
    }

    printf("\n--- Student Records ---\n");

    while(fscanf(fp, "%d %s %f", &s.roll, s.name, &s.marks) != EOF)
    {
        printf("\nRoll No: %d", s.roll);
        printf("\nName: %s", s.name);
        printf("\nMarks: %.2f\n", s.marks);
    }

    fclose(fp);
}

void searchStudent()
{

```

```

struct Student s;
int roll, found = 0;

FILE *fp = fopen("student.txt", "r");

printf("\nEnter Roll Number to Search: ");
scanf("%d", &roll);

while(fscanf(fp, "%d %s %f", &s.roll, s.name, &s.marks) != EOF)
{
    if(s.roll == roll)
    {
        printf("\nStudent Found");
        printf("\nName: %s", s.name);
        printf("\nMarks: %.2f\n", s.marks);
        found = 1;
    }
}

fclose(fp);

if(found == 0)
    printf("Student Not Found\n");
}

int main()
{
    int choice;

    while(1)
    {
        printf("\n===== Student Management System =====");
        printf("\n1. Add Student");
        printf("\n2. Display Students");
        printf("\n3. Search Student");
        printf("\n4. Exit");

        printf("\nEnter Choice: ");
        scanf("%d", &choice);

        switch(choice)
        {
            case 1:
                addStudent();
                break;

            case 2:
                displayStudent();
                break;

            case 3:
                searchStudent();
                break;

            case 4:
                exit(0);

            default:
                printf("Invalid Choice");
        }
    }
}

```

```
    }  
    return 0;  
}
```