

BizBhAI – Authentication & Environment Flows

Simple prototype-level flow documentation for the internal BizBhAI platform

1. Overall System Flow

Developer → Development Environment → Development Database → Testing

Staff → Production Environment → Production Database → Real Work

Admin → Production/Admin Area → Manage Accounts → Backend API → Production Database

Core idea: Developers use a separate development environment for building and testing. Staff use the production environment. Admin has an account-management section for creating and editing user accounts.

2. Authentication / Login Flow

Step 1: User opens the Login Page

↓

Step 2: User enters login credentials

↓

Step 3: Backend receives the login request

↓

Step 4: Backend authenticates the user

↓

Step 5: Backend checks the user's role from the database

↓

Step 6: Access is given according to the role

■ ↓

ADMIN STAFF

Admin Dashboard Staff Workspace

Important: The role should come from the database/backend, not simply from the frontend.

3. Admin Account Management Flow

Admin Login



Admin Dashboard



Manage Accounts



■ Create New Account ■

■ Edit Existing Account ■

■ View Account Details ■

■ Enable / Disable Account ■



Backend API



Database

4. Create Account Flow

Admin Dashboard → Manage Accounts → Create Account → Enter user details → Select/assign allowed role → Submit → Backend validates data → Account saved in database → Success message → Account appears in account list.

5. Edit Account Flow

Admin Dashboard → Manage Accounts → Select Account → Edit → Update allowed details/status → Submit → Backend validates changes → Database updated → Updated account shown.

6. Staff Access Flow

Staff Login → Backend Authentication → Database Role Check → STAFF authorization → **Staff Workspace** → Staff performs permitted work.

If a staff user tries to access an admin-only function, the backend should reject the request.

7. Development vs Production Flow

DEVELOPMENT ENVIRONMENT

Developers → Development Code → Development Database → Testing / Debugging

↓

Tested & Approved

↓

PRODUCTION ENVIRONMENT

Staff → Production Code → Production Database → Real Usage

Why separate them?

- Developers can test changes without directly disturbing real staff data.
- Development and production databases stay separate.
- New changes can be tested before being moved to production.
- Staff continue using the stable production environment.

8. Forgot Password / Account Recovery Concept

Login Page → Forgot Password → User provides account identifier/email → Backend verifies the account → Recovery/reset process → New password set → User returns to Login.

Note: The exact authentication mechanism (password vs email OTP) should be finalized with the team. The flow above keeps the overall system structure independent of that final decision.

9. Complete Combined Flow

ADMIN

Admin Login → Authentication → Role Check → Admin Dashboard → Manage Accounts → Create/Edit Accounts → Backend API → Production Database

STAFF

Staff Login → Authentication → Role Check → Staff Workspace → Permitted Work → Production Database

DEVELOPERS

Developer → Development Environment → Development Database → Build/Test → Approved Changes → Production

10. Prototype Screens to Build

#	Screen	Purpose
1	Login	User enters credentials and signs in.
2	Admin Dashboard	Admin landing page and navigation.
3	Staff Workspace	Staff landing page after successful login.
4	Manage Accounts	Admin views/searches user accounts.
5	Create Account	Admin creates a new login account.
6	Edit Account	Admin edits an existing account.
7	Account Details	View account information and status.
8	Forgot Password	Basic account recovery/reset flow.
9	Access Denied	Shown when a user lacks permission.

11. Prototype Boundaries

For the first simple prototype, the UI can use mock users/data and simulated authentication. Real database, email/OTP service, password reset, session security, and production deployment can be connected later.

12. One-Line Explanation for the Meeting

“We will keep development and production separate, let the admin manage user accounts, and authenticate every user through the backend so the database role decides whether the user gets the Admin or Staff workspace.”