ktor-first

Kotlin-Ktor-Rest api

GET get-animals

Open Request→

http://127.0.0.1:8080/animals

POST post-animals

Open Request→

http://127.0.0.1:8080/animals

Add request description...

Body raw (json)

```
| json
| {
| "id": 7,
| "name": "chair"
| }
```

GET get -animals-by id

Open Request→

http://127.0.0.1:8080/animals/6

```
http://127.0.0.1:8080/animals/6

Add request description...

Body raw (json)
```

DELETE delete-animals-by id

Open Request→

```
http://127.0.0.1:8080/animals/78
```

POST post-users-register



Open Request→

```
http://127.0.0.1:8080/register
```

Add request description...

Body raw (json)

```
json

{
    "username": "john.doe1",
    "password": "pass1234"
}
```

```
http://127.0.0.1:8080/login
```

Add request description...

Body raw (json)

```
http://127.0.0.1:8080/me
```

Add request description...

Request Headers

Authorization

Bearer

eyJ0eXAiOiJKV1QiLCJhbGciOiJIUzl1NiJ9.eyJhdWQiOiJodHRwOi8vMTI 3LjAuMC4xOjgwODAvaGVsbG8iLCJpc3MiOiJodHRwOi8vMTI3LjAuMC 4xOjgwODAvliwiZXhwljoxNjc4NTEwNTQ5LCJ1c2VyaWQiOjlsInVzZXJu YW1lljoiam9obi5kb2Uxln0.V2qSu4OJeV8bE7I2h-wl0_RZQU-

ET1LAPITS5N1eRKo

Body raw (json)

```
| ison | Image: "john.doe", | "password": "pass123" | image: "pass123"
```