

BCSE203E

Web

Programming

Dr. Priyanka N

Syllabus

Module:2	Hypertext Markup Language	2 hours
HTML Tags, Structure, HTML Coding Conventions - Block Elements, Text Elements, Code-Related Elements, Character References - Lists, Images, section, article, and aside Elements - nav and a Elements - header and footer Elements.		



HTML Tables

- **Introduction to Tables**
- **Table Format**
- **Table Captions**
- **Table Example**
- **Exercise**



Introduction to Tables

Why Tables?

- **Organized layout of information**
- **Allows good organization of the webpage**
- **Can be used to replace static frames**

Table Format

<TABLE options>

<TR options>

<TH options> ... </TH>

<TD options> ...</TD>

</TR>

</TABLE>



<table> options

border = [0/1]

cellpadding = [0..]

cellspacing = [0..]

width = [0..100%] / x (x is a pixel value)


Border, bgcolor

```
<table border="1">
<thead bgcolor="lightgreen">
<tr>
  <th>Year</th>
  <th>Sales</th>
</tr>
</thead>

<tbody bgcolor="pink">
<tr>
  <td>2000</td>
  <td>$18M</td>
</tr>

<tr>
  <td>2001</td>
  <td>$25M</td>
</tr>

<tr>
  <td>2002</td>
  <td>$36M</td>
</tr>
</tbody>
</table>
```



Year	Sales
2000	\$18M
2001	\$25M
2002	\$36M


changing background color for individual row

```
<table border="1">
<thead bgcolor="lightgreen">
<tr>
  <th>Year</th>
  <th>Sales</th>
</tr>
</thead>

<tbody bgcolor="pink">
<tr>
  <td>2000</td>
  <td>$18M</td>
</tr>

<tr bgcolor="purple">
  <td>2001</td>
  <td>$25M</td>
</tr>

<tr>
  <td>2002</td>
  <td>$36M</td>
</tr>
</tbody>
</table>
```



Year	Sales
2000	\$18M
2001	\$25M
2002	\$36M

Cellspacing (spacing is the space between each cell)

```
<table border="5" cellspacing="10">
<thead bgcolor="lightgreen">
<tr>
  <th>Year</th>
  <th>Sales</th>
</tr>
</thead>

<tbody bgcolor="pink">
<tr>
  <td>2000</td>
  <td>$18M</td>
</tr>

<tr>
  <td>2001</td>
  <td>$25M</td>
</tr>

<tr>
  <td>2002</td>
  <td>$36M</td>
</tr>
</tbody>
</table>
```

Year	Sales
2000	\$18M
2001	\$25M
2002	\$36M

Cell 1

Cell 2

Cellpadding (space between the cell edges and the cell content)

```
<table border="5" cellpadding="25">
```

```
<thead bgcolor="lightgreen">
```

```
<tr>
```

```
<th>Year</th>
```

```
<th>Sales</th>
```

```
</tr>
```

```
</thead>
```

```
<tbody bgcolor="pink">
```

```
<tr>
```

```
<td>2000</td>
```

```
<td>$18M</td>
```

```
</tr>
```

```
<tr>
```

```
<td>2001</td>
```

```
<td>$25M</td>
```

```
</tr>
```

```
<tr>
```

```
<td>2002</td>
```

```
<td>$36M</td>
```

```
</tr>
```

```
</tbody>
```

```
</table>
```

Year	Sales
2000	\$18M
2001	\$25M
2002	\$36M

Cell 1

Table Width

- You can set the width of the table using the *width* attribute.
- The value is either the width in pixels or a percentage value representing the percentage of the space available between the left and right margins.

```
<table border="5" width="50%">
<thead bgcolor="lightgreen">
<tr>
  <th>Year</th>
  <th>Sales</th>
</tr>
</thead>

<tbody>
<tr>
  <td>2000</td>
  <td>$18M</td>
</tr>

<tr>
  <td>2001</td>
  <td>$25M</td>
</tr>

<tr>
  <td>2002</td>
  <td>$36M</td>
</tr>
</tbody>
</table>
```

Year	Sales
2000	\$18M
2001	\$25M
2002	\$36M

align = [left|center|right]

```
<table border="1" cellpadding="10" width="80%">
```

```
<tr align="center">
```

```
<th>Year</th>
```

```
<th>Sales</th>
```

```
</tr>
```

```
<tr align="left">
```

```
<td>2000</td>
```

```
<td>$18M</td>
```

```
</tr>
```

```
<tr align="center">
```

```
<td>2001</td>
```

```
<td>$25M</td>
```

```
</tr>
```

```
<tr align="right">
```

```
<td>2002</td>
```

```
<td>$36M</td>
```

```
</tr>
```

```
</table>
```

Year	Sales
2000	\$18M
2001	\$25M
2002	\$36M



<th> options (table header)

`rowspan = [0..]`

`colspan = [0..]`

`bgcolor = [rgb colour code|colour]`

Rowspan, colspan

```
<table border="1" cellpadding="10" width="80%">
```

```
<tr align="center">
```

```
<th rowspan="2">Year</th>
```

```
<th colspan="3">Sales</th>
```

```
</tr>
```

```
<tr align="center">
```

```
<th>North</th>
```

```
<th>South</th>
```

```
<th>Total</th>
```

```
</tr>
```

```
<tr align="center">
```

```
<td>2000</td>
```

```
<td>$10M</td>
```

```
<td>$8M</td>
```

```
<td>$18M</td>
```

```
</tr>
```

```
<tr align="center">
```

```
<td>2001</td>
```

```
<td>$14M</td>
```

```
<td>$11M</td>
```

```
<td>$25M</td>
```

```
</tr>
```

```
</table>
```

Year	Sales		
	North	South	Total
2000	\$10M	\$8M	\$18M
2001	\$14M	\$11M	\$25M

Task-12

Course Number	Course Title	Semester Taken
For Credit		
6.813	User Interface Design	Spring 2014
6.034	Artificial Intelligence	Fall 2013
6.006	Introduction to Algorithms	Fall 2013
Listener		
6.867	Machine Learning	Fall 2013
6.830	Database Systems	Fall 2012

Task-13


Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday
Public Swim 06:30 - 10:30	Public Swim 06:30 - 09:00	Public Swim 06:30 - 09:00	Public Swim 06:30 - 11:15	Public Swim 06:30 - 09:00	Lane Swim 08:00 - 09:00	Lane Swim 08:00 - 09:00
Aquacise 10:30 - 11:15	Aqua Jog 09:15 - 10:00	Education Swimming Lessons 09:00 - 12:00	Aquacise 11:15 - 12:00	Education Swimming Lessons 09:00 - 12:00	Oldham Active Kids Swimming Lessons 09:00 - 13:00	Public Swim 09:00 - 11:00
Lane Swim 11:30 - 13:00	Parent & Baby Class 09:30 - 10:15	Lane Swim 12:00 - 13:00	Lane Swim 12:00 - 13:00	Lane Swim 12:00 - 13:00	Parent and Baby 12:00 - 12:45	Aquacise 11:00 - 11:45
Education Swimming Lessons	Public Swim 10:00 - 11:45	Public Swim 13:00 - 16:00	Education Swimming Lessons	Oldham Active Kids Swimming	Public Swim 13:00 - 17:00	Public Swim 11:45 - 13:00

Frames and Frame set in HTML

- Frames are HTML tag which divides the browser's window into multiple parts where each part can load a separate HTML document.
- `<frame>` tag specifies each frame within a frameset tag.
- A collection of frames in the browser window is known as a frameset.
- Each Frame can be linked with a single and different sources.

Frames and Frame set in HTML

```
<!DOCTYPE html>
<html>
<frameset cols="50%,50%">
  <frame src="frame1.html" name="right1">
  <frame src="frame2.html" name="right2">
</frameset>
</html>
```



Frames and Frame set in HTML


```
<!DOCTYPE html>
<html>
<frameset rows="50%,50%">
  <frame src="frame1.html" name="top">
  <frame src="frame2.html" name="bottom">
</frameset>
</html>
```

Frame 1

Frame 2

Frames and Frame set in HTML

```
<!DOCTYPE html>
<html>
<frameset cols="50%,50%">
  <frame src="frame1.html" name="left">
    <frameset rows="50%,50%">
      <frame src="frame2.html" name="righttop">
      <frame src="frame3.html" name="rightbottom">
    </frameset>
  </frameset>
</html>
```



<iframe> in HTML

- Iframe is an **inline frame** and it is also used as <iframe> tag in HTML.
- Inline frame means it is **used to embed some other document within the current HTML document.**
- It is related to frameset but **it can appear anywhere in your document.**
- <iframe> tag defines a **rectangular region within the document in which the browser can display a separate document.**


<iframe> in HTML

```
<iframe width="56%" height="31%"  
src="https://www.youtube.com/embed/wGwVKkYEHBE?  
si=Uvr0XFVwADv0gjNC" title="YouTube video player"  
frameborder="1">  
</iframe>
```





Task-14



**Learn how to create
forms in html and
create a attractive
form!**

Media Tags

- HTML5 introduced 5 most popular media element tags i.e. `<audio>`, `<video>`. This media element tags changed the entire development using HTML.

Media Tags:

- `<audio>`: It is an inline element that is used to embed sound files into a web page.
- `<video>`: It is used to embed video files into a web page.



<audio>:

The “audio” tag is an inline element that is used to embed sound files into a web page.

Syntax:

```
<audio> <source src="sample.mp3" type="audio/mpeg"> </audio>
```

Attributes: The various attributes that can be used with the “audio” tag are listed below:

- Controls: Designates what controls to display with the audio player like play, pause, and volume.
- Autoplay: Designates that the audio file will play immediately after it loads controls.
- Loop: Designates that the audio file should continuously repeat.
- src: Designates the URL of the audio file.
- muted: Designates that the audio file should be muted.

`<audio>` example:

```
<!DOCTYPE html>
```

```
<html>
```

```
<body>
```

```
<h1>The audio autoplay attribute</h1>
```

```
<p>Click on the play button to play a sound:</p>
```

```
<audio controls autoplay>
```

```
  <source src="horse.ogg" type="audio/ogg">
```

```
  <source src="horse.mp3" type="audio/mp3">
```

```
</audio>
```

```
</body></html>
```

The audio autoplay attribute

Click on the play button to play a sound:



<video> :

It is used to embed video files into a web page.

Syntax:

```
<video> <source src="movie.mp4" type="video/mp4"> </video>
```

Attributes that can be used with the "video" tag are listed below :

- Autoplay: It tells the browser to immediately start downloading the video and play it as soon as it can.
- Preload: It intends to provide a hint to the browser about what the author thinks will lead to the best user experience.
- Loop: It tells the browser to automatically loop the video

- 
- height: It sets the height of the video in CSS pixels.
 - width: It sets the width of the video in CSS pixels.
 - Controls: It shows the default video controls like play, pause, volume, etc.
 - Muted: It mutes the audio from the video.
 - Poster: It loads an image to preview before the loading of the video.
 - src: It is used to specify the URL of the video file.

<video> example:

```
<!DOCTYPE html>
<html>
<body>
<h1>The video loop attribute</h1>
<video width="320" height="240" controls loop>
  <source src="movie.mp4" type="video/mp4">
  <source src="movie.ogg" type="video/ogg">
</video>
</body>
</html>
```

The video loop attribute



Task-15

Feedback Form

Please fill out this form to help us improve our site

Name:

Comments:

E-Mail address:

Things you liked:

☐ site design ☐ links ☐ ease of use ☒ Images ☐ Source code

How did you get to our site:

☒ search engine ☐ Links from another site ☐ Deitel.com website ☐

Reference in a book ☐ other

Rate our website:

enter

clear

My favorite drinking items

- A. Coffee
- B. Tea
- C. Milk

- 1. Coffee
- 2. Tea
- 3. Milk

- i. Coffee
- ii. Tea
- iii. Milk

My favorite drinking items

- Coffee
- Tea
- Milk

- Coffee
- Tea
- Milk

- Coffee
- Tea
- Milk

