

## WebLogic Domain Server Creation: -

Before creating Domain, Server set the JAVA\_HOME variable in System variables, it is set up before creating Domain Server, make sure this variable name should be in capital latter.


Step #1: Right click on This PC, and go to Properties




Step #2: Click on Advanced system settings



Step #3: Click on Environment Variables



Step #4: In System variables section click on New



Step #5: Fill the Following details


Variable name: JAVA\_HOME

Variable value: C:\Program Files\Java\jdk1.8.0\_241 [home directory of


jdk installation, not bin], then click on OK

New System Variable		×
Variable name:	JAVA_HOME	
Variable value:	C:\Program Files\Java\jdk1.8.0_241	
Browse Directory	. Browse File	OK Cancel


Step #6: Here you could see the JAVA\_HOME variable is created click on OK & again click on OK.



Step #7: Go to WebLogic installed location, open it



Step #8: Open oracle\_common folder



Step #9: Open common folder

← → This PC	Web Development (E:) > JAVA > Server > \	WebLogic12c > oracle	_common >	,
💹 Desktop 🧳 🔿	Name	Date modified	Type S	Size
🖺 Documents 🖈	adr adr	24-06-2020 07:27	File folder	
□ Pictures       ★	📊 bin	24-06-2020 07:27	File folder	
💻 This PC 📝	common	24-06-2020 07:26	File folder	
EUEC5F.tmp 🖈	jlib	24-06-2020 07:27	File folder	
01. Dependency In	<mark></mark> lib	24-06-2020 07:26	File folder	
Commons-loggin	modules	24-06-2020 07:27	File folder	
■ Downloads		24-06-2020 07:27	File folder	
<u> </u>	🔐 rda	24-06-2020 07:26	File folder	
Y extra	webservices	24-06-2020 07:26	File folder	

Step #10: Open bin folder

<b>∢</b>	eb Devel		WebLogic12c > oracle_common >	common >	∨ ბ
Desktop	* ^	Name	Date modified	Туре	Size
Documents	*	hin	24-06-2020 07:26	File folder	
Pictures	st.	images	24-06-2020 07:26	File folder	
This PC	x .	<mark></mark> lib	24-06-2020 07:26	File folder	
EUEC5F.tmp	x .	<mark></mark> sql	24-06-2020 07:26	File folder	
01. Dependency	y In	templates	24-06-2020 07:26	File folder	
Commons-logg	gin	util	24-06-2020 07:26	File folder	

Step #11: Type cmd at the address bar to open Command Prompt at that location



Step #12: Type he following command in Command Prompt

 $E:\ \ Logic 12c\ \ common\ \ \ common\ \ \ \ config.cmd$ 

```
C:\Windows\System32\cmd.exe

Microsoft Windows [Version 10.0.17763.1282]


(c) 2018 Microsoft Corporation. All rights reserved.

E:\JAVA\Server\WebLogic12c\oracle_common\common\bin>config.cmd_
```


Step #13: Then Configuration Wizard will open




Step #14: Choose the Create new domain and give a New, then click on Next




Step #15: Choose Create Domain Using Product Templates, check the [V] Include all selected templates check box and in Available Templates choose only one [V] Basic WebLogic Server Domain, then click on Next




Step #16: Give the Use name, password detail as your choice and keep it remember, then click on Next




Step #17: Choose Development, and Select the Other JDK location from your computer, then click on Next




Step #18: Click on Administration Server and then click on Next




Step #19: Change the default Listen port number like 7070, then click on Next




Step #20: Click on Create



Step #21: Then the creation process is started, it takes few minutes



Step #22: After 100% completion, click on Next



Step #23: Then click on Finish, make sure [] Start Admin Server check box is unchecked

