

# **TENDER DOCUMENT**

(Tender Notice no. IIT/CIC/Compute/2026-27/23 dated: 28/08/2026)

**FOR**

(Procurement for the upgradation of existing compute infrastructure of CIC)

**OF**

**(Computer & Informatics Centre)**

**IIT KHARAGPUR**



INDIAN INSTITUTE OF TECHNOLOGY KHARAGPUR  
KHARAGPUR – 721302  
WEST BENGAL

## Table of Contents

| <b>S. No.</b> | <b>Title</b>                                                            | <b>Page No.</b> |
|---------------|-------------------------------------------------------------------------|-----------------|
| 1             | Notice Inviting Tender                                                  | 3               |
| 2             | Time events of various Tender related activities                        | 4               |
| 3             | Technical Specifications – Annexure I                                   | 5               |
| 4             | General Terms and Conditions – Annexure II                              | 6-10            |
| 5             | Instructions & Special conditions –Annexure III                         | 11-14           |
| 6             | Minimum Eligibility Criteria / Pre-qualification Criteria – Annexure IV | 15              |
| 7             | Technical Bid – Annexure V                                              | 16              |
| 8             | Technical Compliance Statement – Annexure VI                            | 17-24           |
| 9             | Financial Information – Annexure VII                                    | 25              |
| 10            | Declaration – Annexure VIII                                             | 26              |
| 11            | Undertaking regarding Blacklisting / Non – Debarment – Annexure IX      | 27              |
| 12            | Certificate on compliance under Rule 144 (xi) of GFRs 2017 - Annexure X | 28-29           |
| 13            | Declaration of Local content – Annexure XI                              | 30              |
| 14            | Price Bid Format – Annexure XII                                         | 31-32           |
| 15            | Integrity Pact – Annexure XIII                                          | 33-38           |
| 16            | Scope of Work- Annexure XIV                                             | 39-40           |
| 17            | Checklist                                                               | 41              |



भारतीय प्रौद्योगिकी संस्थान खड़गपुर  
INDIAN INSTITUTE OF TECHNOLOGY KHARAGPUR  
KHARAGPUR – 721302

Tender No: IIT/CIC/Compute/2026-27/23 dated: 28/08/2026

**NOTICE INVITING TENDER**

Indian Institute of Technology Kharagpur, an Institute of Eminence, invites sealed bids **from all Indian Manufacturers/Service providers or their authorized vendors, having registered office in India** who fulfil the criteria mentioned in the Tender document and have adequate credential, for the **upgradation of existing compute infrastructure of CIC** at the Computer & Information Centre (CIC), IIT Kharagpur.

Interested parties may submit their sealed bids under the Two Bid System as per **Technical Specifications** given at **Annexure I** and **General Terms & Conditions and other formats** given at **Annexure II to XIV**. Two covers (Technical Bid and Price Bid) are to be sealed and to be placed in one large Cover superscribed with tender reference number **(Tender No.. IIT/CIC/Compute/2026-27/23 DT: 27/08/2026)** and to be submitted to 'The **Head, Computer & Informatics Centre, Indian Institute of Technology, Kharagpur, P.O. Kharagpur Technology, PIN: 721302** on or before **24/09/2026 at 3.00 PM**. Technical Bids will be opened on **24/09/2026** at 4.00PM.

The technical bids will be evaluated first and price bids will be opened in respect of those OEMs/Vendors, who are found to be technically qualified after evaluation of Technical bids. Date for opening price bids will be intimated later.

Kindly refer to the Institute website **www.iitkgp.ac.in** [link: Tenders] for complete tender details. The same is also available in the CPP Portal [<https://eprocure.gov.in/epublish/app>]. If there is any corrigendum/addendum, it shall also be published on the Institute's Website and Central Public Procurement Portal.

**Signature**  
**Head, Computer & Informatics Centre**  
**IIT Kharagpur**

To

1. Institute Website
2. CPP Portal

## TIME EVENTS OF VARIOUS TENDER RELATED ACTIVITIES

|                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Tender No. & Date                                                                                                                                                                                                                                                                                                                                                             | <b>IIT/CIC/Compute/2026-27/23 dated: 28/08/2026</b>                                                                                                                                                                   |
| Brief Description of Tender                                                                                                                                                                                                                                                                                                                                                   | Procurement for the upgradation of existing compute infrastructure of CIC                                                                                                                                             |
| Estimated cost(including taxes)                                                                                                                                                                                                                                                                                                                                               | Rs. 16 Crores (in Rupees sixteen crores only)                                                                                                                                                                         |
| Tender fee<br>(Non-refundable)                                                                                                                                                                                                                                                                                                                                                | Rs. 2500/- (By way of demand draft /banker's cheque/pay order from any Commercial Bank and paid in favour of 'Indian Institute of Technology Kharagpur', payable at Kharagpur)                                        |
| EMD                                                                                                                                                                                                                                                                                                                                                                           | <b>Rs. 32,00,000/-</b> (By way of demand draft from any Nationalized Bank / Commercial Bank and paid in favour of "Indian Institute of Technology Kharagpur", payable at Kharagpur or in the form of Bank Guarantee). |
| Pre -bid Meeting, if any                                                                                                                                                                                                                                                                                                                                                      | Date: 03/09/2026, 11:30 A.M. at (Computer & Informatics Centre), IIT Kharagpur                                                                                                                                        |
| Note: IIT Kharagpur will give exemption for submission of Tender Fee and EMD who are registered with MSME, NSIC or start-ups as recognised by DIPP for the tendered item/services. However proper and valid documents in this regard must be submitted by the bidders in support of their claim. EMD should be kept in separate covers and placed in the technical bid cover. |                                                                                                                                                                                                                       |
| Last date & time for submission of sealed tenders/quotations                                                                                                                                                                                                                                                                                                                  | 24/09/2026 at 3:00 pm                                                                                                                                                                                                 |
| Pre -qualification & Technical Bid opening date & time                                                                                                                                                                                                                                                                                                                        | 24/09/2026 at 4:00 pm                                                                                                                                                                                                 |
| Two Bid System                                                                                                                                                                                                                                                                                                                                                                | Two bids – (i) Technical and (ii) Price bid, in two separate envelope- placed & sealed in one envelope                                                                                                                |
| Bid validity                                                                                                                                                                                                                                                                                                                                                                  | 120 days from the opening of Price Bid                                                                                                                                                                                |
| Submission of bids<br>(by speed post)<br>(Addressed to)                                                                                                                                                                                                                                                                                                                       | Head, Computer & Informatics Centre<br>Indian Institute of Technology Kharagpur<br>Kharagpur-721302, West Bengal                                                                                                      |
| Bid opening place                                                                                                                                                                                                                                                                                                                                                             | Computer & Informatics Centre, IIT Kharagpur, Kharagpur – 721302, West Bengal                                                                                                                                         |
| Any clarification                                                                                                                                                                                                                                                                                                                                                             | Telephone No: 03222-282360<br>Email ID: head@cc.iitkgp.ac.in                                                                                                                                                          |

### Note:-

1. If the day falls on any Holiday, the date of any of the events mentioned above shall be on the next working day.
2. It is the responsibility of the Bidder to ensure that their bids whether sent by post or by courier or dropped by person should reach within the stipulated date & time.
3. The quotation received after the last date and prescribed time would summarily be rejected. Quotations having incomplete information are also liable to be rejected.
4. The Director, IIT Kharagpur reserves the right to reject any or all the quotations in full or part without assigning any reason thereof and without giving any compensation. The decision of the Director in this regard shall be final and binding to all.
5. The addendum/ corrigendum if any shall only be published on Institute's website and CPP Portal.

**TECHNICAL SPECIFICATIONS  
(Bill of Quantity)**

(Procurement for the upgradation of existing compute infrastructure of CIC)

(Tender No: IIT/CIC/Compute/2026-27/23 dated: 28/08/2026)

| S/N | Description                                                                                                                                                           | Specification             | Qty.<br>(no.) | Quoted product<br>with make,<br>model and part<br>number |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------|----------------------------------------------------------|
| 1.  | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for Bare metal servers-Type I                     | <b>As per Annexure-VI</b> | 19            |                                                          |
| 2   | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for Bare metal servers-Type II                    | <b>As per Annexure-VI</b> | 02            |                                                          |
| 3.  | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for Storage with 100 TB useable disk space        | <b>As per Annexure-VI</b> | 01            |                                                          |
| 4.  | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for Storage with 60 TB useable disk space         | <b>As per Annexure-VI</b> | 01            |                                                          |
| 5.  | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for 48 port SAN Switch                            | <b>As per Annexure-VI</b> | 02            |                                                          |
| 6.  | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for 48 port 10G switch                            | <b>As per Annexure-VI</b> | 02            |                                                          |
| 7.  | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for 24 port KVM switches with connectivity cables |                           | 02            |                                                          |
| 8.  | Supply, Installation and 5 years comprehensive onsite warranty for Monitor, keyboard and mouse                                                                        |                           | 02            |                                                          |

Note : Bidder must submit a detailed Bill of material along with Annexure-I mentioning all part numbers of the modules including OEM support part codes(if any) on the OEM letter head.

## GENERAL TERMS AND CONDITIONS

### **ANNEXURE-II**

1. **Tender Fee:** Tender fees Rs. 2,500/- (By way of demand draft from any Commercial Bank and paid in favor of 'Indian Institute of Technology Kharagpur', payable at Kharagpur).

**IIT Kharagpur** will give exemption for submission of tender fee who are registered with MSME, NSIC or start-ups as recognized by DIPP. However proper and valid document in this regard must be submitted by the bidders in support of their claim. Tender fee should be kept in separate covers and place in technical bid cover.

2. **Earnest Money Deposit (EMD): Rs. 32,00,000/-** (By way of demand draft from any Commercial Bank and paid in favor of 'Indian Institute of Technology Kharagpur', payable at Kharagpur or in the form of Bank Guarantee. IIT Kharagpur will give exemption for submission of EMD who are registered with MSME, NSIC or start-ups as recognized by DIPP for the tendered item/services. However proper and valid documents in this regard must be submitted by the bidders in support of their claim. EMD should be kept in separate covers and placed in technical bid cover.
3. **Payment Terms:** 90% payment shall be made after receipt of stores in good order and condition, successful installation and demonstration thereafter certification by the Head, CIC. Balance 10% may be released against submission of Insurance Surety Bond, Account Payee Demand Draft, Fixed Deposit Receipt from any commercial bank to the tune of 5% of the total Contract value or on completion of the warranty period. PBG may be issued from any commercial bank, which shall be valid for the duration of warranty period plus 60 days. No advance/mobilization support, is payable against supply of stores.
4. **Liquidated Damages:** In the event of failure to deliver the stores within the specified date, liquidated damages, a sum equivalent to 0.5 (half) per cent of the delivered price (including elements of GST, freight and variations) of the delayed Goods and / or incidental Works/ Services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 5% (or any other percentage if prescribed in the contract) of the total contract value.

In case of inordinate delay this maximum deduction shall be 10% of the total contract value (Inordinate delays: Inexcusable delays of more than one-fourth (25%) of the total completion period shall be treated as inordinate delays).

The LD cannot exceed the amount stipulated in the contract; alternately the order will be cancelled and the undelivered stores purchased from elsewhere at the risk and expense of the vendor.

5. **Warranty/Guarantee & On-site skill support (if any):** five years onsite comprehensive OEM Warranty from the date of successful installation and commissioning. The firm has to guarantee the supply of spares and support for a

minimum period of 7 years. **A declaration from the OEM must be attached with the technical bid.**

6. **AMC and License renewal:** After the completion of the warranty period the bidder should agree to accept the work order for AMCs (If Institute desires) separately for IT Compute Infrastructure at a mutually agreed rate between the Institute and the bidder.
7. **Supply of spares and accessories:** Interested vendors must be able to supply adequate spares and consumables during the years of onsite comprehensive OEM warranty. Vendor should also ensure trouble free service and performance for rest of the years beyond the years of Onsite Comprehensive OEM Warranty / Onsite Warranty Period with adequate spares and accessories in a total period of 7 years (this may be changed by the department/centre as per the status of the equipment).
8. **Delivery and Successful Installation of the Stores:** The store items are to be supplied and should be successfully installed within 90 days from the date of receipt of the Purchase Order.
9. **Price:**
  - a. The Price should be quoted in INR only.
  - b. The price should be quoted 'FOR IIT Kharagpur' basis. The price should be all inclusive.
  - c. The unit prices should be for the same unit as indicated in the Schedule to tender enquiry and not for any other unit.
  - d. Discount, if any, should be indicated separately/prominently.
  - e. Offers should normally be on fixed and firm price basis. Any clause making price variation will not be acceptable.
9. **Bid:** Technical Bid and Price Bid should be submitted in two separate sealed envelopes quoting reference number on the top of the envelope. **Tender Fee, if any should be enclosed with the Technical Bid documents, in separate sealed envelope, stapled with the packet containing Technical Bid documents.**
10. **Award of the Contract:** The order shall be placed to successful L1 bidder.
11. **Acceptance of Tender:** The Authority of IIT Kharagpur does not bind itself to accept the lowest priced bid and reserves the right to reject any or the entire tender bids received without assigning any reason thereof.
12. The addendum/corrigendum if any shall be published on Institute's **Website i.e. [www.iitkgp.ac.in](http://www.iitkgp.ac.in) and on CPP Portal.**
13. **Extra Features:** If the bidder provides any other extra features on the Hardware or Software which are not mentioned in the tender product specifications, then that shall be highlighted in clear terms, with documentary evidence/literature.
14. **Compliance List:** The proposal should be properly indexed and a compliance list against the technical specifications should be provided.

- 15. Services:** Response to ensure quality of services, the deputed Engineer from the OEM/Vendor who will be attending calls for breakfix shall have a minimum of 2 years of experience in the relevant field and must be in the payroll of the OEM/Vendor.
- 16. Installation and Commissioning:** Free of cost at Computer & Informatics Centre, IIT, Kharagpur. The supplier must ensure timely installation of Experimental test setup with necessary support to the indenter, as per details and lists to be made available by the Stores & Purchase Section or the indenting Departments/Centres/Schools.
- 17. Training:** The Supplier is required to provide training at free of cost to the designated Purchaser's technical and end user personnel to enable them to effectively operate the total equipment.
- 18. Site preparation:** The supplier shall inform to the Institute about the site preparation, if any, needed for the installation of equipment, immediately after the receipt of the purchase order. The supplier must provide complete details regarding space and all the other infrastructural requirements needed for the equipment, which the Institute should arrange before the arrival of the equipment to ensure its timely installation and smooth operation thereafter. The supplier shall visit the Institute and see the site where the equipment is to be installed and may offer his advice and render assistance to the Institute in the preparation of the site and other pre-installation requirements
- 19.** The benefit of any downward price revision (revision on account of budget/financial policy, tax revision, EPZ etc.) is to be given to IIT Kharagpur by the selected OEM/vendor.
- 20.** Past Performance of the Vendors will be judged at the time of Technical Evaluation.
- 21.** The Institute does not bind itself to offer any explanation to those bidders whose technical bids have not been found acceptable by the Technical Evaluation Committee of the Institute.
- 22.** Bidders should enclose the following documents:
- a. Purchase order to be placed on: Should be mentioned in the quotation with full address, email address, phone number.
  - b. Proforma Price Bid (without mentioning the price rate) may be attached with technical bids.
  - c. Copy of mandatory test reports, national testing/reliability and endurance test reports etc., certified or conducted at the manufacturing site, granted by the bureaus/quality control departments/national testing laboratories (if applicable).
- 23.** Sealed bids could be dropped in the Tender Box which is placed in the Office of Computer & Informatics Centre, IIT Kharagpur-721302. The bids (technical and price bids) once submitted shall be the property of the Institute and shall not be



returned to the vendor in future. For delivery of bid through speed post, the Postal Address is:

**Head. Departmental Purchase Committee  
Computer & Informatics Centre,  
IIT Kharagpur-721302, West Bengal**

- 24. Opening of Price Bids:** The Price Bid(s) of only those vendor(s) who are found technically qualified will be opened and the same will be opened before the technically qualified vendor(s). The date for opening of price bids will be intimated separately by email.
- 25.** Tenderer or his/her authorized representative (with proper authorization letter for attending opening of technical bids and also for opening of price bids) may choose to be present at the time of opening of Technical Bids/Price Bids.
- 26. Disqualification of Tender:** The tenders are liable for rejection in the following circumstances:
- a) If they are not in line with the terms and conditions of this tender notice
  - b) Conditional quotations
  - c) Incomplete tenders
  - d) Tenders without Tender Fee and/or Bid Security Declaration
  - e) Tenders submitted through Fax or e-mail
  - f) If two bid system is not followed
  - g) Bid received simultaneously from Indian agent on behalf of Principal/OEM and Principal/OEM itself for same item/product/services in the same tender
  - h) The Firm needs to quote all the charges /prices as per the tender requirement, if any firm quote nil charges/consideration, the bid shall be treated as unresponsive bid and will not be considered.

#### **IMPORTANT NOTE**

- I. Director may accept or reject any or all the bids in part or in full without assigning any reason and does not bind himself to accept the lowest bid. The Institute at its discretion may change the quantity/upgrade the criteria/drop any item or part thereof at any time before placing the Purchase Order.
- II. A bid submitted with false information will not only be rejected but also the OEM/vendor will be debarred from participation in future tendering process.
- III. In case of any dispute, the decision of the Director of this Institute shall be final and binding on the bidders.
- IV. In the event of any dispute between the management and the Contractor relating to those Contracts where Integrity Pact is applicable, in case both the parties are agreeable, they may try to settle dispute through mediation before the panel of IEMs in a time bound manners (para 5.6 of circular no. 04/06/23 of CVC).
- V. In case the due date for opening tender happens to be a holiday, the same will be opened on the next working day. The timings will however remain unchanged. Please Note that the Institute remains closed on Saturday, Sunday and Institute holiday.

- VI. The Bidders are requested to submit the bids after issue of clarifications only considering the changes made if any. Bidders are totally responsible for incorporating/complying the changes/amendments issued if any, in their bid.

**INSTRUCTIONS & SPECIAL CONDITIONS**

1. **General:** Only Indian Manufacturers/Service Provider or their Authorized Vendors, having registered office in India are invited to quote.

**A.Compliance under Rule 144 (xi) of the General Financial Rules (GFRs) 2017**

- I. **As per the order issued from file No.6/18/2019-PPD dated 23rd July, 2020 by Public Procurement Division (Public Procurement No.1), Department of Expenditure, Ministry of Finance & the Order issued from time to time** regarding Restrictions under Rule 144 (xi) of the General Financial Rules (GFRs) 2017, it is directed that any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods, services (including consultancy services and non-consultancy services) or works (including turnkey projects) only if the bidder is registered with the Competent Authority i.e. the *Department for Promotion of Industry and Internal Trade (DPIIT)*.
- II. **“Bidder”** (including the term ‘tenderer’, ‘consultant’ or ‘service provider’ in certain contexts) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency, branch or office controlled by such person, participated in a procurement process.
- III. “Bidders from a country which shares a land border with India” for the purpose of this Order means:
- a) An entity incorporated, established or registered in such a country; or
  - b) A subsidiary of an entity incorporated, established or registered in such a country; or
  - c) An entity substantially controlled through entities incorporated, established or registered in such a country; or
  - d) An entity whose *beneficial owner* is situated in such a country; or
  - e) An Indian (or other) agent of such an entity; or
  - f) A natural person who is the citizen of such a country; or
  - g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above
- IV. The *beneficial owner* for the purpose of above will be as under: -
1. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercise control through other means.

**Explanation-**

- a) “Controlling ownership interest” means ownership of or entitlement to more than twenty-five per cent of share or capital or profit of the company;

- b) "Control" shall include the right to appoint majority of the directors or to control the management of policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
  2. In case of a partnership firm, the beneficial owner is the natural person (s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
  3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
  4. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
  5. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any other natural person exercising ultimate effective control over the trust through a chain of control or ownership
- V. An agent is a person employed to do any act for another, or to represent another in dealings with third person.
- VII. For Works contracts, including Turnkey contracts, the successful bidder shall not be allowed to subcontract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority.

A certificate (duly filled & signed) shall be submitted by bidders in the tender documents regarding their compliance with the said order as per **Annexure XI**. If the certificate submitted by a bidder whose bid is accepted is found to be false, this would be a ground for immediate termination and further legal action in accordance with law.

**B.Compliance under Rule 153 (iii) of the General Financial Rules (GFRs) 2017**

It is mandatory for bidders to quote items having 20% or more local content. Refer revised Public Procurement (Preference to Make in India), Order 2017 P-45021/2/2017-B.E-II dated 16.09.2020 and the order issued from time to time by Department for Promotion of Industry & Internal Trade (DPIIT), Ministry of Commerce and Industry, Government of India. (Submit duly filled **Annexure XII** for the same).

Also, as per DPIIT, Ministry of Commerce and Industry OM vide no: P-45021/102/2019-BE-II-Part(1) (E-50310) dated 04.03.2021, bidders can't claim themselves as Class-I local supplier / Class-II local supplier by claiming the services such as transportation, insurance, installation, commissioning, training and after sales service support like AMC/CMC etc. as local value addition.

2. **Deviation from Specifications:** It is in the interest of the tenderer to study the specifications in the tender schedule thoroughly before quoting so that, if the tenderer makes any deviations, the same are prominently brought out in the body of the tender. If you need to add any optional items to your system in order to meet our specifications,

you are requested to quote for the total including the option required to suit our requirements. Otherwise, your tender will not be considered at all.

3. **Tenderers shall submit along with their Tender:** (i) Complete address and tele links for contact persons of manufacturers/service providers/authorized vendors offices dealing with this purchase. (ii) Name and full address of the manufacturers/service providers/authorized vendors (iii) **Country of origin** is to be provided for each item. (iv) Purchase order to be placed on: Should be mentioned in the quotation with full address.
5. **Guarantee:** The tenderer has to declare that the goods sold to the buyer under this contract shall be of the best quality and workmanship and shall be strictly in accordance with the specifications.
6. **Patent Rights:** The Supplier shall indemnify IIT Kharagpur against all third-party claims of infringement of patent, trademark or industrial design rights, copyrights arising from use of the Goods or any part thereof in India.
7. **Indemnity:** The vendor shall indemnify, protect and save IIT Kharagpur against all claims, losses, costs, damages, expenses, action suits and other proceedings, resulting from infringement of any law pertaining to patent, trademarks, copyrights etc. or such other statutory infringements in respect of all the equipment(s) supplied by him.
8. **Jurisdiction:** All questions, disputes, or differences arising under, out of or in connection with the contract, if concluded, shall be subject to the exclusive jurisdiction at the place from which the acceptance of Tender is issued i.e. Jurisdiction of KOLKATA HIGH COURT. Acceptance to this effect is also necessary at the time of opening of Technical Bid.
9. **Acknowledgment:** It is hereby acknowledged that we have gone through all the points listed under “Instructions & Special Conditions” outlined above, and those in the accompanying note on “Important Conditions”, and we agree to abide by them under the penalty of permanent disqualification for Tender participation and for related penal actions for non-abidance of the conditions.
10. **Integrity Pact:** All Bidders shall have to sign the Integrity Pact with the Institute as per ‘Annexure XIII’. **Bids without a signed Integrity Pact shall be rejected.**

This Tenders comes under the purview of the Integrity Pact as per stipulations issued by the Government from time to time. Also, the Standard Operating Procedure (SOP) issued by Central Vigilance Commission (CVC) vide Circular No.: 05/01/22 dated: 25.01.2022 shall be adhered to while implementing the Integrity Pact in the tenders. Therefore, it is mandatory for prospective bidders to sign the Integrity Pact as per Annexure-XIII against the tender as per enclosed format. The IP would be implemented through a panel of Independent External Monitors (IEMs). The details of current IEMs are given below:

Shri Achintya Kumar Mandal

***Registrar, IIT Kharagpur***

Email : [registrar@iitkgp.ac.in](mailto:registrar@iitkgp.ac.in)

**Phone:** +91-3222-255221 / +91-3222-255622

**MINIMUM ELIGIBILITY CRITERIA / PRE-QUALIFICATION CRITERIA**

1. **Registration Certificate(s):** Certificate of incorporation, PAN, GST, Trade License shall be provided with the bid document.
2. **Past Experience of the bidder:**
  - a. The bidder should have minimum 7 years of working experience in India in the domain of compute infrastructure, with sales and support office in Eastern India. Documentary proof must be submitted.
  - b. **Experience in terms of execution of orders** The bidder should have at least 3 orders (each of minimum Rs. 6 Crores)/2 orders (each of minimum Rs. 9 Crores / 1 order (of minimum Rs. 12 Crores) for supply, installation, testing, commissioning and operation/maintenance of Compute Infrastructure equipment in the last 5 years either directly or through a system integrator (if bid submitted from OEM). Copies of purchase orders to be submitted as supporting documents.
3. **ISO Certification, if any:** The bidder should have both valid ISO 27000 Certification and ISO 9001 Certification. Valid certificates must be produced along with the bid
4. **Annual Average turnover for last three Financial Years:** The bidder should have a minimum average turnover of Rs. 20 Crores during last three financial years. Bidder shall enclose CA Certificate/Audited statement.
5. **Income Tax Return (ITR) for last three Financial Years:** Bidder shall enclose ITR certificates.
6. **Non-blacklisting certificate:** The bidder should not have been suspended or blacklisted by any Govt. Organization. **(An undertaking to this effect must be submitted by the bidder that the firm has not been suspended or blacklisted by any Govt. Organization in the past or as on the date of bidding).**

**Note:** The condition of prior turnover and prior experience may be relaxed for Start-ups (as defined by Department of Industrial Policy and Promotion) subject to meeting of quality & technical specifications and making suitable provisions in the bidding document (Rule 173 (i) of GFR 2017)
7. **OEM qualifications:**
  - a. OEM of active components should have registered office and spare depot in India. Documentary proof from OEM must be submitted.
  - b. OEM of active components should have 24 x7 toll-free call centers for providing technical assistance, Documentary proof from OEM must be submitted.

**TECHNICAL BID**

| <b>S. No</b> | <b>Description</b>                                                                                                                                               | <b>Submitted<br/>(Yes / No)<br/>(If Yes- Page No.)</b> |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------|
| 1            | Certificate of Incorporation / Registration Certificate                                                                                                          |                                                        |
| 2            | Trade License, PAN and GST Certificates                                                                                                                          |                                                        |
| 3            | Status of the Tenderer<br>(attach documents, if registered company/ partnership<br>/propriety ship)                                                              |                                                        |
| 4            | Manufacturer (OEM certificate) or Service Provider /Dealer<br>(Authorization and OEM certificate from Manufactures )                                             |                                                        |
| 5            | Details of key top official/authorized official with e -mail id<br>and contact number                                                                            |                                                        |
| 6            | Experience certificate (Previous Work Orders/Purchase<br>Orders, list of satisfactory clients with address and contact<br>number, completion certificates, etc.) |                                                        |
| 7            | Technical Compliance Statement, as per <b>Annexure - VI</b>                                                                                                      |                                                        |
| 8            | ISO/BIS/BIFMA/Any Certificate, if any                                                                                                                            |                                                        |
| 9            | Average turnover of company in last three Financial years, if<br>any. Bidder shall enclose CA Certificate/Audited statement as<br>per <b>Annexure - VII</b>      |                                                        |
| 10           | Income Tax Returns of last three Financial years                                                                                                                 |                                                        |
| 11           | EMD                                                                                                                                                              |                                                        |
| 12           | Declaration as per <b>Annexure - VIII</b>                                                                                                                        |                                                        |
| 13           | Undertaking / Self-Certification of non-blacklisting as per<br><b>Annexure - IX</b>                                                                              |                                                        |
| 14           | Certification on compliance under Rule 144 (xi) of the<br>General Financial Rules (GFRs) 2017 as per <b>Annexure – X</b>                                         |                                                        |
| 15           | Certification on Compliance under Rule 153 (iii) of the<br>General Financial Rules (GFRs) 2017 / Declaration for Local<br>content as per <b>Annexure - XI</b>    |                                                        |
| 17           | Other documents like literature, catalogues etc.,(if any)                                                                                                        |                                                        |

**NOTE:**

1. **Attach all relevant documents in the same serial order as above, properly indexed, duly signed.**
2. **This is to be submitted in a separate sealed envelope** super scribing “TECHNICAL BID”, Notice inviting **Tender Reference no.** and name of the bidder.
3. Price bid of that company/firm only will be opened which do technically qualify, for further consideration. **Attach all relevant documents in the same serial order as above, properly indexed, duly signed and sealed.**

**Signature and seal of the Bidder**



## TECHNICAL COMPLIANCE STATEMENT

(All compliance should be supported with reference document)

**ALL Specifications must be supported from Day one with all license and support code**

### **Server-Type 1**

| S/N | Parameter          | Specification                                                                                                                                                                                                     | Compliance (Yes/No) |
|-----|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| 1   | Form Factor        | 1U rack mount server with front locking bezel, cable manager, sliding rails & accessories                                                                                                                         |                     |
| 2   | Processor          | Two numbers of 6th generation x86 processor with 32-cores/64-Threads and 2.8GHz or higher. The release date of Server CPU to be supplied must be on and after Q2 2024.                                            |                     |
| 3   | Memory             | 256 GB Memory with minimum DDR5 5600MT/s. Should have memory minimum 24 Slots, Max memory should support 8TB                                                                                                      |                     |
| 4   | Storage controller | 12Gbps PCIe controller supporting RAID 1, 5, 6, 10 and RAID cache of minimum 4GB or higher. Controller should support SAS. SATA Drives                                                                            |                     |
| 5   | Hard Disk Drive    | Minimum 2 numbers of SSD 12 Gbps 512e 2.5in Hot-Plug or higher . Minimum usable space will be 1 TB with RAID 1                                                                                                    |                     |
| 6   | I/O Slots          | PCIe Gen 5 with at least 2 x16 Slots                                                                                                                                                                              |                     |
| 7   | Network Port       | Minimum 2 x 1GbE (RJ-45) and atleast Dual 2 x 10Gbps SFP+ populated with 4x10G SR SFP+                                                                                                                            |                     |
| 8   | FC HBA interface   | Minimum 2 x 32Gbps FC HBA Ports                                                                                                                                                                                   |                     |
| 9   | Other Interfaces   | 1 x 1Gbps system management port (RJ-45), Minimum 3 x USB ports                                                                                                                                                   |                     |
| 10  | OS certification   | Certified for latest version of Red Hat Enterprise Linux, SUSE Linux Enterprise Server, Microsoft Windows Server, Ubuntu , Oracle Linux, & VMWare                                                                 |                     |
| 11  | Power Supply       | Minimum Platinum certified redundant power supplies                                                                                                                                                               |                     |
| 12  | Fans               | Fully populated redundant hot-swap system fans                                                                                                                                                                    |                     |
| 13  | System health      | Monitoring fan, power supply, memory, CPU, RAID, NIC & proactive reporting for impending failure as well as automated support case creation with OEM support TAC                                                  |                     |
| 14  | BIOS               | System should boot with & run the BIOS of the OEM make (manufacturer) that is quoted to evaluate intellectual property, MII compliance & security. All Updates should happen through OEM Portal or OEM resources. |                     |
| 15  | Security           | Publicly available links, verifiable evidence must be submitted against each of the feature below                                                                                                                 |                     |
|     |                    | Immutable Silicon chip Hardware Root of Trust                                                                                                                                                                     |                     |
|     |                    | Automatic BIOS recovery                                                                                                                                                                                           |                     |
|     |                    | Firmware drift detection & alerting during boot as well as server run time                                                                                                                                        |                     |

|    |                     |                                                                                                                                                                                                                                                                                          |  |
|----|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|    |                     | Cryptographically signed firmware updates                                                                                                                                                                                                                                                |  |
|    |                     | Server should support secure boot and secure erase of Data                                                                                                                                                                                                                               |  |
|    |                     | System lockdown support to lock down configuration and firmware, protecting the server from inadvertent or malicious changes                                                                                                                                                             |  |
|    |                     | Secure default passwords during transit                                                                                                                                                                                                                                                  |  |
|    |                     | Persistent event logging including user activity                                                                                                                                                                                                                                         |  |
|    |                     | Drive security, including secure system erase for HDD, SSD & NVMe                                                                                                                                                                                                                        |  |
|    |                     | Protection against compromised firmware execution                                                                                                                                                                                                                                        |  |
|    |                     | UEFI secure boot with custom certificates                                                                                                                                                                                                                                                |  |
|    |                     | Intrusion alert in case chassis being opened                                                                                                                                                                                                                                             |  |
| 16 | System Management   | Manufacturer's system management software supporting virtual media, virtual folders, remote file share & virtual console                                                                                                                                                                 |  |
| 17 | Access & management | Integrated remote access controller & software should support advanced agent-free local and remote server administration & support for features like configuration, firmware updates, OS deployment, health monitoring & diagnostics. Server should have a dashboard showing above data. |  |
| 18 | Warranty            | 5-year comprehensive warranty with 24x7x365 TAC support and next business day on-site delivery of the replacement device in case of hardware failure. Warranty should be listing in OEM support site                                                                                     |  |

**Server-Type II (Comply same specifications of Server-Type I except the point number 5 and 8 as mentioned below)**

| S/N | Parameter        | Specification                                                                                               | Compliance (Yes/No) |
|-----|------------------|-------------------------------------------------------------------------------------------------------------|---------------------|
| 5   | Hard Disk Drive  | Minimum 5X3.84 TB SSD 12 Gbps 512e 2.5in Hot-Plug or higher. Minimum usable space will be 10 TB with RAID 6 |                     |
| 8   | FC HBA interface | Server should support FC HBA for future expansion                                                           |                     |

**Primary high-speed Block Storage**

| S/N | Parameter                    | Specification                                                                                                              | Compliance (Yes/No) |
|-----|------------------------------|----------------------------------------------------------------------------------------------------------------------------|---------------------|
| 1   | Controllers                  | Storage system must be NVMe based Dual Active-Active controllers with 99.9999% availability and NSPOF supporting RAID 5/6. |                     |
| 2   | Processor                    | Intel/AMD                                                                                                                  |                     |
| 3   | System Memory per Controller | System Memory per controller should be minimum 128 GB, Total memory of the storage should be minimum 256 GB                |                     |
| 4   | Interfaces                   | Interface type must be FC, iSCSI<br>At least 4 no. host-side FC ports with 32 Gbps capacity per controller                 |                     |

|   |                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
|---|-------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|   |                                                                                                             | <p>End to End NVMe system with NVMe as backend</p> <p>At least 2 no. iSCSI ports with 10 Gbps maximum capacity</p> <p>Separate management port per controller</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| 5 | Capacity, Type of disks and performance                                                                     | <p>150 TB usable capacity in RAID 5/RAID 6 without deduplication and compression using maximum 15.36 TB hot-swap SFF NVMe SSD drives (non QLC). Spare capacity with hot spare disk/capacity (at least 2 nos.) needs to be configured as per best practices of the OEM. The selected bidder (OEM/if not OEM) must specify the exact raw capacity and number of disks that will be provided to achieve the desired usable capacity specified. Offered array must be scalable to at least 200 TB with addition of NVMe only.</p> <p>Offered storage must support 1Lakh IOPS with 8 KB block 70:30 Read:Write.</p> <p>Maximum Block Volumes/Clones (FC/iSCSI/NVMe) of the system 1000 number.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| 6 | Mandatory Features including Deduplication, Compression, Replication & Snapshot and licenses to be Provided | <p>The SAN switch and the storage are to be connected through FC ports in a fault tolerant manner such that the system will continue to function properly even when one controller fails. Hot spare disks to be provisioned. Storage Management software to be offered for the required full scalable capacity (100 TB) of the storage. Management software must be from the same OEM.OEM shall offer only the encrypted drives with appropriate encryption licenses. Encryption should seamlessly work with all the storage features and without any performance degradation. The proposed array should support always on enterprise class data services including - Thin Provisioning, Inline Compression &amp; Deduplication, Replication, Snapshot (with ROW algorithm). Data reduction must be supported on block (FCP, iSCSI) data and VVOLs. OEM must provide signed data reduction guarantee letter for supporting at least 3:1 data reduction ratio. All licenses must be included, with free upgrades for the entire warranty period. Web-published OEM documentary evidence for all the mentioned features must be submitted by the bidder (OEM/if not OEM).</p> |  |
| 7 | Virtualization and Multipathing Software                                                                    | <p>All the volumes or LUNS of the storage must be mounted to all the rack servers, so that virtualization software like KVM, VMware, RHV, Proxmox VE etc. in all the servers must be able to create required numbers of VM.</p> <p>Multipathing and Load Balancing software packages should be provided for fault-tolerance and optimized</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |

|    |                                            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |  |
|----|--------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|    |                                            | performance.<br>All licenses must be included with free upgrades for the entire warranty period.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |  |
| 8  | Management Interface                       | The proposed array must be supplied from the same OEM with native storage management software with Web based GUI capable of generating customized reports, real time monitoring, historical performance data for analysis and trending, capacity utilization monitoring.<br>All licenses must be included with free upgrades for the entire warranty period.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |
| 9  | VMware Virtualization Software Integration | Storage solution should support VMware integration options VMware VAAI, SRM, VASA, VVOLs and VMware Cloud Foundation (VCF) for multi-cloud data mobility. Detailed document to be provided for the same. Proposed storage should include software to create VM consistent point-in-time copies with support for granular data restoration.<br>Storage array management should be performed from VMware vCenter using Plug-in<br>Storage management console should be VMware aware and should report Virtual Machines running on storage datastore/VVOL container, including VM level performance and capacity details<br>Storage array should be certified with VMware Cloud Foundation (VCF)<br>Support for VMware SRM for integration with storage based replication<br>Storage solution should support integration options to enable DevOps and Infrastructure automation.<br>All mentioned options should be officially supported by bidder (OEM/if not OEM) |  |
| 10 | Form factor                                | With necessary accessories to be supplied for mounting to the rack                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |
| 11 | Power, Cooling                             | Redundant and hot-swap power supply and fans.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |  |
| 12 | Warranty and Support                       | The vendor should provide 5 years warranty with 24 x 7 x 365 support.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |  |

### **Secondary Storage**

| S/N | Parameter   | Specification                                                                        | Compliance (Yes/No) |
|-----|-------------|--------------------------------------------------------------------------------------|---------------------|
| 1   | Controllers | Dual active-active hot-swappable controllers; support for modular upgrades of disks. |                     |

|    |                     |                                                                                                                                                                                                                                                                                                                        |  |
|----|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 2  | Host interface      | Minimum 8 x 10GbE iSCSI SFP+ ports (4 per controller), should auto-negotiate populated with minimum 4x10GbE SR SFP+                                                                                                                                                                                                    |  |
| 3  | Host connection     | iSCSI host ports to connect servers through network switches.                                                                                                                                                                                                                                                          |  |
| 4  | Disk interface      | 2x 12 Gbps SAS expansion port (1 per controller).                                                                                                                                                                                                                                                                      |  |
| 5  | Management          | Minimum 1x1G RJ45/ USB port.                                                                                                                                                                                                                                                                                           |  |
| 6  | Cache               | Minimum of 16 GB cache per controller mirrored. Cache shall be backed up in case of power failure for indefinite time either using batteries or capacitors or any other equivalent technology. Offered Storage should have SSD read cache to increase execution speed of applications by caching previously read data. |  |
| 7  | Capacity            | Minimum usable 60 TB by using SAS 10K hot pluggable Hard Disk. Input/output performance required of storage should be minimum of 2000 IOPS, with write rate 50% and read rate 50%. Usable disk space should be calculated with RAID 5 or 6.                                                                            |  |
| 8  | Scalability         | Storage subsystem should support both SFF and LFF drives disk enclosures. Storage shall be scalable to minimum of 240 number of disks.                                                                                                                                                                                 |  |
| 9  | Architecture        | The storage array should be dual, redundant, hot pluggable, active-active array controllers for high performance and reliability.                                                                                                                                                                                      |  |
| 10 | Disk Drive Support  | Storage system shall support Enterprise SAS spinning drives, SSD and near line SAS / 7.2K RPM drives.                                                                                                                                                                                                                  |  |
| 11 | Array configuration | Should support Arrays of all-flash, hybrid flash, HDD                                                                                                                                                                                                                                                                  |  |
| 12 | Raid Support        | RAID 1, 5, 6, 10; any combination of RAID levels should exist in single array.                                                                                                                                                                                                                                         |  |
| 13 | Thin provisioning   | Should be active by default on all volumes & operate at full performance across all features. Should offer the license of thin provisioning for complete supported capacity of the array                                                                                                                               |  |
| 14 | Snapshots           | Provide min 512 "redirect-on-write" snapshots per array                                                                                                                                                                                                                                                                |  |
| 15 | Volume copy         | Complete copy of standalone volumes                                                                                                                                                                                                                                                                                    |  |
| 16 | Encryption          | Should support data-at-rest encryption at drive level, self-encrypting drives (SEDs) in SSD or HDD formats, Full Disk Encryption (FDE) based on AES 256 & support for drives certified to FIPS 140-2 Level 2                                                                                                           |  |
| 17 | OS Support          | Linux, Windows, VMWare, RedHat, KVM                                                                                                                                                                                                                                                                                    |  |
| 18 | Global hot spare    | Offered Storage Array should have Global hot Spare for offered Disk drives for automatic replacement of a failed drive in a disk group. At least 2 Global hot spare drive shall be configured for every 30 drives.                                                                                                     |  |

|    |                              |                                                                                                                                                                                                                                                                                                    |  |
|----|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 19 | Logical Volume & Performance | Storage Subsystem shall support minimum of 512 Logical Units. Storage Array shall also support creation of more than 120TB volume at controller level. Offered Storage shall have inbuilt performance management software. Configuration Dashboard shall show overall IOPS and MB/sec performance. |  |
| 20 | Array management             | Manageable from a web-based single, secure interface without using a separate management device or server.                                                                                                                                                                                         |  |
| 21 | Warranty                     | 5-year comprehensive warranty with 24x7x365 TAC support and next business day on-site delivery of the replacement device in case of hardware failure. Warranty should be listing in OEM support site.                                                                                              |  |

### **San Switch**

| S/N | Parameter                             | Specification                                                                                                                                                                                                                                                                                                                                                                       | Compliance (Yes/No) |
|-----|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|
| 1   | Fibre Channel Ports                   | Switch with minimum 48 FC ports with 24 ports loaded. Each port can be populated with minimum of 32Gb/s SFPs can operate at 32, 16 or 8Gb/s.                                                                                                                                                                                                                                        |                     |
| 2   | Patch cables                          | OM4 LC/LC Multi Mode Fiber Cable (optics required), 3 Meter quantity 48 no.                                                                                                                                                                                                                                                                                                         |                     |
| 3   | Aggregate Bandwidth and frame Buffers | Minimum of 2Tb/s and 15,000 dynamically allocated.                                                                                                                                                                                                                                                                                                                                  |                     |
| 4   | Power supply.                         | Dual power supplies with embedded cooling with 2 no of C13 Power Cord 2 Meter - India                                                                                                                                                                                                                                                                                               |                     |
| 5   | Management                            | Supported protocol SSH, Syslog NTP v3, CLI, SMI-S ; REST API, HTTP, SNMP v3 ,FE MIB, FC Management MIB, Auditing, Advance Web login with 10/100/1000 Mb/s Ethernet (RJ-45), In-band over Fibre Channel, Serial port or RJ-45 port, and one USB ports. And with SANnav management portal for efficient and productive by providing comprehensive visibility into the SAN environment |                     |
| 6   | Hardware Support                      | Comprehensive OEM Next Business Day Onsite Service, 60 Month(s)                                                                                                                                                                                                                                                                                                                     |                     |

### **LAN SWITCH**

| S/N | Parameter        | Specification                                                                  | Compliance (Yes/No) |
|-----|------------------|--------------------------------------------------------------------------------|---------------------|
| 1   | General Features | Switch should be 1U and rack mountable.                                        |                     |
| 2   |                  | Switch should support internal hotswappable Redundant Power supply from Day 1. |                     |

|    |               |                                                                                                                                                                                                                                                                                                                                 |  |
|----|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 3  |               | Switch should have redundant hotswappable fans.                                                                                                                                                                                                                                                                                 |  |
| 4  |               | Switch should have minimum 8 GB RAM and 8 GB Flash.                                                                                                                                                                                                                                                                             |  |
| 5  |               | Switch should support stacking or equivalent virtualization technologies to combine of two or more switches into one. Should support for minimum 160 Gbps of throughput. If stacking or equivalent virtualization technologies require different type of cable and/or different port module, those need to supplied from day 1. |  |
| 6  | Performance   | Switch shall have minimum 3.2 Tbps of switching fabric and 1000 Mpps of forwarding rate.                                                                                                                                                                                                                                        |  |
| 7  |               | Switch shall have minimum 32K MAC Addresses and 1000 active VLAN.                                                                                                                                                                                                                                                               |  |
| 8  |               | Should support minimum 24K IPv4 routes or more and 12K IPv6 routes or more                                                                                                                                                                                                                                                      |  |
| 9  |               | Switch shall have 4K or more multicast routes.                                                                                                                                                                                                                                                                                  |  |
| 10 |               | Switch should support at least flow (sflow/netflow or equivalent) entries                                                                                                                                                                                                                                                       |  |
| 11 |               | Switch should support 64 or more STP Instances.                                                                                                                                                                                                                                                                                 |  |
| 12 |               | Switch should have 16MB or more packet buffer.                                                                                                                                                                                                                                                                                  |  |
| 13 | Functionality | Switch should support IEEE Standards of Ethernet: IEEE 802.1D, 802.1s, 802.1w, 802.1x, 802.3ad, 802.3x, 802.1p, 802.1Q, 802.3, 802.3u, 802.3ab, 802.3z.                                                                                                                                                                         |  |
| 14 |               | Switch must have functionality like static routing, Policy Based Routing (PBR) and features from Day1                                                                                                                                                                                                                           |  |
| 15 |               | Should have advance Layer 3 protocol like BGP (ipv4 and ipv6), VRF, OSPF (v2, v3), MPBGP, QoS from Day 1                                                                                                                                                                                                                        |  |
| 16 |               | VLAN, Private VLAN, Virtual Router Redundancy Protocol (VRRP) or equivalent, Link Aggregation Protocol (LACP), STP (IEEE 802.1D, IEEE 802.1w, IEEE 802.1s), 802.1Q Trunking, 802.1Q from Day 1                                                                                                                                  |  |
| 17 |               | Switch should have 802.1p class of service and Differentiated Service Code Point (DSCP) classification, policing and shaping.                                                                                                                                                                                                   |  |

|    |               |                                                                                                                                                                                              |  |
|----|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| 18 |               | Switch should have management features like SSHv2, SNMPv2, NTP, RADIUS and TACACS+ from Day 1.                                                                                               |  |
| 19 |               | Switch should support 802.1x authentication and accounting, IPv4 and IPv6 ACLs and Dynamic VLAN assignment from Day one                                                                      |  |
| 20 |               | Switch should have dual stack for ipv4 & ipv6 supported and transitions from IPv4 to IPv6 supporting from day 1.                                                                             |  |
| 21 |               | The hardware should be ipv6 ready for Day 1.                                                                                                                                                 |  |
| 22 |               | OS should have support for Management automation vis Netconf/Yang /REST API or equivalent.                                                                                                   |  |
| 23 |               | System should capable to understand that system OS are authentic and unmodified, it should have cryptographically signed images to provide assurance that the firmware & BIOS are authentic. |  |
| 24 | Interface     | Each switch should have 48 numbers 1/10 SFP+ ports loaded with 38 numbers of 10G Multimode transceivers and 10 numbers of 1G Copper transceivers from day 1.                                 |  |
| 25 |               | Should support both Long range & Short range SFP in all ports.                                                                                                                               |  |
| 26 |               | All switches & Transceiver module should be from same OEM.                                                                                                                                   |  |
| 27 |               | 1 x Console port (RJ45/USB)                                                                                                                                                                  |  |
| 28 | Certification | Switch shall conform to UL 60950 or IEC 60950 or CSA 60950 or EN 60950 Standards for Safety requirements of Information Technology Equipment.                                                |  |
| 29 |               | Switch shall conform to EN 55022 or 55032 Class A/B or CISPR22 Class A/B or CE Class A/B or FCC Class A/B Standards for EMC (Electro Magnetic Compatibility) requirements.                   |  |
| 30 |               | Switch / Switch's Operating System should be tested for EAL 2/NDPP/IEC 15408 or equivalent under Common Criteria Certification.                                                              |  |
| 31 |               | Switch shall conform to UL 60950 or IEC 60950 or CSA 60950 or EN 60950 Standards for Safety requirements of Information Technology Equipment.                                                |  |
| 32 | Warranty      | Switch should have 5 years of Hardware, Software and direct technical support of OEM from Day 1                                                                                              |  |



**FINANCIAL INFORMATION**

Tender No.: ....., dated:.....

Item Name: .....

Bidder Name: .....

Address and Contact no.: .....

PAN No....., GST No.....

Details to be furnished duly supported by figures in the Balance Sheet/ Profit & Loss Account for the last three preceding years (Financial years) duly certified by the Chartered Accountant, as submitted by the applicant to the Income Tax Department (copies to be attached).

| Sl. No. | Details                                    | Year ending 31st March             |                                    |                             |
|---------|--------------------------------------------|------------------------------------|------------------------------------|-----------------------------|
|         |                                            | Last but two Financial Year (FY-3) | Last but one Financial Year (FY-2) | Last Financial Year (FY -1) |
| 01      | Gross annual turnover in the similar works |                                    |                                    |                             |
| 02      | Profit (+) / Loss (-)                      |                                    |                                    |                             |

1. Income Tax Return
2. Audited Account of the company for last three years
3. Income Tax, PAN Details
4. GST No.

This is to certify that to the best of my knowledge and belief, the aforesaid facts and figures are correct and in conformity with the books of accounts of the establishment.

Dated: Signature of Chartered Accountant  
with seal and membership number

**DECLARATION**

1. I, -----Son /Daughter of Shri -----  
-----Proprietor/Partner/CEO/MD/Director/Authorized  
Signatory of M/s.-----am competent to sign  
this declaration and execute this tender document.
2. Tender ref no: \_\_\_\_\_ dt:\_\_\_\_\_ . I have carefully  
  
read and understood all the terms and conditions of the tender and hereby convey  
my acceptance of the same.
3. The information/ documents furnished along with the above application are true  
and authentic to the best of my knowledge and belief.
4. I/we am/are well aware of the fact that furnishing of any false information/  
fabricated document would lead to rejection of my tender at any stage besides  
liabilities towards prosecution under appropriate law.
5. Each page of the tender document and papers submitted by my Company is  
authenticated, sealed and signed, and I take full responsibility for the entire  
documents submitted.

Signature of the Authorized Person

Date: -----

Full Name: -----

Place: -----

Company Seal: -----

Tender No.: .....,

dated:.....

**UNDERTAKING REGARDING BLACKLISTING / NON – DEBARMENT**  
(On Company / firm's Letterhead)

I/We hereby confirm and declare that we, M/s -----, is not blacklisted/ Deregistered/ debarred by any Government department/ Public Sector Undertaking/ Private Sector/ or any other agency for which we have Executed/ Undertaken the works/ Services as on date.

Signature of the Authorized Person

Date: -----

Full Name: -----

Place: -----

Company Seal: -----

(On Company / firm's Letterhead)

TenderNo:.....

Dated:.....

**CERTIFICATE**

I/we have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I/we hereby certify that this bidder is not from such a country and is eligible to be considered.

***OR (whichever is applicable)***

I/we have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India; I/we hereby certify that this bidder is from \_\_\_\_\_(Name of Country) and has been registered with the Competent Authority. I/we also certify that this bidder fulfils all the requirements in this regard and is eligible to be considered.

***(Copy/ evidence of valid registration by the Competent Authority is to be attached with the bid document)***

Signature of the Authorized Person

Date: -----

Full Name: -----

Place: -----

Company Seal: -----

**(On Company / firm's Letterhead)**

Tender No:.....

Dated:.....

**CERTIFICATE**

I/we have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries and hereby certify that this bidder is not from such a country and will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority.

***OR (whichever is applicable)***

I/we have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India and on sub-contracting to contractors from such countries; I/we hereby certify that this bidder is from \_\_\_\_\_(Name of Country) and has been registered with the Competent Authority and will not sub-contract any work to a contractor from such countries unless such contractor is registered with the Competent Authority. I/we also certify that this bidder fulfils all the requirements in this regard and is eligible to be considered.

***(Copy/ evidence of valid registration by the Competent Authority is to be attached with the bid document)***

Signature of the Authorized Person

Date: -----

Full Name: -----

Place: -----

Company Seal: -----

**DECLARATION OF LOCAL CONTENT**

(To be given on Company Letter Head – For tender value upto Rs.10 Crores)

(To be given by Statutory Auditor/Cost Auditor/ Practising Cost Accountant/ Practising Chartered Accountant for tender value in excess of Rs.10 Crores)

Tender No:.....

Dated:.....

To

The Chairman

Departmental Purchase Committee

Department of .....

IIT Kharagpur

PIN: 721302

**Subject: Declaration of Local Content-reg.**

1. Country of origin of Goods being offered:.....
2. We hereby declare that items offered has .....% *local content*.  
(*Clarification for Local content calculation as per OM No: P-45021/102/2019-BE-II-Part (1) (E-50310), dated 4<sup>th</sup> March 2021 of Department of Promotion of Industry and Internal Trade, Ministry of Commerce and Industry, Govt. of India.*)
3. The details of the location(s) at which local value addition is made are given in the below table;

| Sl. No. | Name of the item | Location(s) of local value addition<br>(Complete address of the manufacturing unit with PIN code) |
|---------|------------------|---------------------------------------------------------------------------------------------------|
| 1       | 2                | 3                                                                                                 |
|         |                  |                                                                                                   |
|         |                  |                                                                                                   |

"Local Content" means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of the imported content in the item (including all customs duties) as a proportion of the total value, in percent.

**Important:**

"False declaration will be in breach of Code of Integrity under Rule 175(1)(i)(h) of the General Financial Rules 2017 for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules 2017 along with such other actions as may be permissible under law."

Date:

Yours faithfully,

(Signature of the bidder, with Official Seal)

(on the official Letterhead of the company/firm)

**FINANCIAL BID FORMAT****Tender No. IIT/CIC/Compute/2026-27/23 dated: 28/08/2026****Tender for the upgradation of existing compute infrastructure of CIC****Table 1: List of items**

| No | Description                                                                                                                                                    | Qty(<br>(In<br>Num<br>bers) | Unit Price<br>without<br>taxes (in<br>Rs.) | Taxes<br>Rs | Unit Price<br>with Taxes<br>(in Rs.) | Total<br>Amount (in<br>Rs.) |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--------------------------------------------|-------------|--------------------------------------|-----------------------------|
|    |                                                                                                                                                                | A                           | B                                          | C           | D=(B+C)                              | E =(A * D)                  |
| 1  | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for Bare metal servers-Type 1              | 19                          |                                            |             |                                      |                             |
| 2  | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for Bare metal servers-Type 2              | 02                          |                                            |             |                                      |                             |
| 3  | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for Storage with 100 TB useable disk space | 01                          |                                            |             |                                      |                             |
| 4  | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for Storage with 60 TB useable disk space  | 01                          |                                            |             |                                      |                             |
| 5  | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for 48 port SAN Switch                     | 02                          |                                            |             |                                      |                             |
| 6  | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for 48 port 10G switch                     | 02                          |                                            |             |                                      |                             |

|                                                                               |                                                                                                                                                                       |    |  |  |  |  |
|-------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|--|--|--|--|
| 7                                                                             | Supply, Installation, 5 years comprehensive onsite warranty and remote 24x7 support (over telephone, email and Web) for 24 port KVM switches with connectivity cables | 02 |  |  |  |  |
| 8                                                                             | Supply, Installation and 5 years comprehensive onsite warranty for Monitor, keyboard and mouse                                                                        | 02 |  |  |  |  |
| Total Price with all taxes including 5 years comprehensive onsite warranty(X) |                                                                                                                                                                       |    |  |  |  |  |

In words : Rupees \_\_\_\_\_

1. Price bid of any other form submitted by the bidder (other than in this format specified in the tender) will be rejected.
2. Non-conformities between Figures and Words:
  - a. If, in the price structure quoted for the required goods, there is discrepancy between the unit price and total price (which is obtained by multiplying the unit price by the quantity), the unit price shall prevail and the total price shall be corrected accordingly;
  - b. If there is an error in a total corresponding to the addition or subtraction of sub-totals, the sub-totals shall prevail and the total shall be corrected; and
  - c. If there is a discrepancy between words and figures, the amount in words shall prevail.

**Signature of the bidder along with seal**



**INTEGRITY PACT**

This **INTEGRITY PACT** is made and executed at ..... on this day of 2026

BY AND BETWEEN

**The Director of IIT Kharagpur** acting through, Shri Achintya Kumar Mandal, Registrar, IIT Kharagpur having its office located at IIT Kharagpur, Kharagpur – 721302 (hereinafter referred to as '**The Principal**' which terms or expression shall, unless excluded by or repugnant to the subject or context, mean and include its successor-in-office, administrators or permitted assignees) of the **First Part**;

**AND**

**M/s**..... a company incorporated under the Companies Act ..... through its representative/authorized signatory (insert name and designation of the officer) vide resolution dated ..... passed by the Board of Directors, having its office at ..... (hereinafter referred to as '**The Bidder/Contractor**' which term or expression shall, unless excluded by or repugnant to the subject or context, mean and include its successor-in-office, administrators or permitted assignees) of the **Second Part**.

**Preamble**

The Principal intends to award, under laid down organizational procedures, contract/s for ..... The Principal values full compliance with all relevant laws of the land, rules, regulations, economic use of resources and of fairness / transparency in its relations with its Bidder(s) and / or Contractor(s).

In order to achieve these goals, the Principal will appoint Independent External Monitors (IEMs) who will monitor the tender process and the execution of the contract for compliance with the principles mentioned above.

**Section 1 – Commitments of the Principal**

- (1) The Principal commits itself to take all measures necessary to prevent corruption and to observe the following principles:-
  - a. No employee of the Principal, personally or through family members, will in connection with the tender for, or the execution of a contract, demand, take a promise for or accept, for self or third person, any material or immaterial benefit which the person is not legally entitled to.
  - b. The Principal will, during the tender process treat all Bidder(s) with equity and reason. The Principal will in particular, before and during the tender process, provide to all Bidder(s) the same information and will not provide to any Bidder(s) confidential / additional information through which the Bidder(s) could obtain an advantage in relation to the tender process or the contract execution.

- c. The Principal will exclude from the process all known prejudiced persons.
- (2) If the Principal obtains information on the conduct of any of its employees which is a criminal offence under the IPC/PC Act, or if there be a substantive suspicion in this regard, the Principal will inform the Chief Vigilance Officer and in addition can initiate disciplinary actions.

## **Section 2 – Commitments of the Bidder(s)/Contractor(s)**

- (1) The Bidder(s)/Contractor(s) commit themselves to take all measures necessary to prevent corruption. The Bidder(s)/Contractor(s) commit themselves to observe the following principles during participation in the tender process and during the contract execution.
- a. The Bidder(s)/Contractor(s) will not, directly or through any other person or firm, offer, promise or give to any of the Principal's employees involved in the tender process or the execution of the contract or to any third person any material or other benefit which he/she is not legally entitled to, in order to obtain in exchange any advantage of any kind whatsoever during the tender process or during the execution of the contract.
  - b. The Bidder(s)/Contractor(s) will not enter with other Bidders into any undisclosed agreement or understanding, whether formal or informal. This applies in particular to prices, specifications, certifications, subsidiary contracts, submission or non-submission of bids or any other actions to restrict competitiveness or to introduce cartelization in the bidding process.
  - c. The Bidder(s)/Contractor(s) will not commit any offence under the relevant IPC/PC Act; further the Bidder(s)/Contractor(s) will not use improperly, for purposes of competition or personal gain, or pass on to others, any information or document provided by the Principal as part of the business relationship, regarding plans, technical proposals and business details, including information contained or transmitted electronically.
  - d. The Bidder(s)/Contractor(s) of foreign origin shall disclose the name and address of the Agents/representatives in India, if any. Similarly, the Bidder(s)/Contractor(s) on Indian Nationality shall furnish the name and address of the foreign principals, if any. Further all details of Foreign Supplier and its Indian Agent shall be disclosed by the Bidder(s)/Contractor(s). Further, all the payments made to the Indian agent/representative have to be in Indian Rupees only.
  - e. The Bidder(s)/Contractor(s) will, when presenting their bid, disclose any and all payments made, is committed to or intends to make to agents, brokers or any other intermediaries in connection with the award of the contract.

- f. Bidder(s)/Contractor(s) who have signed the Integrity Pact shall not approach the Courts while representing the matter to IEMs and shall wait for their decision in the matter.
- (2) The Bidder(s)/Contractor(s) will not instigate third persons to commit offences outlined above or be an accessory to such offences.

### **Section 3 – Disqualification from tender process and exclusion from future contracts**

If the Bidder(s)/Contractor(s), before award or during execution has committed a transgression through a violation of Section 2, above or in any other form such as to put their reliability or credibility in question, the Principal is entitled to disqualify the Bidder(s)/Contractor(s) from the tender process or take action as appropriate as per guidelines.

### **Section 4 – Compensation for Damage**

- (1) If the Principal has disqualified the Bidder(s) from the tender process prior to the award according to Section 3, the Principal is entitled to demand and recover the damages equivalent to Earnest Money Deposit/Bid Security.
- (2) If the Principal has terminated the contract according to Section 3, or if the Principal is entitled to terminate the contract according to Section 3, the Principal shall be entitled to demand and recover from the Contractor liquidated damages of the Contract value or the amount equivalent to Performance Bank Guarantee.

### **Section 5 – Previous transgression**

- (1) The Bidder declares that no previous transgressions occurred in the last three years with any other Company in any country conforming to the anti-corruption approach or with any Public Sector Enterprise in India that could justify his exclusion from the tender process.
- (2) If the Bidder makes incorrect statement on this subject, he can be disqualified from the tender process or action can be taken as per the guidelines.

### **Section 6 – Equal treatment of all Bidders / Contractors / Subcontractors**

- (1) In case of Sub-contracting, the Principal Contractor shall take the responsibility of the adoption of Integrity Pact by the Sub-contractor.
- (2) The Principal will enter into agreements with identical conditions as this one with all Bidders and Contractors.
- (3) The Principal will disqualify from the tender process all bidders who do not sign this Pact or violate this provisions.

## **Section 7 – Criminal charges against violating Bidder(s) / Contractor(s) / Subcontractor(s)**

If the Principal obtains knowledge of conduct of a Bidder, Contractor or Subcontractor, or of an employee or a representative or an associate of a Bidder, Contractor or Subcontractor which constitutes corruption, or if the Principal has substantive suspicion in this regards, the Principal will inform the same to the Chief Vigilance Officer.

## **Section 8 – Independent External Monitor**

- (1) The Principal appoints competent and credible Independent External Monitor for this Pact after approval by Central Vigilance Commission. The task of the Monitor is to review independently and objectively, whether and to what extent the parties comply with the obligations under this agreement.
- (2) The Monitor is not subject to instructions by the representatives of the parties and performs his/her functions neutrally and independently. The Monitor would have access to all Contract documents, whenever required. It will be obligatory for him / her to treat the information and documents of the Bidders/Contractors as confidential. He/ she reports to Secretary, Department of Higher Education, MoE.
- (3) The Bidder(s)/Contractor(s) accepts that the Monitor has the right to access without restriction to all Project documentation of the Principal including that provided by the Contractor. The Contractor will also grant the Monitor, upon his/her request and demonstration of a valid interest, unrestricted and unconditional access to their project documentation. The same is applicable to Sub- contractors.
- (4) The Monitor is under contractual obligation to treat the information and documents of the Bidder(s)/Contractor(s)/Sub-contractor(s) with confidentiality. The Monitor has also signed declarations on 'Non-Disclosure of Confidential Information' and of 'Absence of Conflict of Interest'. In case of any conflict of interest arising at a later date, the IEM shall inform Secretary, D/o Higher Education, MoE.
- (5) The Principal will provide to the Monitor sufficient information about all meeting among the parties related to the Project provided such meetings could have an impact on the contractual relations between the Principal and the Contractor. The parties offer to the Monitor the option to participate in such meetings.
- (6) As soon as the Monitor notices, or believes to notice, a violation of this agreement, he/she will so inform the Management of the Principal and request the Management to discontinue or take corrective action, or to take other relevant action. The Monitor can in this regard submit non-binding recommendations. Beyond this, the Monitor has no right to demand from the parties that they act in a specific manner, refrain from action or tolerate action.

- (7) The Monitor will submit a written report to the Secretary, D/o Higher Education within 8 to 10 weeks from the date of reference or intimation to him by the Principal and, should the occasion arise, submit proposal for correcting problematic situations.
- (8) If the Monitor has reported to the Secretary, D/o Higher Education, a substantiated suspicion of an offence under relevant IPC/PC Act, and the Secretary, MoE has not, within the reasonable time taken visible action to proceed against such offence or reported it to the Chief Vigilance Officer, the Monitor may also transmit this information directly to the Central Vigilance Commissioner.
- (9) The word '**Monitor**' would include both singular and plural.

## **Section 9 – Pact Duration**

This Pact begins when both parties have legally signed it. It expires for the Contractor 12 months after the last payment under the contract, and for all other Bidders 6 months after the contract has been awarded. Any violation of the same would entail disqualification of the bidders and exclusion from future business dealing.

If any claim is made / lodged during this time, the same shall be binding and continue to be valid despite the lapse of this pact as specified above, unless it is discharged / determined by Secretary, D/o Higher Education.

## **Section 10 – Other provisions**

- (1) This agreement is subject to Indian Law. Place of performance and jurisdiction if the Office of the Principal, i.e., Kharagpur / Kolkata / Bhubaneswar.
- (2) Changes and supplements as well as termination notices need to be made in writing. Side agreement have not been made.
- (3) If the Contractor is a partnership or a consortium, this agreement must be signed by all partners or consortium members.
- (4) Should one or several provisions of this Pact turn out to be invalid, the remainder of this Pact remains valid. In this case, the parties will strive to come to an agreement to their original intentions.
- (5) Issues like Warranty / Guarantee etc. shall be outside the purview of IEMs.
- (6) In the event of any contradiction between the Integrity Pact and its Annexure, the Clause in the Integrity pact will prevail.
- (7) The actions stipulated in this Integrity Pact are without prejudiced to any other legal action(s) that may follow in accordance with the provisions of the extant law in force relating to any civil or criminal proceedings.

**IN WITNESS WHEREOF**, the parties hereunto set their hands and seals and executed this INTEGRITY PACT as of the day/month/year first above written:

For and on behalf of

**THE DIRECTOR, IIT KHARAGPUR (First Party)**

SIGNED, SEALED AND DELIVERED by

**Name:** Shri Achintya Kumar Mandal

**Designation:** Registrar

**Address:** IIT Kharagpur, Kharagpur, PIN: 721302, West Bengal

**Authorized Signatory**

For and on behalf of

M/s. .... **(Second Party)**

SIGNED, SEALED AND DELIVERED by

**Name:** .....

**Designation:** .....

**Address:** .....

**Authorized Signatory**

**Vide resolution dated ..... passed by the Board of Directors**

**In the presence of Witness:**

1.

2.

**Scope of work:**

- I. The scope of the work includes supply, successful installation, integration and commissioning of the Server, Storage, Switches and virtualization software and maintenance of the entire solution for a **period of five years** in terms of onsite comprehensive warranty and necessary subscription charges. Only Virtualization Software Support subscription will be for **three years** and up to a period of five years on a yearly renewal basis, depending on the product performance.
- II. Deployment of two on-site engineers, preferably holding Red Hat Certified Engineer (RHCE) credentials and possessing a graduate or diploma-level academic qualification, is required. These engineers should have proven expertise in the installation, administration, and lifecycle management of Compute Infrastructure and Virtualization platforms. Their engagement shall extend for the full duration of the five-year warranty period to ensure sustained operational excellence and support.
- III. One of the objectives of this project is to undertake the comprehensive migration of the existing Zimbra mail messaging solution from the current infrastructure to the newly procured infrastructure acquired through this tender. The responsibility for executing the migration rests entirely with the vendor's designated on-site engineers, supported remotely by the vendor's Level 2 or Level 3 (L2/L3) technical experts, in coordination with the institute's CIC Engineers.
- IV. Complete delivery of the material has to be accomplished within **90 days** of receipt of the purchase order.
- V. Prior to the delivery, a pre-installation document including configuration templates has to be prepared by the selected bidder in coordination with the trained Institute-nominated Engineers, such that the entire project can be completed within the stipulated time period.
- VI. The time taken from the date of purchase order to the date of commissioning is the essence of the project. The entire project has to be completed within 90 days from the date of the purchase order without disturbing the regular operation of the Institute's Server functionalities.
- VII. The warranty period will start after the acceptance of the installation and certification by the Head, CIC, IIT Kharagpur (i.e., from the date of commissioning).
- VIII. The acceptance of the installation and certification by the Head, CIC, IIT Kharagpur is subject to meeting all functionalities specified in Annexures.
- IX. Replacement of defective equipment and shipment of the same should be the responsibility of the selected vendor without any financial commitment from IIT Kharagpur. Replacement of defective equipment after delivery will be completed within two calendar days.
- X. In case of any future expansion / up-gradation, necessary changes in the configuration have to be done by the selected vendor for smooth integration/migration without any extra cost during the warranty period.
- XI. All necessary documentation related to time-to-time configuration has to be done by the selected vendor's onsite engineers.
- XII. The vendor will be liable for any hardware and software upgradation for maintenance without any extra cost during the warranty period.
- XIII. The vendor should supply all required hardware and software to meet the requirements of this project. Part bid will not be entertained.

XIV. The vendor has to resolve any hardware/software problems during the installation and integration of the storage device with the existing infrastructure.

XV. The vendor's onsite engineers are responsible for raising a ticket with the OEM and working with the OEM engineer. Vendor's onsite engineer should be troubleshooting and resolving any hardware/software issues during the five year warranty period.

XVI. The vendor's onsite engineers are responsible for breakfix calls and device/component failures. Vendor must update Institute if the onsite engineer got changed during the duration of 5 years of warranty period. The response time for such support should be 5 minutes. In case of Priority level 1 calls, resolution time must be within 2 hours. In case the problem is not resolved within 4 hours, the vendor should depute an expert, OEM-trained engineer onsite at IIT Kharagpur within 4 hours to resolve the issue, and total resolution time in such cases must not exceed 10 hours from reporting the incident by IIT Kharagpur.

XVII. The vendor must have a valid 24\*7 back-to-back TAC support contract for all features/modules with the OEM to give technical support in fulfilling the scope mentioned in point number VI. The Emergency Response team from OEM should be directly available on a 24\*7 basis in case of malfunctioning of the devices, software, and their functionalities.

XVIII. The device should not be end of support from the OEM for the next 7 years. The OEM declaration should be provided.

XIX. The vendor must inform CIC regarding all bug and vulnerability reports published by OEM immediately and submit a plan for the upgradation according to OEM recommendations.

XX. The vendor must coordinate with the existing Server, Network and Virtualization software vendor for the proper coordination of managing the services rendered through the equipment supplied through this tender.

XXI. The vendor must be responsible for the installation of the institute-provided OS and VM software and should also help the institute engineers / existing vendors during troubleshooting.

XXII. Successful bidders have to provide all accessories like connectivity cable, network devices, connectors and modules for server, storage, SAN Switches and LAN switches for smooth interconnection and integration.

XXIII. The bidder provided engineers need to do comprehensive installation, configuration, and deployment of full virtualization software on the newly procured infrastructure acquired through a different tender. Post-deployment, a complete validation of virtualization functionalities shall be carried out, followed by the migration and loading of existing applications onto the newly established virtualized environment. These activities shall be executed by the vendor's designated on-site engineers, with onsite/remote support from Level 2 and Level 3 (L2/L3) technical specialists, in close coordination with the Institute's CIC engineering team.



### Checklist

(Bidder should fill up YES or NO without fail)

| S.No                                                                 | Bid Enclosures                                                                                                                                         | Yes/ No |
|----------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
| <b>Technical Bid (Envelope – A)</b> contains the following documents |                                                                                                                                                        |         |
| 1                                                                    | Tender fee of Rs...../ Exemption certificate                                                                                                           |         |
| 2                                                                    | EMD/Exemption certificate                                                                                                                              |         |
| 3                                                                    | Technical Bid as per <b>Annexure – V</b> along with all supporting annexures, documents etc. as mentioned in the Tender document as per given sequence |         |
| 4                                                                    | Signed Notice Inviting Tender (NIT) and corrigenda thereon, if any                                                                                     |         |
| 5                                                                    | Any other supporting/ additional document/ information                                                                                                 |         |
| <b>Financial Bid (Envelope – B)</b>                                  |                                                                                                                                                        |         |
| 1                                                                    | Price Bid (As per the format given at <b>Annexure – XII</b> )                                                                                          |         |
| 2                                                                    | Integrity Pact ( <b>Annexure – XIII</b> )                                                                                                              |         |

Note: All pages of the bid documents must be serially numbered and sealed & signed.

\*\*\*\*\* End \*\*\*\*\*