

ANSYS Motor-CAD 2025 R2 Installation Guide

Windows Installation Manual
Central Computer & Informatics Centre (CIC)
Indian Institute of Technology Kharagpur

This document provides step-by-step instructions for installing **ANSYS Motor-CAD 2025 R2** on Windows systems using the CIC Software Repository. All screenshots from the provided archive have been included and placed with their corresponding installation steps.

Important Note: For the latest version of ANSYS, check the CIC software repository at <http://swrepo.iitkgp.ac.in>.

Installation Procedure


Step 1: Run [\\swrepo.iitkgp.ac.in](http://swrepo.iitkgp.ac.in) to log in to the software repository. Login ID / Password: guest.

Step 2: Go to the Software Repository.

Step 3: Go to the folder Ansys2025R2.


Step 4: Go to the folder Win and download the required ANSYS module ZIP package. For Motor-CAD, download MOTORCAD_2025R2_WINX64.zip.

Step 5: Extract the package to the MOTORCAD_2025R2_WINX64 folder.




Screenshot 1

Step 6: Go to the *MOTORCAD_2025R2_WINX64* folder, right-click on *MOTORCAD_2025R2_2_WINX64* and click *Run as administrator*.




Screenshot 2

Step 7: The installation will start.




Screenshot 3

Step 8: Click Next.




Screenshot 4

Step 9: Accept the terms and click Next.




Screenshot 5

Step 10: Check if the required disk space is available. If yes, click Next. Otherwise, free enough space or choose another drive.




Screenshot 6

Step 11: Click Next.




Screenshot 7

Step 12: Installation will start.




Screenshot 8

Step 13: Click Finish.




Screenshot 9

Step 14: Navigate to Windows Start > Ansys Motor-CAD > Ansys Motor-CAD 2025.2.2 to open Motor-CAD.



Screenshot 10

Step 15: ANSYS Motor-CAD will start successfully.



Screenshot 11

Post-Installation Note

After installation is complete, launch ANSYS Motor-CAD from the Start menu and verify that the application starts correctly.

End of Document