This review is for training purposes only.



Patient:

DOB: 12 MRN: PCP:

Enc. Dat 11/05/15

Clinical Summary

Patient

Reason for Visit

The patient is here for follow up of his hypertension.

Assessed Problems

- Hyperlipidemia
- Hypothyroidism

Treatment Plan

Medication Changes:

- Clopidogrel Bisulfate 75 MG Oral Tablet; TAKE 1 TABLET ONCE AS DIRECTED; Days: 90; Qty: 90; Refill: 0 [Renewed]
- Warfarin Sodium 2 MG Oral Tablet; TAKE 1 TABLET DAILY.; Days: 90; Qty: 90; Refill: 0 [Renewed]
- Furosemide 40 MG Oral Tablet; TAKE 1 TABLET DAILY.; Days: 90; Qty: 90; Refill: 0 [Renewed]

Page 1 of 4



- Digoxin 0.25 MG Oral Tablet; TAKE 1 TABLET DAILY.; Days: 90; Qty: 90; Refill: 0 [Renewed]
- Klor-Con M20 20 MEQ Oral Tablet Extended Release; TAKE 1 TABLET DAILY.; Days: 90; Qty: 90; Refill: 0 [Renewed]
- Atenolol 50 MG Oral Tablet; TAKE 1 TABLET TWICE DAILY.; Days: 90; Qty: 180; Refill: 0 [Renewed]
- Donepezil HCl 10 MG Oral Tablet; TAKE 1 TABLET BEDTIME; Days: 90; Qty: 90; Refill: 0 [Renewed]
- QUEtiapine Fumarate 25 MG Oral Tablet; TAKE 2 TABLET BEDTIME; Days: 90; Qty: 180; Refill: 0
 [Renewed]
- ALPRAZolam 0.5 MG Oral Tablet; TAKE 1 TABLET 3 TIMES DAILY PRN; Days: 30; Qty: 90; Refill: 0
 [Renewed]
- Levothyroxine Sodium 175 MCG Oral Tablet; TAKE 1 TABLET DAILY.; Days: 90; Qty: 90; Refill: 0 [Renewed]
- Namenda 10 MG Oral Tablet; TAKE 1 TABLET ONCE DAILY FOR MEMORY.; Days: 30; Qty: 30; Refill: 2 [Renewed]
- Terazosin HCl 5 MG Oral Capsule; TAKE 1 CAPSULE AT BEDTIME NIGHTLY.; Days: 90; Qty: 90; Refill: 3 [Renewed]
- Lovaza 1 GM Oral Capsule; TAKE 4 CAPSULES DAILY.; Days: 90; Qty: 360; Refill: 0 [Stop]
- AmLODIPine Besylate 2.5 MG Oral Tablet; TAKE 1 TABLET DAILY.; Days: 90; Qty: 90; Refill: 0 [Start] Labs/Procedures:
- LIPID PANEL
- AST
- ALT
- TSH,3RD GENERATION
- GLUCOSE
- HEMOGLOBIN A1C
- PSA,TOTAL

1. CAD

DOING WELL F/U WITH DRKATZ.

2,AFIB

DOING WELL AS PER KATZ WILL GET INR HERE TODAY AND WILL GIVE IT TO DR KATZ 3BPH

DOING WELL

4,HTN

ADD NORVASC 2.5 MG A DAY

F/U BP IN 3-4 WKS TIME

5.INSNOMIA

SERAQUIL HELPS SLEEPING. ONLY PRN

6ALZHIMERS DISEASE

ON MEDS. SO SOON ARICEPT AND NEMENDA.

7HYPERLIPIDEMIA

ON DIET

8. HYPOTHYROID

TSH. HIGH

Page 2 of 4



REPEAT TSH SOON AND WILL ADJUST THE DOSE.

9. HYPERLIPIDEMIA
PT WIFE WANT HIM TO TRY LOVAZA 4 GM A DAY.

10. H/O MI x 3

Vitals

Recorded Date/Time: 2:46:00 PM

O2 Saturation: 96; Respiration: 17; Heart Rate: 70 bpm; Temperature: 98.5 F; BSA Calculated: 2.06; BMI Calculated: 30.92; Weight: 204-0 lb; Height: 5-8 in; Systolic: 148 mm Hg; Diastolic: 84 mm Hg

Current Medications

- ALPRAZolam 0.5 MG Oral Tablet; TAKE 1 TABLET 3 TIMES DAILY PRN; Days: 30; Qty: 90; Refill: 0
- AmLODIPine Besylate 2.5 MG Oral Tablet; TAKE 1 TABLET DAILY.; Days: 90, Qty: 90, Refill: 0
- Atenolol 50 MG Oral Tablet; TAKE 1 TABLET TWICE DAILY.; Days: 90; Qty: 180; Refill: 0
- Clopidogrel Bisulfate 75 MG Oral Tablet; TAKE 1 TABLET ONCE AS DIRECTED; Days: 90; Qty: 90; Refill: 0
- Digoxin 0.25 MG Oral Tablet; TAKE 1 TABLET DAILY.; Days: 90; Qty: 90; Refill: 0
- Donepezil HCl 10 MG Oral Tablet; TAKE 1 TABLET BEDTIME; Days: 90; Qty: 90; Refill: 0
- Furosemide 40 MG Oral Tablet; TAKE 1 TABLET DAILY.; Days: 90; Qty: 90; Refill: 0
- Klor-Con M20 20 MEQ Oral Tablet Extended Release; TAKE I TABLET DAILY.; Days: 90; Qty: 90; Refill: 0
- Levothyroxine Sodium 175 MCG Oral Tablet; TAKE 1 TABLET DAILY.; Days: 90; Qty: 90; Refill: 0
- Namenda 10 MG Oral Tablet; TAKE 1 TABLET ONCE DAILY FOR MEMORY.; Days: 30; Qty: 30; Refill:
- QUEtiapine Fumarate 25 MG Oral Tablet; TAKE 2 TABLET BEDTIME; Days: 90; Qty: 180; Refill: 0
- Terazosin HCl 5 MG Oral Capsule; TAKE 1 CAPSULE AT BEDTIME NIGHTLY.; Days: 90; Qty: 90; Refill: 3
- Warfarin Sodium 2 MG Oral Tablet; TAKE 1 TABLET DAILY.; Days: 90; Qty: 90; Refill: 0

Allergies

• No Known Drug Allergies

Document and Provider Details

Page 3 of 4



Document: Clinical Summary



you to ustomer

Encounter Date: November 5, 2015

Reason For Visit

The patient is here for follow up of his hypertension.

Vital Signs

Vital Signs Recorded by

Height: 68 in, Weight: 201 lb, BMI: 30.46, BSA: 2.05

BP: 110/70 mm Hg LUE Sitting Temp: 97.9 F Oral

HR: 69 b/min ;

Resp: 16 r/min;

Allergies

Rec: ____ List Reconciled and Reviewed.

No Known Drug Allergy.

Current Meds

Rec: Littlibil. List Reconciled and Reviewed.

Warfarin Sodium 2 MG Oral Tablet; TAKE 1 TABLET DAILY.; Rx

Donepezil HCl 10 MG Oral Tablet; TAKE 1 TABLET BEDTIME; Rx

Tamsulosin HCl 0.4 MG Oral Capsule; TAKE 1 CAPSULE After meals; Rx Clopidogrel Bisulfate 75 MG Oral Tablet; TAKE 1 TABLET ONCE AS DIRECTED; Rx

Furosemide 40 MG Oral Tablet; TAKE 1 TABLET DAILY.; Rx

Digoxin 0.25 MG Oral Tablet; TAKE 1 TABLET DAILY.; Rx

Klor-Con M20 20 MEQ Oral Tablet Extended Release; TAKE 1 TABLET DAILY.; Rx

Atenolol 50 MG Oral Tablet; TAKE 1 TABLET TWICE DAILY.; Rx

QUEtiapine Fumarate 25 MG Oral Tablet; TAKE 2 TABLET BEDTIME; Rx

ALPRAZolam 0.5 MG Oral Tablet; TAKE 1 TABLET 3 TIMES DAILY PRN; Rx

Levothyroxine Sodium 175 MCG Oral Tablet; TAKE 1 TABLET DAILY.; Rx

Namenda 10 MG Oral Tablet; TAKE 1 TABLET ONCE DAILY FOR MEMORY.; Rx

Terazosin HCl 5 MG Oral Capsule; TAKE 1 CAPSULE AT BEDTIME NIGHTLY.; Rx.

Page 1 of 4



1

HYDROCEPHALUS SO SO. GAIT SHAKY CAD APPT WITH CARDIOLOGIST. HYPOTHYROID NO WEIGHT GAIN HTN NO CHEST PAIN ALZHIMERS DISEASE BETTER AFIB h/o MI x 3 BPH NOCTURIA INSNOMIA SERAQUIL HELPS HYPERLIPDIEMIA NO MUSCLE ACHES.

ROS

Systemic: No fever and no chills. Head: No headache. Eyes: No vision problems. Cardiovascular: No chest pain or discomfort. Pulmonary: No dyspnea. Gastrointestinal: No vomiting and no abdominal pain. Genitourinary: No dysuria. Musculoskeletal: No localized joint pain. Psychological: Depression. Skin: No skin lesions. **Physical Exam Standard Measurements:** ° Patient was not observed to be obese. General Appearance: ° Oriented to time, place, and person. ° Well developed. ° Well nourished. ° In no acute distress. Neck: ° Normal. Eyes: General/bilateral: ° Eyes: normal.

Extraocular Movements: ° Normal.

Pupils: ° PERRLA.

Page 2 of 4



```
Patient:
 DOB:
 MRN:
 PCP:
 Enc. Date: November 5, 2015
 Ears, Nose, Throat:
     ° ENT: normal.
 Breasts:
     General/bilateral:
         ° Breasts: normal.
 Lungs:
     Respiratory movements were normal. Normal breath sounds/voice sounds.
 Cardiovascular:
     Heart Rate And Rhythm: • Abnormal IRR, IRR. Heart Sounds: ° Normal. ° S1 normal. ° S2 normal.
     Murmurs: " No murmurs were heard.
     Carotid Arteries: ° No bruit in the carotid artery.
     Edema: ° Not present.
 Abdomen:
     Auscultation: ° Bowel sounds were normal.
     Palpation: "Abdomen was soft. "No abdominal tenderness." No mass was palpated in the abdomen.
Musculoskeletal System:
     General/bilateral: "Musculoskeletal system: normal.
        General/bilateral: ° Feet showed no abnormalities.
Skin:
    ° Normal.
QLIINR (Prothrombin Time) 00 Apr 2013 02.03 1111
* PT'S WIFE STATES THAT PT'S CARDIOLOGIST LA. MALL WANTS HIS INR TO 1.6 OR 1.7. PT HAS BEEN
TAKING WARFARIN 2 MG DAILY. AS PER:
                                                     . PT SHOULD INCREASE DOSE TO 4 MG X 1 DAY AND
2 MG X 6 DAYS., ^^ '
- INR (Prothrombin Time): 1.4 Reference Range: 2.0-3.0 Flag: A
TSH,3RD GENERATION
- TSH,3RD GENERATION: 3.80 Reference Range: 0.40-4.50
PSA,TOTAL :
- PSA,TOTAL
LIPID PANEL
- HDL CHOL
- CHOLESTE
- TRIGLYCE
- LDL CHOL,
- CHOLESTE
 NON HDL (
GLUCOSE 25
- GLUCOSE:
Renew Clopidogrel Bisulfate 75 MG Oral Tablet; TAKE 1 TABLET ONCE AS DIRECTED; Qty90; R0; Rx.
Renew Warfarin Sodium 2 MG Oral Tablet; TAKE 1 TABLET DAILY; Qty90; R0; Rx.
Renew Furosemide 40 MG Oral Tablet; TAKE 1 TABLET DAILY; Qty90; R0; Rx.
Renew Digoxin 0.25 MG Oral Tablet; TAKE 1 TABLET DAILY; Qty90; R0; Rx.
Renew Klor-Con M20 20 MEQ Oral Tablet Extended Release; TAKE 1 TABLET DAILY; Qty90; R0; Rx.
```

Page 3 of 4



Patient: DOB: MRN: PCP:

Enc. Date: November -5, -2015

Renew Atenolol 50 MG Oral Tablet; TAKE 1 TABLET TWICE DAILY; Qty180; R0; Rx. Renew Donepezil HCl 10 MG Oral Tablet; TAKE 1 TABLET BEDTIME; Qty90; R0; Rx. Renew QUEtiapine Fumarate 25 MG Oral Tablet; TAKE 2 TABLET BEDTIME; Qty180; R0; Rx. Renew Levothyroxine Sodium 175 MCG Oral Tablet; TAKE 1 TABLET DAILY; Qty90; R0; Rx.
Renew Namenda 10 MG Oral Tablet; TAKE 1 TABLET ONCE DAILY FOR MEMORY; Qty30; R2; Rx. Renew Terazosin HCl 5 MG Oral Capsule; TAKE 1 CAPSULE AT BEDTIME NIGHTLY; Qty90; R3; Rx. Lovaza 1 GM Oral Capsule; TAKE 4 CAPSULES DAILY; Qty360; R0; Rx. Plan 1. CAD DOING WELL F/U WITH 2,AFIB DOING WELL AS PER 1 WANT INR ON LOWER SIDE 3BPH. DOING WELL 4,HTN BP GOOD. CONTINUE BP MEDS 5.INSNOMIA SERAQUIL HELPS SLEEPING. ONLY PRN 6ALZHIMERS DISEASE ON MEDS. SO SO 7HYPERLIPIDEMIA ON DIET 8. HYPOTHYROID TSH. 9. HYPERLIPIDEMIA PT WIFE WANT HIM TO TRY LOVAZA 4 GM A DAY.

Signature

Electronically signed by:



Medical Offices

is working very hard to: 1) Answer your telephone calls quickly. 2) Make it easier for you to schedule appointments, and 3) Reduce your wait time in our waiting rooms. If you have any customer service concerns, please address them with Administration at this office.

Recorded as Task

Date:

Task Name: Abnormal Result F/U Needed



Medical Group

12/12/15

Beginning of Visit

History obtained from spouse.

Reason For Visit

. Is being seen for a clinic follow-up of atrial fibrillation, coronary artery disease, heart transplant, hyperlipidemia and Jack hypertension.

I saw this "-year-old man in followup consultation on

Unfortunately his increasing dementia. His attrial fibrillation on Coumadin. He has a history of coronary artery disease with etenting. He has hypertension hyperlipidemia. He is short of breath because his atrial fibrillation rate is too rapid and he needs more diuretics.

History of Present Illness
The patient states he has been generally stable since the last visit.
Interval Events: Hospitilized in CHF lest Dec.

Symptoms: The patient has had no significant interval symptoms. Dyspnea worsened.

Associated symptoms: no syncope, no PND, no tendency for easy bleeding, no tendency for easy bruising, no TIA symptoms and no recent weight gain. His symptoms do not limit his activities. Symptoms:

Cardiology Summary

Cardiac Ceth: Stent:

Active Problems

Atrial Fibrilletion 427.31
History of Cath Stent Placement
Congestive Heart Fallure 428.0
Congestive Heart Fallure With Systolic And Diastolic Dysfunction 428.40 Coronary Artery Disease 414.00 Dementia 294.8 Dyslipidemia 272.4 Hypertension 401.9

Past Medical History
History of Cath Stent Placement
History of Chest Pain 786.50



Page 2 of 3

History of Graucoma 365.9 History of Hyperlipidemia 272.4 History of Hypertension 401.9 History of Hypothyroldism 244.9

Social History Never A Smoker Denied History of Alcohol Use History of Current Smoker History of Drug Use

Current Meds

Allergies No Known Drug Allergies

History Reviewed
History reviewed, Medications and allergies reviewed,

Review of Systems

Constitutional, Eyes, ENT, Cardiovascular, Respiratory, Gastrointestinal, Genitourinary, Musculoskeletal, Integumentary, Neurological, Psychiatric, Endocrine and Heme/Lymph are otherwise negative.

Vital Signs [Data Includes: Current Encounter]

Systolic	156
Diastolic	95
BMI Calculated	30.31



Page 3 of 3

BSA Calculated	2.05
Height	5 ft 8 in
Weight	200 lb
Heart Rate	107
O2 Saturation	98

Physical Exam

Constitutional; well developed, normal appearance, well groomed, well nourished, no deformities and no acute distress.

Eyes: the conjunctive exhibited no abnormalities and the syelids demonstrated no xenthelasmas.

HEENT: normal oral mucosa, no oral pallor and no oral cyanosis.

Neck: normal jugular venous A waves present, normal jugular venous V waves present and no jugular venous cannon A waves.

Pulmonary: no respiratory distress, normal respiratory rhythm and effort, no accessory muscle use and lungs were clear to suscultation bilaterally.

Cardiovascular: heart rate and rhythm were normal, normal S1 and S2 and no murmurs present.

Abdomen: soft, non-tender, no hepato-splenomegaly and no abdominal mass palpated.

Musculoskeletal: normal gait. The gait was sufficient for exercise testing.

Extremities: no clubbing of the fingemalis, no localized cyanosis, no petechial hemorrhages and no ischemic changes.

Skin: normal skin color and pigmentation, no rash, no venous steats, no skin lesions, no skin ulcer and no xanthoma was observed. Psychiatric: oriented to person, place, and time, the affect was normal, the mood was normal and not feeling anxious.

Assessment

Atrial Fibrillation 427.31 History of Cath Stent Placement Congestive Heart Failure 428.0
Congestive Heart Failure With Systolic And Diastolic Dysfunction 428.40
Coronary Artery Disease 414.00
Dementia 294.8 Dyslipidemia 272.4 Hypertension 401.9

Atrial Fibriliation (427.31)
Electrocardiogram (EKG/ECG) Done:

Discussion/Summary

Athal Fibrillation Discussion/Summary: The Impression is atrial fibrillation. Currently, this condition is decompensated. Medication

Changes: as documented in orders.

Coronary Artery Disease Discussion/Summery: Impression: coronary artery disease. Currently, this condition is stable. Medication Changes: none. Hypertension Discussion/Summary: The Impression is hypertension. Currently, the condition is detariorating. Medication Changes: as documented in orders.

The treatment plan was discussed with the patient.

Patient is instructed to follow up in 4 month(s).

I told the wife to increase the Lasix to 80 mg one day per week, and to give the digoxin 0.125 on a dally basis. He will see me in 4 months when he returns from Florida.