C++_PRACTICE_TEST AUG 2025

Total points 34/60

The respondent's email (**sumitnarwade98@gmail.com**) was recorded on submission of this form.

Q. 9. In derived class has a multiple base classes and these base classes have a common ancestor *1/1

- (selected) 1. Diamond problem ✓
- 2. segmentation fault
- 3. stack overflow
- 4. compile time error

Q. 6. The I/O operations that use the extraction and insertion operators, are called *1/1

- (selected) 1. Formatted I/O ✓
- 2. Formatted strings
- 3. Formatted flags
- 4. all of them

Q. 15. Consider the following two pieces of code and choose the best answer *0/1

Code 1:

```
switch ( x )
{
case 1 :
  cout << " m is 1";
 Break;
case 2 :
  cout<< "m is 2";
 break;
 default :
 cout << " value of m is unknown";
}
```

Code 2:

```
if(x==1)
{
   cout<< "m is 1";
}
else if(x==2)
{
    Cout<< "value of m unknown";
}
```

- 1. the first code produces more results than second ✗
- 2. both of the above code fragments produce different effects
- 3. both of the above code fragments produce same effects
- 4. second code produces more results than first.

Correct answer

- 2. both of the above code fragments produce different effects

✗ Q. 14. ____ is used as conditional operator? * 0/1

- 1. ? :
- 2. >>
- 3. : :
- 4. ? * ✗

Correct answer

- 1. ? :

Q. 38. What will be the output? * 1/1

```
Void square(int *p)

{

   int a = 10;

   p = &a;

   *p = (*p) * (*p);

}

int main()

{

   int a = 10;

  square(&a);

 cout<< a<<endl;

}
```

- (selected) 1. 10 ✓
- 2. 00
- 3. error
- 4. segmentation fault

Q. 54. Which of the following is an exception in C++? * 0/1

- 1. Divide by zero
- 2. Semicolon not written
- 3. Variable not declared
- 4. An expression is wrongly written

Correct answer

- 1. Divide by zero

Q. 48. Which header file is required to use file I/O operations? * 1/1

- 1. <ifstream>
- 2. <ostream>
- 3. <fstream>
- 4. <iostream>

Q. 5. Which from the following format flag is not included in ios : adjusted mask? *1/1

- 1. ios : left
- 2. ios : right
- 3. ios : oct ✓ (selected)
- 4. ios : internal

Q. 31. When is the virtual destructor in an abstract class particularly useful? *1/1

- 1. It is never useful in abstract class
- 2. when objects of the abstract class are dynamically alloacted
- 3. when the abstract class is a base class for polymorphism ✓ (selected)
- 4. when the abstract class has no derived classes

Q. 42. What will be output of the following code * 1/1

```
#include<stdio.h>

#include<iostream>

using namespace std;

int main()

{

 int array[] = {0,2,4,6,7,5,3};

 int n, result = 0;

for(n=0;n<8;n++)

   {

          Result += array[n];

   }

cout<<result<<endl;

return 0;

}
```

- 1. 25
- 2. 26
- 3. 27
- 4. 21

Q. 13. class Base { *0/1

```
class Base {
 protected :
      virtual void func() {
cout << “Base”;
      }
};
class Derived : public Base {
 protected:
      void func() {
      cout << “ derived”;
    }
};
```

Which of the following statements is true regarding the function func() in the derived class?

- 1. It is inaccessible outside the derived class using derived class object
- 2. It is public in the derived class
- 3. 2. It is private in the derived class
- (selected) 4. It is accessible in the derived class but cannot be overriden ✗

Correct answer

- 1. It is inaccessible outside the derived class using derived class object

Q. 8. class DAC{ * 0/1

```
class DAC{
    public : virtual void java();
};
class DBDA :  public DAC {
    public :
    void java();
  };
```

1. The java function in class DBDA is not allowed to override the java function in class DAC
2. The java function in class DBDA must have the same access specifier as the java function in class DAC
3. The java function in class DBDA hides the java function in class DAC
4. The java function in class DBDA must have the same signature as the java function in class DAC

Correct answer

4. The java function in class DBDA must have the same signature as the java function in class DAC

Q. 29. What is the output of the following c++ code snippet? *

0/1

```
#include<iostream>

class A {

  public :

            A() {std: :cout<< “A”; }

            ~A() {std: :cout<< “~A”; }

};

class B: public A {

  public :

            B() {std: :cout<< “B”; }

            ~B() {std: :cout<< “~B”; }

};

int main()

{

   A* obj = newB();

   delete obj;

 return 0;

}
```

- 1. AB~BA
- 2. BA~A
- 3. AB~A

4. BA~BA

Correct answer

1. AB~BA

Q. 34. What will be the output ? * 1/1

```
enum week{ Mon, Tue, Wed, Thurs, Fri, Sat, Sun};
int main()
{
    enum  week day;
    day=Wed;
     cout<<day;
     return 0;
}
```

1. 0

2. 1

3.2

4. 3

Q. 16. Which of the following operator can replace a simple if-else construct? *1/1

- 1. Unary operator
- 2. Ternary operator ✓ (selected)
- 3. Assignment operator
- 4. Arithmetic operator

Q. 50. Which of the following statements are correct? *1/1

1) It is not possible to combine two or more file opening mode in open() method.

2) It is possible to combine two or more file opening mode in open() method.

3) ios::in and ios::out are input and output file opening mode respectively

- 1. 1, 3
- 2. 2, 3 ✓ (selected)
- 3. 3 only
- 4. 1 ,2

Q. 18. Which of the following is properly defined structure? *

1/1

- 1. struct {int a;}
- 2. struct a_struct int a;
- 3. struct a_struct (int a;)
- 4. struct a_struct {int a;};

Q. 36. What will be the output ? *

0/1

```
#include< iostream>
using namespace std;
int fun(int x= 0, int y = 0, int z)
{
  return (x+y+z);
}
int main()
{
  cout << fun(10);
}
```

- 1. 1 0 (selected) ✗
- 2. 0
- 3. error
- 4. segment fault

Correct answer

- 3. error

Q. 26. What does the following code snippet do? *1/1

```
#include<iostream>

#include<vector>

#include<algorithm>

int main()

{

    std: :vector<int> numbers ={5,2,8,1,7};

   numbers.erase(std:
:remove(numbers.begin(),numbers.end(),numbers.front(),numbers.end()
);

}
```

- 1. sort the vector in ascending order
- 2. remove the first element from the vector ✓
- 3. find average
- 4. reverse the order

Q. 46. Which of the following shows multiple inheritances? * 0/1

1. A->B->C
2. A->B; A->C
3. A, B->C
4. B->A

Correct answer

3. A, B->C

Q. 33. In c++, when should you catch exception by reference rather than by value? * 0/1

1. always
2. when dealing with built-in types
3. when the exception hierarchy well-defined
4. when catching polymorphic exception

Correct answer

3. when the exception hierarchy well-defined

Q. 52. What is an exception in C++ program? * 1/1

- [x] 1. A problem that arises during the execution of a program ✓
- [ ] 2. A problem that arises during compilation
- [ ] 3. Also known as the syntax error
- [ ] 4. Also known as semantic error

* 1/1

Q. 39. When new operator used when is the constructor called?

- [ ] 1. Depends on code
- [ ] 2. Before the allocation of memory
- [x] 3. After the allocation of memory ✓
- [ ] 4. Constructor is called to allocate memory

Q. 59. Which operator is having the highest precedence? * 1/1

- 1. postfix
- 2. unary
- 3. shift
- 4. Equality

Q. 35. An inline function is expanded during______ * 0/1

- 1. compile time
- 2. run-time
- 3. never expanded
- 4. end of the program

Correct answer

- 1. compile time

Q. 19. Whiat will be output of this program? * 1/1

```
int main()
{
  int arr[2][3] = {{1,2,3},{4,5,6}};
 int rows = sizeof(arr)/sizeof(arr[0]);
 int cols = sizeof(arr[0])/sizeof(arr[0][0]);
 for(int i=rows-1;i>=0;i--)
 {
     for( int j=cols -1; j>=0;j--)
   {
         cout<<arr[i][j]<< " ";
   }
        cout <<endl;
 }
        return 0;
}
```

- ( ) 1. 1 2 3\n4 5 6
- ( ) 2. 3 2 1\n6 5 4
- (•) 3. 6 5 4\n3 2 1 ✓
- ( ) 4. 4 5 6\n1 2 3

Q. 3. What is correct output of given code snippet? *

0/1

```
#include<iostream>

#include<fstream>

using namespace std;

int main()

{

ofstream ofs;

ofs.open( “abc.txt” );

ofs << ofs.tellp() <<endl;

ofs.close();

return 0;

}
```

- 1. 11
- 2. 12
- 3. 13
- 4. syntax error

Correct answer

- 3. 13

Q. 40. Which of the following correct definition of the "is_array();" function in c++? *0/1

- 1. It checks the specified variable is of the array or not
- 2. It checks the specified array of single dimension or not
- 3. It checks the specified array of multi dimension or not
- 4. both B and C

Correct answer

- 1. It checks the specified variable is of the array or not

Q. 56. Uncaught exception leads to ____________ * 0/1

- 1. termination of program
- 2. successful execution of programs
- 3. no effect on the program
- 4. execution of other functions of the program starts

Correct answer

- 1. termination of program

Q. 21. What will be the following advantages of templates? * 0/1

- 1. using templates we can reduce the execution time
- 2. using templates we can reduce code size
- 3. using templates we can reduce developers efforts
- 4. both A and C

Correct answer

- 3. using templates we can reduce developers efforts

Q. 2. What is correct output of of given code snippet * 0/1

```
#include<iostream>

#include<fstream>

using namespace std;

int main()

{

fstream fs;

char data[16];

fs.open("abc.txt");

fs<< "hello world" <<endl;

getline( fs , data);

fs.close();

cout<< data <<endl;

return 0;

}
```

- 1. hello world
- 2. syntax error
- 3. no output
- 4. runtime error ✕

Correct answer

- 2. syntax error

Name *

Sumit Narwade

Q. 1. There are how many ways for delimiting an un-indexed sequence of objects? *0/1

- (selected) 1. 1 ✗
- 2. 2
- 3. 3
- 4. 4

Correct answer

- 2. 2

Q. 4. What is correct output of given code snippet? * 0/1

```
#include<iostream>

using namespace std;

class vec

{

    public :

    vec(float f1, float f2)

   {

      X = f1;

      Y = f2;

    }

      vec()

{

}

float x ;

float y ;


};

vec addvectors ( vec v1 , vec v2 );

int main()

{

 vec v1( 3, 6);

vec v2( 2, -2);

vec v3 – addvectors(v1 ,v2);
```

```
cout << v3.x << v3.y <<endl;
}
vec addvectors (vec v1 ,vec v2)
{
  vec result;
  result.x –v1.x + v2.x;
  result.y = v1.y + v2.y;
return result ;
}
```

- ○ 1. 4, 5
- ○ 2. 4, 4
- ○ 3. 5, 4
- ◉ 4. 5, 5 ✗

Correct answer

- ◉ 3. 5, 4

Q. 49. Which of the following is used to create an output stream? * 0/1

- 1. ofstream
- 2. ifstream
- 3. iostream (selected, ✗)
- 4. fsstream

Correct answer

- 1. ofstream

Q. 7. In c++, if a class has a private constructor and a friend class wants to create instances of that which * 1/1

- 1. A friend class should declare a public constructor in the target class
- 2. A friend class should declare a private constructor in the target class
- 3. Friend class should use static member function in the target class to create instances (selected, ✓)
- 4. It is not possible for a friend class to create instances of a class with a private constructor

Q. 11. Which of the following statements is true about the default constructor generator by the compiler *1/1

- 1. The default constructor is generated only if there are no other constructors in the class
- 2. The constructor is always generated, even if there are other constructors in the class
- 3. The default constructor I s always generated only if it is explicitly declared in the class
- 4. The default constructor is generated only for classes with virtual functions

PRN *

250845920095

Q. 37. How to create dynamic array pointers (to integers) of size 10 using new in C++? *0/1

- 1. int *arr = new int *[10];
- 2. int **arr = new int *[10];
- 3. int *arr = new int[10];
- 4. 2. int *arr = new int **[10];

Correct answer

- 3. int *arr = new int[10];

Q. 47. What does modularity mean? * 1/1

- 1. Hiding part of program
- 2. Subdividing program into small independent parts
- 3. Overriding parts of program
- 4. Wrapping things into single unit

Q. 53. Why do we need to handle exceptions? * 1/1

- 1. To avoid unexpected behaviour of a program during run-time
- 2. To let compiler remove all exceptions by itself
- 3. To successfully compile the program
- 4. To get correct output

Q. 12. In c++, what is significance of declaring a base class function as pure virtual and providing its definition within base class? *0/1

1. It allows the function to be overridden in derived classes
2. It enforces the derived classes to provide their own defintion
3. It allows the creation of an object of the base class
4. It makes the function non-override

Correct answer

2. It enforces the derived classes to provide their own defintion

Q. 58. C++ is ______________ * 1/1

1. functional programming language
2. object oriented programming language
3. procedural oriented programming language
4. both procedural and object oriented programming language

Q. 27. What happens if pure virtual function is not implemented in a derived class? *1/1

- (selected) 1. compile time error ✓
- 2. Link-time error
- 3. Runtime-error
- 4. no error

Q. 57. How access specifiers in Class helps in Abstraction? * 1/1

- 1. They does not helps in any way
- (selected) 2. They allows us to show only required things to outer world ✓
- 3. They help in keeping things together
- 4. Abstraction concept is not used in classes

Q. 60. An uncaught handler returns to ___________ * 0/1

1. main function
2. its caller
3. its callee
4. none of the mentioned

Correct answer

4. none of the mentioned

Q. 25. Which STL container provide a dynamic array implementation with constant time complexity *1/1

1. list
2. vector
3. deque
4. set

Q. 44. What does polymorphism in OOPs mean? * 1/1

- [x] 1. Concept of allowing overriding of functions ✓
- [ ] 2. Concept of hiding data
- [ ] 3. Concept of keeping things in different modules/files
- [ ] 4. Concept of wrapping things into a single unit

Q. 51. By default, all the files in C++ are opened in ________ mode. * 1/1

- [x] 1. Text ✓
- [ ] 2. Binary
- [ ] 3. ISCII
- [ ] 4. VTC

Q. 24. Which algorithm is used to find the maximum element in a range in STL? *0/1

- 1. max_element()
- 2. find_max()
- 3. maximum()
- 4. find_ maximum()

Correct answer

- 1. max_element()

Q. 17. Find the output of the below program * 1/1

```
int main()
{
  int i=0, a=0;
  do
   {
      if(i%5==0)
         {
            std: :cout <<a;
             a++;
          }
             i++;
   } while(I < 10);
    cout << a;
    return 0;
}
```

- 1. 0
- 2. 01
- 3. 012
- 4. 0123

Q. 32. What is the output of the following c++ code snippet? * 0/1

```
#include<iosream>
int main()
{
  try{
        try{
              throw "Inner exception";
           } catch(const char* msg){
               std: :cout << "Inner Catch:" <<msg<<std<<endl;
              throw; // what does this line do?
               }
catch(. . .){
     std: :cout<< "Outer Catch" <<std: :endl;
}
      return 0;
     }
}
```

- 1. Inner Catch: Inner exception
- 2. Outer Catch
- 3. Inner catch: Inner exception followed by Outer Catch
- 4. compile error

Correct answer

3. Inner catch: Inner exception followed by Outer Catch

Q. 41. What is the index number of the last element of an array with 9 elements? *1/1

- 1. 9
- 2. 8 ✓ (selected)
- 3. 0
- 4. Programmer-defined

Q. 23. Which of the following operators we need to use for having access to type_info class object during runtime in c++ *0/1

- 1. typeid
- 2. sizeof
- 3. reinterpret_cast ✗ (selected)
- 4. dynamic_cast

Correct answer

- 1. typeid

Q. 45. Which concept allows you to reuse the written code? * 1/1

1. Encapsulation
2. Abstraction
3. Inheritance
4. Polymorphism

Q. 28. What is the purpose of the following c++ code snippet? * 0/1

```
#include<iostream>

class Base{

  public :

            virtual void print() const = 0;

};

 class Derived : public Base{

public :

        void print() const override { std : :cout << "Derived" << std: :endl;}

};

int main()

{

        Base* obj = new Derived();

        Obj->print();

         Delete obj;

         return 0;

 }
```

- 1. Implements an interface in c++
- 2. defines a pure virtual function
- 3. creates an abstract base class
- 4. enforces encapsulation

Correct answer

3. creates an abstract base class

Q. 30. What is the role of the pure specifire in c++ when used with a virtual function in an abstract class * 1/1

- 1. It ensures the function is implemented in the abstract class
- 2. it indicates that the function is pure virtual
- 3. it specifies that the function cannot be overriden
- 4. it is not valid specifier in this context

Q. 20. What will be the output of the cout <<7/2; ? * 1/1

- 1. 3
- 2. 3.0
- 3. 3.5
- 4. 7/2

Q. 10. * 1/1

```
#include <iostream>

Class A{

public :

 A() {std :: cout << “A”;}

A(const A&) {std::cout << “B”;}

virtual ~A(){std::cout << “C”;}

};

class B : public A {

  B() {std :: cout << “D”;}

B(const B& other) : A(other) {std::cout << “E”;}

~B(){std::cout << “F”;}

};

int  main()

{

    A* obj – new B();

Delete obj;

Return 0;

}
```

What will be the output of the above c++ code?

1. ADBCF
2. ABCDEF

3. ADFC

4. ADBFEC

Q. 22. What will be the output? * 0/1

```
#include<iostream>
using namespace std;
template <class T>
class Test
{
    private :
      T num;
   public :
       static int count;
      Test() {count++;}
};
template<class T>
int Test<T>: :count=0;
int main()
{
  Test<int> a;
  Test<int> b;
 Test<double> c;
 cout<< Test<int>: : cout << endl;
cout<< Test<double>: :count<<endl;
return 0;
}
```

- (selected) 1. 0 0 ✗
- 2. 2 2
- 3. 2 1
- 4. 1 0

Correct answer

- 3. 2 1

Q. 43. How structures and classes in C++ differ? * 1/1

- (selected) 1. In Structures, members are public by default whereas, in Classes, they are private by default ✓
- 2. In Structures, members are private by default whereas, in Classes, they are public by default
- 3. Structures by default hide every member whereas classes do not
- 4. Structures cannot have private members whereas classes can have

Q. 55. Which keyword is used to throw an exception? * 1/1

- 1. try
- (selected) 2. throw ✓
- 3. throws
- 4. except