

AUG 2025 of SDM_MCQ

Total points 0/53 ?

The respondent's email (**sumitnarwade98@gmail.com**) was recorded on submission of this form.

✗ PRN *

.../1

250845920095

✗

✗ NAME *

.../1

Sumit Narwade

✗

✗ What does JIRA stand for? *

.../1

- ☐ a) JIRA stands for Jira Incident Reporting Application
- ☐ b) Java Integration and Reporting Application
- ☒ c) JIRA is a name without a full form
- ☐ d) Just In Rapid Action

✗

No correct answers



✗ **What are Epics in JIRA? ***

.../1

- ☐ a) Large user stories or milestones
- ☐ b) Small tasks
- ☐ c) A group of bugs
- ☒ d) Individual commits

✗

No correct answers

✗ **What type of workflow does JIRA support? ***

.../1

- ☐ a) Non-coding workflows
- ☒ b) Agile and customizable workflows
- ☐ c) Waterfall model workflows
- ☐ d) Only manual workflows

✗

No correct answers

✗ **What is the JIRA Query Language (JQL) for? ***

.../1

- ☒ a) Data retrieval and search
- ☐ b) Writing code
- ☐ c) Audio processing
- ☐ d) Editing designs

✗

No correct answers



✗ Which JIRA feature allows real-time tracking of tasks? *

.../1

- ☒ a) Burndown Charts
- ☐ b) Timeline Tools
- ☐ c) Email Notifications
- ☐ d) Burnup Charts

✗

No correct answers

✗ What is a Story in JIRA? *

.../1

- ☒ a) A user's requirement or functionality
- ☐ b) A meeting transcript
- ☐ c) A technical error
- ☐ d) An administrative task

✗

No correct answers

✗ What does the 'Priority' field in JIRA indicate? *

.../1

- ☐ a) Task ownership
- ☐ b) The developer's availability
- ☒ c) The urgency of an issue
- ☐ d) The email address of the project manager

✗

No correct answers



✗ Your software or mobile app can be tracked with Jira, a ___ tracking tool. *.../1

- ☒ A)Bug
- ☐ B)Data
- ☐ C)Software
- ☐ D)None of the above

✗

No correct answers

✗ * .../1

Which of the following is TRUE about Jira?

- ☐ A)It is a very effective tool for managing defects.
- ☐ B)Defects/issues are tracked and managed using it.
- ☐ C)Provides a lifecycle process for issues and defects.
- ☒ D)All of the above

✗

No correct answers



✗ You can view tasks like Open tasks, Closed tasks, and Resolved tasks using the ____ in the JIRA tool. *.../1

- ☐ A. Pie Chart Max
- ☐ B. Pie Chart Min
- ☐ C. Pie Chart Macro
- ☒ D. Pie Chart Mode

✗

No correct answers

✗ What is/are the disadvantage(s) of the Waterfall Model? * .../1

- ☐ A. Time to market is high
- ☐ B. Unexpected results
- ☒ C. Not suitable for changing requirements
- ☐ D. All of the above

✗

No correct answers





*

.../1

What is TRUE about Agile?

- ☐ A. An agile approach to software development is a philosophy based on values and principles.
- ☐ B. Iterative-incremental methodologies are at the core of agile development.
- ☒ C. Both A and B ✗
- ☐ D. None of the above

No correct answers

**___ are servant leaders on Scrum teams. ***

.../1

- ☐ A. Scrums
- ☒ B. Scrum Masters ✗
- ☐ C. Scrum development teams
- ☐ D. Sprint

No correct answers



✗ Scrum development teams consist of ____.*

.../1

- ☐ A. Developers
- ☐ B. Quality assurance specialists
- ☐ C. Scrum Masters
- ☒ D. All of the above

✗

No correct answers

✗ There is ____ product backlog per 'n' sprint backlogs.*

.../1

- ☒ A. One
- ☐ B. Two
- ☐ C. Three
- ☐ D. Four

✗

No correct answers

✗ How many scrum roles are there? *

.../1

- ☒ A. 2
- ☐ B. 3
- ☐ C. 4
- ☐ D. 5

✗

No correct answers



✗ **The Scrum Master conducts a daily meeting called ____ Scrum when sprints begin.** *.../1

☒ A. Daily

✗

☐ B. Weekly

☐ C. Monthly

☐ D. Yearly

No correct answers

✗ **Which Agile approach emphasizes continuous improvement, workflow visualization, and limiting work in progress?** *.../1

☒ a) Scrum

✗

☐ b) Kanban

☐ c) XP

☐ d) Lean

No correct answers



✗ **Which tool is commonly used for Continuous Integration and Continuous Deployment (CI/CD)?** *.../1

- ☒ a) Jenkins
- ☐ b) Docker
- ☐ c) Git
- ☐ d) Ansible

✗

No correct answers

✗ **Which of the following is NOT true of continuous integration in Agile? *** .../1

- ☐ a) It involves moving code from a development to test environment
- ☒ b) It involves moving code in large amounts
- ☐ c) It involves moving code in frequent intervals
- ☐ d) It is most effectively done through automation

✗

No correct answers

✗ **What's the primary purpose of Kubernetes? *** .../1

- ☐ a) Source code management
- ☐ b) Automated testing
- ☒ c) Container orchestration
- ☐ d) Configuration management

✗

No correct answers



✗ **What is Infrastructure as Code (IaC)? ***

.../1

- ☐ a) Writing scripts (code) to automate infrastructure deployment
- ☐ b) Using code repositories to store infrastructure information
- ☐ c) Documenting infrastructure requirements
- ☒ d) Writing application code that supports multiple infrastructure setups

✗

No correct answers

✗ ***In a DevOps environment, effective collaboration between development and operations teams is crucial. As the DevOps manager, you want to implement practices that enhance communication and cooperation. Which collaboration tool or platform would be most suitable for fostering real-time collaboration and knowledge sharing among team members?***

*.../1

- ☒ a) GitLab
- ☐ b) Jenkins
- ☐ c) Slack
- ☐ d) Docker

✗

No correct answers



✗ ***The DevOps team at Agile Innovations is adopting a containerization strategy using Docker for their microservices. To optimize resource utilization, what is a key benefit of using containers compared to traditional virtual machines?***

*.../1

- ☐ a) Containers provide stronger isolation between applications.
- ☐ b) Containers have a smaller footprint and faster startup times.
- ☒ c) Containers are suitable only for monolithic applications.
- ☐ d) Containers are less portable across different environments.

✗

No correct answers

✗ **Which of the following is the core component of Docker? ***

.../1

- ☐ a) Docker CLI
- ☒ b) Docker Engine
- ☐ c) Docker Server
- ☐ d) Docker Hypervisor

✗

No correct answers



✗ What is a Docker Container? *

.../1

- ☐ a) A network service
- ☒ b) A lightweight executable package
- ☐ c) An Operating System kernel
- ☐ d) A Virtual Machine

✗

No correct answers

✗ What does the **docker ps** command do? *

.../1

- ☐ a) Starts a Docker container
- ☐ b) Displays Docker images
- ☐ c) Displays Docker version
- ☒ d) Displays running containers

✗

No correct answers

✗ What is a Docker Image? *

.../1

- ☒ a) A running container
- ☐ b) A snapshot of an application and its dependencies
- ☐ c) A configuration file
- ☐ d) A virtual hard drive

✗

No correct answers



✗ How can you remove a Docker image? *

.../1

- ☐ a) docker remove
- ☐ b) docker delete
- ☒ c) docker rm
- ☐ d) docker rmi

✗

No correct answers

✗ What is the difference between a Docker Container and a Virtual Machine?

*.../1

- ☐ a) Containers are slower than VMs
- ☐ b) VMs run on hardware, while containers do not
- ☐ c) Containers share the host OS kernel, while VMs have their own kernel
- ☒ d) Containers are heavier than VMs

✗

No correct answers





*

.../1

Which Docker service manages updates automatically?

- ☒ a) Docker Daemon
- ☐ b) Docker Compose
- ☐ c) Docker Engine
- ☐ d) Docker Plugin



No correct answers



What is a Docker Service? *

.../1

- ☐ a) A process that manages logs
- ☐ b) A database replication tool
- ☐ c) A notification system
- ☒ d) A set of containers deployed together



No correct answers



✗ What is Selenium WebDriver? *

.../1

- ☒ 1. An API to write functional tests
- ☐ 2. A record and playback tool
- ☐ 3. A tool for running parallel tests
- ☐ 4. A browser plugin.

✗

No correct answers

✗ What is the purpose of Selenium Grid? *

.../1

- ☒ 1. To run tests in parallel across different machines and browsers
- ☐ 2. To write test scripts
- ☐ 3. To record user actions
- ☐ 4. To manage test data

✗

No correct answers

✗ What is a WebElement in Selenium? *

.../1

- ☒ 1. An interface representing an HTML element
- ☐ 2. A type of web browser
- ☐ 3. A Selenium component
- ☐ 4. A testing framework

✗

No correct answers



✗ Which method is used to enter text into a text box in Selenium WebDriver?

*.../1

- ☒ 1. sendKeys()
- ☐ 2. setText()
- ☐ 3. type()
- ☐ 4. input()

✗

No correct answers

✗ What is an XPath in Selenium? *

.../1

- ☒ 1. A way to locate elements on a web page
- ☐ 2. A type of web browser
- ☐ 3. A Selenium component
- ☐ 4. A programming language

✗

No correct answers

✗ Which of the following is NOT a valid locator strategy in Selenium? *

.../1

- ☒ 1. By.SELЕНИUM
- ☐ 2. By.ID
- ☐ 3. By.NAME
- ☐ 4. By.CLASS_NAME

✗

No correct answers



✗ What is implicit wait in Selenium? *

.../1

- ☐ 1. A way to tell WebDriver to wait for a certain amount of time before throwing an exception
- ☒ 2. A way to pause the execution of the script ✗
- ☐ 3. A method to wait for a specific element to appear
- ☐ 4. A way to slow down the execution of the script

No correct answers

✗ What is a desired capability in Selenium? *

.../1

- ☒ 1. A way to configure properties of the WebDriver ✗
- ☐ 2. A type of locator strategy
- ☐ 3. A method to handle alerts
- ☐ 4. A way to define test steps

No correct answers

✗ What is the purpose of the switchTo() method in Selenium? *

.../1

- ☒ 1. To switch between different windows, frames, or alerts ✗
- ☐ 2. To switch between different browsers
- ☐ 3. To switch between different locator strategies
- ☐ 4. To switch between different Selenium components

No correct answers



✗ What is a Page Object Model in Selenium? *

.../1

- ☒ 1. A design pattern that creates an object repository for storing web elements ✗
- ☐ 2. A type of locator strategy
- ☐ 3. A Selenium component
- ☐ 4. A way to generate test reports

No correct answers

✗ What is the purpose of the getTitle() method in Selenium? *

.../1

- ☒ 1. To get the title of the current page ✗
- ☐ 2. To get the URL of the current page
- ☐ 3. To get the source code of the current page
- ☐ 4. To get the name of the current browser

No correct answers

✗ Which method is used to find an element by its ID in Selenium WebDriver?

*.../1

- ☐ 1. findElementById()
- ☐ 2. locateElement()
- ☒ 3. getElementById() ✗
- ☐ 4. findElement(By.id())

No correct answers



✗ Which of the following is not a valid locator strategy in Selenium? *

.../1

- ☐ 1. By.className
- ☐ 2. By.cssSelector
- ☐ 3. By.xpath
- ☒ 4. By.color

✗

No correct answers

✗ Which method is used to switch to an iframe in Selenium WebDriver? *

.../1

- ☒ 1. switchTo().frame()
- ☐ 2. goToFrame()
- ☐ 3. selectFrame()
- ☐ 4. changeFrame()

✗

No correct answers

✗ What is the recommended way to handle dynamic elements? *

.../1

- ☒ i. By using relative XPath locators
- ☐ ii. By using regular expressions

✗

No correct answers



✗ In Selenium WebDriver, which of the following is not a valid select statement?

*.../1

- ☐ selectByValues()
- ☐ selectByIndex()
- ☒ selectByVisibleText()

✗

No correct answers

✗ Can you upload the file using the Sendkeys method in selenium WebDriver?

*.../1

- ☐ Yes
- ☒ No

✗

No correct answers

✗ Which one is a class in Selenium ? *

.../1

- ☐ 1. WebDriverWait
- ☐ 2. WebElement
- ☐ 3. WebDriver
- ☒ 4. getPageSource

✗

No correct answers



✗ What is the purpose of the Selenium Grid? *

.../1

- ☐ 1. To distribute test execution on multiple machines
- ☐ 2. To manage different browser versions and configurations
- ☐ 3. To run tests in parallel
- ☒ 4. All of the above

✗

No correct answers

This content is neither created nor endorsed by Google. - [Contact form owner](#) - [Terms of Service](#) - [Privacy Policy](#)

Does this form look suspicious? [Report](#)

Google Forms



