

Adv. Java_Feb 25 Batch

Total points 0/57 ?

Email *

sumitnarwade98@gmail.com

✗ Element used to specify access attributes for bean's methods. *

.../1

- ☐ 1. security:spring
- ☐ 2. security:intercept-security
- ☐ 3. security:intercept
- ☒ 4. security:protect

✗

No correct answers

✗ What is no mode of autowiring? *

.../1

- ☐ 1. Autowiring by property name.
- ☐ 2. Similar to byType, but type applies to constructor arguments.
- ☐ 3. Default setting which means no autowiring and you should use explicit bean reference for wiring.
- ☒ 4. Spring first tries to wire using autowire by constructor, if it does not work, Spring tries to autowire by byType.

✗

No correct answers



✖ PRN *

.../1

250845920095

✖

✖ The command to invoke some specific maven functionality in command line *.../1

- ☐ a. maven
- ☐ b. build
- ☒ c. mvn
- ☐ d. none of the above

✖

No correct answers

✖ @GetMapping("/startPage")

* .../1

```
public ModelAndView pocExample() {  
    ModelAndView modelAndView = new ModelAndView("X");  
    ModelAndView.addObject("y","z");  
    Return modelAndView;  
}
```

Suppose x is jsp, the preferred way to read the y value in the jsp y using

- ☐ a. custom tags
- ☒ b. scriptlets
- ☐ c. directives
- ☐ d. actions

✖

No correct answers



✗ **the configuration file used to set proxy information, in maven is called as** *.../1

- ☐ a. pom.xml
- ☒ b. settings.xml
- ☐ c. proxy.xml
- ☐ d. none of the above

✗

No correct answers

✗ **Which of the following is not true for servlet? *** .../1

- ☐ 1. It is persistent
- ☐ 2. Platform independent
- ☒ 3. It is multi threaded
- ☐ 4. It is single threaded

✗

No correct answers

✗ **Spring provides a factory that can export beans annotated with:- *** .../1

- ☐ 1. javax.jws.WebService
- ☒ 2. javax.jws.WebServiceProvider
- ☐ 3. all of the mentioned
- ☐ 4. none of the mentioned

✗

No correct answers



✗ **Spring's core transaction management abstraction is based on the interface _____**

*.../1

- ☒ 1. TransactionManager
- ☐ 2. PlatformTransactionManager
- ☐ 3. PlatformManager
- ☐ 4. PlatformTransaction

✗

No correct answers

✗ **Which of these simplifies an Object Relational Mapping tool? ***

.../1

- ☐ 1. Data creation
- ☐ 2. Data manipulation
- ☐ 3. Data access
- ☒ 4. All mentioned above

✗

No correct answers

✗ **Suppose you want to know each time request comes in, so that you can log it. Which listener is appropriate for that?**

*.../1

- ☒ 1. ServletRequestListener
- ☐ 2. ServletRequestAttributeListener
- ☐ 3. ServletContextListener
- ☐ 4. HttpRequestListener

✗

No correct answers



✗ The method `getWriter` returns an object of type `PrintWriter`. This class has `println` methods to generate output. Which of these classes define the `getWriter` method? *.../1

- ☐ 1. `HttpServletRequest`
- ☒ 2. `HttpServletResponse`
- ☐ 3. `ServletConfig`
- ☐ 4. `ServletContext`

✗

No correct answers

✗ *

.../1

- ☒ Option 1

✗

No correct answers

✗ Which is not application context? * .../1

- ☐ 1. `ClassPathXmlApplicationContext`
- ☒ 2. `AnnotationApplicationContext`
- ☐ 3. `WebApplicationContext`
- ☐ 4. `WebPathXmlApplicationContext`

✗

No correct answers



✗ Which method of the servlet is/are called several times in its life? * .../1

- ☐ 1. init()
- ☒ 2. doPost()
- ☐ 3. destroy()
- ☐ 4. None of above

✗

No correct answers

✗ doGet and doPost methods return * .../1

- ☐ a. int
- ☐ b. void
- ☐ c. String
- ☒ d. none of the above

✗

No correct answers

✗ Which of the following is correct about messaging in RESTful web services *.../1

- ☐ 1. A client sends a message in form of a HTTP Request and server responds in form of a HTTP Response.
- ☐ 2. These messages contain message data and metadata i.e. information about message itself.
- ☒ 3. Both of the above
- ☐ 4. None of the above.

✗

No correct answers



✗ Which of the following are the valid scopes in JSP? *

.../1

- ☐ 1. request, page, context, application
- ☐ 2. response, page, session, application
- ☐ 3. request, page, session, global
- ☒ 4. request, page, session, application

✗

No correct answers

✗ What is the default scope of the beans? *

.../1

- ☐ 1. Prototype
- ☒ 2. session
- ☐ 3. Request
- ☐ 4. Singleton

✗

No correct answers

✗ The function present in CommandLineRunner interface in spring is *

.../1

- ☐ a. run
- ☐ b. runner
- ☒ c. runTask
- ☐ d. none of the above

✗

No correct answers



✗ Suppose you want to know each time request comes in, so that you can log it. Which listener is appropriate for that? *.../1

- ☐ 1. ServletContextAttributeListener
- ☒ 2. ServletContextListener
- ☐ 3. HttpSessionListener
- ☐ 4. All of these

✗

No correct answers

✗ Which ways are used by the Log4j and Logback frameworks in hibernate *.../1
framework to support logging?

- ☐ 1. By log4j.xml file
- ☐ 2. By log4j.properties
- ☒ 3. Both of above
- ☐ 4. None of the above

✗

No correct answers



✗ Which driver converts JDBC calls directly into the vendor-specific database protocol?

*.../1

- ☒ 1. Native-API driver
- ☐ 2. Network Protocol driver
- ☐ 3. Thin driver
- ☐ 4. None of the above

✗

☐ =====
==

No correct answers

✗ which of the following is true for postman *

.../1

- ☐ a. postman is used to test web services
- ☒ b. postman is tool used to test our database queries
- ☐ c. postman is tool used to test css and html
- ☐ d. none of the above

✗

No correct answers



✗ Which of the following element is used to represent one-to-one relationship in hibernate?

*.../1

- ☐ 1. many-to-one
- ☐ 2. many-one
- ☐ 3. ManyToOne
- ☒ 4. None of the above

✗

No correct answers

✗ Which of the following are tags of hibernate.cfg.xml? *

.../1

- ☐ 1. SQL variant to generate
- ☐ 2. DTD
- ☐ 3. JDBC connection
- ☒ 4. All of the options

✗

No correct answers



✗ In the following code spring will create which objects *

.../1

@RestController

```
public class UserController{
```

```
@Autowired
```

```
private UserService userService;
```

```
}
```

- ☐ a. UserService object
- ☒ b. UserController object
- ☐ c. UserController object and UserService object
- ☐ d. none of the above

✗

No correct answers

✗ Isolation Levels Supported by Spring:- *

.../1

- ☐ 1. DEFAULT
- ☐ 2. READ COMMITTED
- ☐ 3. READ UNCOMMITTED
- ☒ 4. All of the mentioned

✗

No correct answers



✗ Which object is used to forward the request processing from one servlet *.../1 to another?

- ☐ 1. ServletContext
- ☐ 2. ServletConfig
- ☒ 3. RequestDispatcher
- ☐ 4. ResponseDispatcher

✗

No correct answers

✗ Name * .../1

Sumit Narwade

✗

✗ What is dirty checking in Hibernate? * .../1

- ☒ 1. object state changes in order to synchronize the updated state with the database
- ☐ 2. remove the dirty data from database.
- ☐ 3. check the data when insert into database.
- ☐ 4. None

✗

No correct answers



✗ Which of the following is not a state of object in Hibernate? *

.../1

- ☐ 1. Attached
- ☒ 2. Detached
- ☐ 3. Persistent
- ☐ 4. Transient

✗

No correct answers

✗ Which of the following method can be used to used to instantiate a method?

*.../1

- ☐ 1. static factory method
- ☒ 2. default-init method
- ☐ 3. destroy method
- ☐ 4. lazy-init method

✗

No correct answers

✗ Which method is used to save or update the state of the given instance from the underlying database? *

*.../1

- ☐ 1. session.update()
- ☐ 2. session.keep()
- ☒ 3. session.saveOrUpdate()
- ☐ 4. session.Load()

✗

No correct answers



✗ **What is bean in Spring? ***

.../1

- ☐ 1. A component
- ☐ 2. An Object
- ☒ 3. A class
- ☐ 4. A container

✗

No correct answers

✗ **to add a cookie, in the web application we need to use object of ***

.../1

- ☐ a. HttpServletRequest
- ☐ b. HttpSession
- ☐ c. HttpServletResponse
- ☒ d. HttpCookie

✗

No correct answers

✗ **Which is not DI? ***

.../1

- ☐ 1. Setter Based DI
- ☐ 2. Auto-wiring DI
- ☐ 3. Both of the above
- ☒ 4. None of the above.

✗

No correct answers



✗ to handle 404 in jee web application of jee, we configure the file *

.../1

- ☐ a. http.xml
- ☐ b. 404.xml
- ☒ c. web.xml
- ☐ d. none of the above

✗

No correct answers

✗ org.hibernate.SessionFactory can manage contextual sessions and allows to retrieve them by:-

*.../1

- ☒ 1. getSession() method
- ☐ 2. getCurrent() method
- ☐ 3. getCurrentSession() method
- ☐ 4. None of the above

✗

No correct answers

✗ In the elements of Hibernate architecture is a factory of session and client of ConnectionProvider, It holds the second level cache (optional) of data is ____.

*.../1

- ☒ 1. Session
- ☐ 2. ConnectionProvider
- ☐ 3. Transaction
- ☐ 4. SessionFactory

✗

No correct answers



✗ What is Spring MVC framework? *

.../1

- ☐ 1. Spring MVC framework is Model-Value-Class architecture and used to bind model data with values.
- ☒ 2. The Spring web MVC framework provides model-view-controller architecture and ready components that can be used to develop flexible and loosely coupled web applications. ✗
- ☐ 3. Spring MVC framework is used for Transaction management for Web Applications.
- ☐ 4. Spring MVC framework is used for AOP for Web Applications.

No correct answers

✗ @GetMapping and @PostMapping annotations used on *

.../1

- ☐ a. functions
- ☒ b. class ✗
- ☐ c. variables
- ☐ d. none of the above

No correct answers

✗ Which is Stereo Type Annotations? *

.../1

- ☐ 1.@Autowired
- ☒ 2. @Controller ✗
- ☐ 3. @PreDestroy
- ☐ 4. @Qualifier

No correct answers



✗ What are the method of Methods of PreparedStatement interface? *

.../1

- ☐ 1. public void setInt()
- ☐ 2. public void setDouble()
- ☒ 3. public ResultSet executeQuery()
- ☐ 4. public void setFloat()

✗

No correct answers

✗ How to handle shut down of IoC container? *

.../1

- ☒ 1. Using shutdownHook()
- ☐ 2. Using shutdownHandler()
- ☐ 3. Using registerHook()
- ☐ 4. Using registerShutdownHook()

✗

No correct answers

✗ In which file database table configuration is stored? *

.../1

- ☐ 1. .dbm
- ☒ 2. .hbm
- ☐ 3. .ora
- ☐ 4. .sql

✗

No correct answers



✗ Which interface provides methods to execute queries with the database?

*.../1

- ☐ 1. Connection interface
- ☒ 2. Statement interface
- ☐ 3. ResultSet interface
- ☐ 4. None of the above

✗

No correct answers

✗ Test, compile, verify in maven are called as *

.../1

- ☐ a. phases
- ☐ b. goals
- ☒ c. lifecycle
- ☐ d. none of the above

✗

No correct answers

✗ <mapping = "class "?"/> ? here contains *

.../1

- ☒ a. name of the dao class
- ☐ b. name of the Entity class
- ☐ c. name of the configuration file
- ☐ d. none of the above

✗

No correct answers



✗ **How can we get context init parameter and run some code before rest of the application can service a client?** *.../1

- ☐ 1. ServletContextAttributeListener
- ☒ 2. ServletContextListener
- ☐ 3. HttpSessionListener
- ☐ 4. All of these

✗

No correct answers

✗ **Which Standard tag is used store data in the JavaBeans instance? *** .../1

- ☐ 1. <jsp:useBean>
- ☐ 2. <jsp:setBean>
- ☐ 3. <jsp:set>
- ☒ 4. <jsp:setProperty>

✗

No correct answers

✗ **Factory to use our Spring bean as the implementation:- *** .../1

- ☐ 1. jaxws:end
- ☐ 2. jaxws:endpoint
- ☐ 3. all of the mentioned
- ☒ 4. none of the mentioned

✗

No correct answers



✗ Which of the following is not a scope in jsp *

.../1

- ☐ a. session
- ☐ b. request
- ☐ c. response
- ☒ d. page

✗

No correct answers

✗ In which of these getAttribute() and setAttribute() method has defined? * .../1

- ☐ 1. HttpSession
- ☐ 2. ServletRequest
- ☐ 3. ServletContext
- ☒ 4. All of these

✗

No correct answers

✗ In Hibernate when we give *

.../1

Xx = session.get(X.class, ?) here ? is

- ☐ a. tablename
- ☒ b. primary key value which is serial
- ☐ c. databasename
- ☐ d. none of the above

✗

No correct answers



✖ What is @Controller annotation? *

.../1

- ☒ 1. The @Controller annotation indicates that a particular class serves the role of a controller. 2. The @Controller annotation indicates how to control the transaction management. ✖
- ☐ 3. The @Controller annotation indicates how to control the dependency injection.
- ☐ 4. The @Controller annotation indicates how to control the aspect programming.

No correct answers

✖ Which of the following method can be used to used to instantiate a method?

*.../1

- ☒ 1. static factory method ✖
- ☐ 2. default-init method
- ☐ 3. destroy method
- ☐ 4. lazy-init method

No correct answers

This content is neither created nor endorsed by Google. - [Contact form owner](#) - [Terms of Service](#) - [Privacy Policy](#).

Does this form look suspicious? [Report](#)

Google Forms



