Microsoft 365 Copilot Analytics

Multi-Agency Setup Guide

Step-by-step implementation for multi-agency Copilot Analytics in a shared M365 tenant

Document Property	Value
Section	Setup
Audience	IT Admin, Solution Architect
Version	4.0
Published	April 2026

How This Document Fits

This is a **Setup** guide. It provides the hands-on configuration steps for deploying Copilot Analytics across multiple agencies in a shared M365 tenant. You should have already chosen your architecture before arriving here.

Section	Purpose	Who Reads
Strategy	Decide what to implement	CIO, SA, Business Leaders
Setup (you are here)	Configure and deploy	IT Admin, Insights Admin
Operate	Use dashboards and reports daily	Leaders, Analysts, Managers
Reference	Look up details and fix issues	Everyone (as needed)

> **Read the Decision Guide First**
>
> Read the Multi-Agency Architecture Decision Guide first to choose between the **Default Priority** and **Isolation** architectures. This setup guide assumes you have already made that decision. Jump to the section that matches your choice:
>
> - Section 1 — Default Priority Architecture Setup (2–4 hours)
> - Section 2 — Isolation Architecture Setup (1–3 days)

Table of Contents

1. Default Priority Architecture Setup
2. Isolation Architecture Setup
3. Ongoing Governance
4. CSV Templates
5. What to Read Next

1. Default Priority Architecture Setup

Estimated time: 2–4 hours | **PowerShell required:** No

This architecture relies on the native Copilot Dashboard scoping ("Your group") driven by Entra ID manager hierarchy. Each agency CEO automatically sees their agency's data. Cross-agency visibility is acceptable in this model.

Phase 0: Base Setup

Complete **all five tiers** in the Admin Setup Guide before proceeding. This establishes:

- Copilot licence assignment (1+ for core dashboard; ≥50 for advanced features including benchmarks, Agent Dashboard, delegation)
- Insights Admin and Insights Analyst roles
- VFAM feature access policies (dashboard, advanced analytics, behavioural experiences)
- Org data upload (Entra connection or CSV)
- Default partition with analyst assignment

> **Verify Before Continuing**
>
> Run through the Global Admin Readiness Checklist in the Admin Setup Guide. All 8 checks must pass before you proceed to Phase 1.

Phase 1: Verify AutoCxO and Delegation

Step	Action	Where
1.1	Enable Auto CxO Identification	Viva Insights web app → Admin → General → A
1.2	Enable Delegation	Viva Insights web app → Admin → Delegation
1.3	Verify each agency CEO gets automatic "Your group" scope	Ask each agency CEO to open the Copilot Das

> **If a CEO Doesn't See "Your Group"**
>
> The most common cause is incorrect or missing `ManagerId` data in Entra ID. Verify the CEO's reporting chain: every employee in the agency must have a valid manager chain that terminates at the agency CEO. See the Data Onboarding Guide for manager hierarchy verification steps.

Phase 2: Grant Additional Access

Step	Action	Where
2.1	Delegate to agency CIOs / senior leaders	Each agency CEO uses the Delegation feature (Copilot Dashboarc
2.2	Grant Central IT "Your company" scope	Viva Insights web app → Admin → Delegation → add Central IT lea

Phase 2.3: Enrich Org Data (Optional)

If the Entra ID connection provides sufficient attributes (`ManagerId`, `Organization`), no additional data upload is needed. If you require custom attributes (e.g., `Agency`, `FunctionType`, `CostCentre`), upload a CSV supplement:

1. Enable the Entra connection for `ManagerId` + `Organization` attributes (if not already done in Phase 0).
2. If custom attributes are needed, prepare a CSV file following the CSV Templates (Section 4).
3. Upload via the steps in the Data Onboarding Guide.

Phase 3: Create Partitions (Optional)

Partitions are **optional** in the Default Priority architecture but recommended if you want analyst-level reporting scoped to each agency.

1. Navigate to **Viva Insights web app → Admin → Privacy settings → Partitions**.
2. Click **New partition**.
3. Name the partition after the agency (e.g., "Agency A").
4. Set the filter to the relevant attribute (e.g., `Organization = "Agency A"` or `Agency = "Agency A"`).
5. Assign the partition's analyst(s).
6. Repeat for each agency.

Phase 4: Power BI Reports (Optional)

For deeper analysis beyond the native dashboard, analysts can create Power BI reports from partition-scoped queries.

1. The assigned analyst opens their partition in the Viva Insights web app.
2. Creates a Copilot person query (or uses a pre-built template).
3. Connects the query output to Power BI Desktop.
4. Publishes the report to a **Power BI workspace** dedicated to the agency.
5. Shares the workspace with agency leadership.

> **Default Priority Setup Complete**
>
> At this point, each agency CEO sees their data via the native dashboard, delegation is configured, and optional partitions and Power BI reports are in place. Skip to Section 3 — Ongoing Governance for maintenance procedures.

2. Isolation Architecture Setup

Estimated time: 1–3 days | **PowerShell required:** Yes

This architecture enforces hard data boundaries via Viva Insights partitions. Agency A **cannot** see Agency B's data under any circumstance. The native Copilot Dashboard is locked down to prevent cross-agency browsing, and reports are delivered via Power BI workspaces.

Phase 0: Prerequisites

Complete through **Tier 2, Step 3** in the Admin Setup Guide. This establishes:

- Copilot licence assignment (1+ for core dashboard; ≥50 for advanced features)
- Insights Admin and Insights Analyst roles
- VFAM verification that the dashboard toggle and Advanced Analytics toggle are accessible

> **Do NOT Enable Broad Access**
>
> Stop after verifying VFAM in Tier 2, Step 3. Do **not** enable AutoCxO, delegation, or broad dashboard access for "Everyone". The Isolation architecture requires a controlled lockdown of these features (Phase 1 below).

Phase 1: VFAM Lockdown

Lock down the Copilot Dashboard so that only Central IT has access. All other users — including agency CEOs — will receive reports via Power BI only.

Step	Action	Details
1.1	Disable Auto CxO Identification	Viva Insights web app → Admin → General → Auto CxO Identification → t
1.2	Disable Delegation	Viva Insights web app → Admin → Delegation → toggle **Off**
1.3	Disable dashboard for "Everyone"	Admin Centre → Settings → Viva → Viva Insights → set Copilot Dashboar
1.4	Create Entra security group	Create a group named `AgencyUsers-NoDashboard` in Entra ID. Add all n
1.5	Apply group-scoped VFAM policy	Run the PowerShell command below to disable the Copilot Dashboard fo

PowerShell: Disable Dashboard for Non-Central-IT Users

Run this in an elevated PowerShell session with the `ExchangeOnlineManagement` module installed:

```
Add-VivaModuleFeaturePolicy `
  -ModuleId VivaInsights `
  -FeatureId CopilotDashboard `
  -Name DisableForNonCentralIT `
  -IsFeatureEnabled $false `
  -GroupIds "group-id-here"
```

Replace `group-id-here` with the Object ID of the `AgencyUsers-NoDashboard` Entra security group.

Why Group-Scoped — Not "Everyone"

Use **group-scoped policies**, not "Everyone". A blanket "Everyone" disable would also block Central IT and non-agency executives who may legitimately need dashboard access. The group-scoped approach protects these users while locking out agency-level browsing.

Phase 2: Data Strategy

Choose your data path based on whether your agencies have distinct email domains or you need a custom attribute for agency identification.

Choose Your Path

Criterion	Path A — CSV with Agency Attribute
When to use	Agencies share a common email domain, or you need custom grouping that doesn't align with emai
Data upload	CSV with `Agency` attribute (see Section 4)
Partition filter	Filter by `Agency` attribute
Maintenance	Re-upload CSV monthly or on org change

Path A: CSV with Agency Attribute

1. Prepare a CSV file with the following columns (see Section 4 for a template):
   - `Microsoft_PersonEmail` (required)
   - `Microsoft_ManagerEmail` (required)

- `Microsoft_Organization` (required)
- `EffectiveDate` (required)
- `Agency` (custom attribute — this is the partition filter)

2. Follow the upload steps in the Data Onboarding Guide.
3. After upload, verify the `Agency` attribute appears in Viva Insights → Admin → Data quality.

Path B: Entra Domain Filter (Zero CSV)

1. No data upload is required.
2. Verify each agency has a distinct email domain in Entra ID (e.g., `@agencyA.gov`, `@agencyB.gov`).
3. The `Domain` attribute is system-generated from user email addresses and is automatically available for partition filtering.

Phase 3: Create Partitions

Create one partition per agency. Optionally, create a global partition for CIO-level cross-agency reporting.

Step	Action	Details
3.1	Navigate to partitions	Viva Insights web app → Admin → Privacy settings → Partitions
3.2	Create agency partition	Click **New partition**. Name it after the agency (e.g., "Agency A"). Set the f • **Path A:** `Agency = "Agency A"` • **Path B:** `Domain = "agencyA.gov"`
3.3	Assign analyst(s)	Assign the per-agency analyst to the partition. This analyst can only see d
3.4	Repeat for each agency	Create separate partitions for Agency B, Agency C, etc., each with its own
3.5	Create global partition (optional)	For CIO-level reporting, create a partition with no filter (includes all users)

Phase 4: Report Delivery

In the Isolation architecture, report delivery uses **Power BI workspaces** rather than the native Copilot Dashboard.

1. Each per-agency analyst opens their partition in the Viva Insights web app.
2. Creates a Copilot person query (or uses a pre-built template such as the M365 Copilot Adoption report).
3. Connects the query output to Power BI Desktop.

4. Publishes the report to a **dedicated Power BI workspace** for the agency (e.g., “Agency A — Copilot Analytics”).
5. Shares the workspace with agency leadership (CEO, CIO, designated leaders).
6. Repeat for each agency.

> **WARNING: Avoid “Publish Reports” in Isolation Architecture**
>
> **“Publish Reports”** with a manager hierarchy filter grants automatic Copilot Dashboard access to all enabled managers in the scope. In an Isolation architecture, this may expose cross-agency data if managers have reporting chains that span agencies. Use **Power BI workspaces** instead for controlled, agency-specific report delivery.

> **Isolation Setup Complete**
>
> At this point, the dashboard is locked down, partitions enforce data boundaries, and each agency receives reports via Power BI workspaces. Continue to Section 3 — Ongoing Governance for maintenance procedures.

3. Ongoing Governance

Multi-agency configurations require ongoing attention. Use the table below as a maintenance schedule.

Frequency	Task	Architecture	Details
Monthly	Refresh org data	Both (Path A only for Isolation)	Re-upload CSV with current e
Monthly	Verify partition filters	Both (if using partitions)	Spot-check partition member
Monthly	Spot-check dashboard scope	Default Priority	Have one leader per agency v
Quarterly	Audit delegation list	Default Priority	Review who has been delegat
Quarterly	Verify VFAM policies unchanged	Isolation	Confirm the `DisableForNonC`
Quarterly	Review access logs in Purview	Both	Check Microsoft Purview aud
On org change	Update partitions	Both (if using partitions)	If agencies merge, split, or re
On org change	Update CSV	Path A (Isolation)	Re-upload CSV immediately v

4. CSV Templates

Path A: CSV with Agency Attribute

Use this format when agencies share a common email domain and you need a custom `Agency` attribute for partition filtering.

```
Microsoft_PersonEmail,Microsoft_ManagerEmail,Microsoft_Organization,EffectiveDate,Agency,FunctionType
alice@contoso.gov,bob@contoso.gov,Finance,2026-04-01,Agency A,Corporate
bob@contoso.gov,carol@contoso.gov,Finance,2026-04-01,Agency A,Leadership
dave@contoso.gov,eve@contoso.gov,Engineering,2026-04-01,Agency B,Technical
eve@contoso.gov,frank@contoso.gov,Engineering,2026-04-01,Agency B,Leadership
grace@contoso.gov,frank@contoso.gov,Operations,2026-04-01,Agency C,Operations
```

Column	Required	Description
`Microsoft_PersonEmail`	Yes	Employee's primary email address (must match Entra ID UPN)
`Microsoft_ManagerEmail`	Yes	Direct manager's email address (builds the reporting chain)
`Microsoft_Organization`	Yes	Department or business unit name
`EffectiveDate`	Yes	Date the record takes effect (ISO 8601: `YYYY-MM-DD`)
`Agency`	Custom	Agency identifier used as partition filter
`FunctionType`	Custom	Optional — functional classification for deeper analysis

Path B: Entra Domain Filter (Zero CSV)

No CSV is needed. The `Domain` attribute is automatically derived from each user's email address in Entra ID. Ensure each agency uses a distinct email domain:

Agency	Email Domain	Partition Filter
Agency A	`@agencyA.gov`	`Domain = "agencyA.gov"`
Agency B	`@agencyB.gov`	`Domain = "agencyB.gov"`
Agency C	`@agencyC.gov`	`Domain = "agencyC.gov"`

5. What to Read Next

Document	When to Read
Multi-Agency Architecture Decision Guide	If you haven’t yet chosen between Default Priority and Isolation, start
Data Onboarding Guide	Detailed steps for CSV upload, Entra connection, attribute mapping, a
Admin Setup Guide	Complete base setup for all five analytics tiers (prerequisite for both a
Dashboard Guide	Understanding each dashboard page, metrics, and how to interpret s

Disclaimer: This document is provided for informational purposes only and reflects Microsoft 365 capabilities as of April 2026. Microsoft may change features, interfaces, and availability without notice. Always verify current guidance on Microsoft Learn. This document is not official Microsoft documentation and should not be treated as a definitive source for product capabilities or licensing requirements.