

Microsoft 365 Copilot Analytics

Multi-Agency Setup Guide

Step-by-step implementation for multi-agency Copilot Analytics in a shared M365 tenant

Document Property	Value
Section	Setup
Audience	IT Admin, Solution Architect
Version	4.0
Published	April 2026

How This Document Fits

This is a **Setup** guide. It provides the hands-on configuration steps for deploying Copilot Analytics across multiple agencies in a shared M365 tenant. You should have already chosen your architecture before arriving here.

Section	Purpose	Who Reads
Strategy	Decide what to implement	CIO, SA, Business Leaders
Setup (you are here)	Configure and deploy	IT Admin, Insights Admin
Operate	Use dashboards and reports daily	Leaders, Analysts, Managers
Reference	Look up details and fix issues	Everyone (as needed)

Read the Decision Guide First

Read the Multi-Agency Architecture Decision Guide first to choose between the **Default Priority** and **Isolation** architectures. This setup guide assumes you have already made that decision. Jump to the section that matches your choice:

- Section 1 — Default Priority Architecture Setup (2–4 hours)
- Section 2 — Isolation Architecture Setup (1–3 days)

Table of Contents

1. Default Priority Architecture Setup
2. Isolation Architecture Setup
3. Ongoing Governance
4. CSV Templates
5. What to Read Next

1. Default Priority Architecture Setup

Estimated time: 2–4 hours | **PowerShell required:** No

This architecture relies on the native Copilot Dashboard scoping (“Your group”) driven by Entra ID manager hierarchy. Each agency CEO automatically sees their agency’s data. Cross-agency visibility is acceptable in this model.

Phase 0: Base Setup

Complete **all five tiers** in the Admin Setup Guide before proceeding. This establishes:

- Copilot licence assignment (1+ Copilot licence for the core dashboard; **≥50 Copilot licences or ≥50 Viva Insights licences** — independent, not summed — for advanced features including benchmarks, Agent Dashboard, delegation)
- Insights Admin and Insights Analyst roles
- VFAM feature access policies (dashboard, advanced analytics, behavioural experiences)
- Org data upload (Entra connection or CSV)
- Default partition with analyst assignment

Verify Before Continuing

Run through the Global Admin Readiness Checklist in the Admin Setup Guide. All 8 checks must pass before you proceed to Phase 1.

Phase 1: Verify AutoCxO and Delegation

Step	Action	Where
1.1	Enable Auto CxO Identification	Viva Insights web app → Admin → General → A
1.2	Enable Delegation	Viva Insights web app → Admin → Delegation
1.3	Verify each agency CEO gets automatic “Your group” scope	Ask each agency CEO to open the Copilot Das

If a CEO Doesn't See "Your Group"

The most common cause is incorrect or missing `ManagerId` data in Entra ID. Verify the CEO's reporting chain: every employee in the agency must have a valid manager chain that terminates at the agency CEO. See the Data Onboarding Guide for manager hierarchy verification steps.

Phase 2: Grant Additional Access

Step	Action	Where
2.1	Delegate to agency CIOs / senior leaders	Each agency CEO uses the Delegation feature (Copilot Dashboard
2.2	Grant Central IT "Your company" scope	Viva Insights web app → Admin → Delegation → add Central IT lea

Phase 2.3: Enrich Org Data (Optional)

If the Entra ID connection provides sufficient attributes (`ManagerId` , `Organization`), no additional data upload is needed. If you require custom attributes (e.g., `Agency` , `FunctionType` , `CostCentre`), upload a CSV supplement:

- 1. Enable the Entra connection for `ManagerId` + `Organization` attributes (if not already done in Phase 0).
- 2. If custom attributes are needed, prepare a CSV file following the CSV Templates (Section 4).
- 3. Upload via the steps in the Data Onboarding Guide.

Phase 3: Create Partitions (Optional)

Partitions are **optional** in the Default Priority architecture but recommended if you want analyst-level reporting scoped to each agency.

- 1. Navigate to **Viva Insights web app → Admin → Privacy settings → Partitions**.
- 2. Click **New partition**.
- 3. Name the partition after the agency (e.g., "Agency A").
- 4. Set the filter to the relevant attribute (e.g., `Organization = "Agency A"` or `Agency = "Agency A"`).
- 5. Assign the partition's analyst(s).
- 6. Repeat for each agency.

Phase 4: Power BI Reports (Optional)

For deeper analysis beyond the native dashboard, analysts can create Power BI reports from partition-scoped queries.

1. The assigned analyst opens their partition in the Viva Insights web app.
2. Creates a Copilot person query (or uses a pre-built template).
3. Connects the query output to Power BI Desktop.
4. Publishes the report to a **Power BI workspace** dedicated to the agency.
5. Shares the workspace with agency leadership.

Default Priority Setup Complete

At this point, each agency CEO sees their data via the native dashboard, delegation is configured, and optional partitions and Power BI reports are in place. Skip to Section 3 — Ongoing Governance for maintenance procedures.

2. Isolation Architecture Setup

Estimated time: 1–3 days | **PowerShell required:** Yes (VFAM lockdown only; partitions are created via the Viva Insights web app UI)

This architecture enforces hard data boundaries via Viva Insights partitions. Agency A **cannot** see Agency B's data under any circumstance. The native Copilot Dashboard is locked down to prevent cross-agency browsing, and reports are delivered via Power BI workspaces.

Phase 0: Prerequisites

Complete through **Tier 2, Step 3** in the Admin Setup Guide. This establishes:

- Copilot licence assignment (1+ Copilot licence for the core dashboard; **≥50 Copilot licences or ≥50 Viva Insights licences** — independent, not summed — for advanced features)
- Insights Admin and Insights Analyst roles
- VFAM verification that the dashboard toggle and Advanced Analytics toggle are accessible

Do NOT Enable Broad Access

Stop after verifying VFAM in Tier 2, Step 3. Do **not** enable AutoCxO, delegation, or broad dashboard access for "Everyone". The Isolation architecture requires a controlled lockdown of these features (Phase 1 below).

Phase 1: VFAM Lockdown

Lock down access so that only Central IT can browse the Copilot Dashboard. All other users — including agency CEOs — will receive reports via Power BI only.

Important: Dashboard Access Is Now Managed via the Viva Insights Web App Toggle

Microsoft has retired the standalone `CopilotDashboard` VFAM control and the legacy "Copilot Dashboard" access page in the Microsoft 365 admin center. Per MS Learn, access to the dashboard is now controlled by enabling or disabling the **Viva Insights web app** — either through the admin-center UI (*Manage access to the Viva Insights web app for individual users and groups*) or via the `VivaInsightsWebApp` VFAM feature in PowerShell. Disabling this toggle removes the user's access to the dashboard, Copilot Analytics Reports, Agent Dashboard, and the advanced analyst tools in a single step. This is the intended lockdown for the Isolation architecture, since per-agency users should reach data only through Power BI.

Step	Action	Details
1.1	Disable Auto CxO Identification	Viva Insights web app → Admin → General → Auto CxO Ident
1.2	Disable Delegation	Viva Insights web app → Admin → Delegation → toggle Off (i
1.3	Restrict admin-center access list to Central IT	Admin Centre → Settings → Viva → Viva Insights → Manage
1.4	Create Entra security group	Create a group named <code>AgencyUsers-NoDashboard</code> in Entra
1.5	Apply group-scoped VFAM policy	Run the PowerShell command below to disable the entire Viv

PowerShell: Disable the Viva Insights Web App for Non-Central-IT Users

Run this in an elevated PowerShell session with `ExchangeOnlineManagement` module 3.5.1 or later installed (required for non-mail-enabled group support):

```
Add-VivaModuleFeaturePolicy `
  -ModuleId VivaInsights `
  -FeatureId VivaInsightsWebApp `
  -Name DisableForNonCentralIT `
  -IsFeatureEnabled $false `
  -GroupIds "group-id-here"
```

Replace `group-id-here` with the Object ID of the `AgencyUsers-NoDashboard` Entra security group. Changes take effect within 24 hours.

Note: The deprecated `-FeatureId CopilotDashboard` command no longer applies a policy — the feature was removed when access management moved to the Viva Insights web app toggle.

Why Group-Scoped — Not “Everyone”

Use **group-scoped policies**, not “Everyone”. A blanket “Everyone” disable would also block Central IT and non-agency executives who may legitimately need dashboard access. The group-scoped approach protects these users while locking out agency-level browsing. Because the `VivaInsightsWebApp` toggle disables the *entire* web app for the scoped users (dashboard, Analytics Reports, Agent Dashboard, and analyst tools), confirm your Central IT analysts and any executives who need direct dashboard access are explicitly added to the access list in Step 1.3 before applying this policy.

Phase 2: Data Strategy

Choose your data path based on whether your agencies have distinct email domains or you need a custom attribute for agency identification.

Choose Your Path

Criterion	Path A — CSV with Agency Attribute
When to use	Agencies share a common email domain, or you need custom grouping that doesn't align with email
Data upload	CSV with Agency attribute (see Section 4)
Partition filter	Filter by Agency attribute
Maintenance	Re-upload CSV monthly or on org change

Path A: CSV with Agency Attribute

1. Prepare a CSV file with the following columns (see Section 4 for a template):
 - Microsoft_PersonEmail (required)
 - Microsoft_ManagerEmail (required)
 - Microsoft_Organization (required)
 - EffectiveDate (required)
 - Agency (custom attribute — this is the partition filter)
2. Follow the upload steps in the Data Onboarding Guide.
3. After upload, verify the Agency attribute appears in Viva Insights → Admin → Data quality.

Path B: Entra Domain Filter (Zero CSV)

1. No data upload is required.
2. Verify each agency has a distinct email domain in Entra ID (e.g., @agencyA.gov , @agencyB.gov).
3. The Domain attribute is system-generated from user email addresses and is automatically available for partition filtering.

Phase 3: Create Partitions

Create one partition per agency. Optionally, create a global partition for CIO-level cross-agency reporting.

Step	Action	Details
3.1	Navigate to partitions	Viva Insights web app → Admin → Privacy settings → Partitions
3.2	Create agency partition	Click New partition . Name it after the agency (e.g., "Agency A"). Set the f • Path A: Agency = "Agency A" • Path B: Domain = "agencyA.gov"
3.3	Assign analyst(s)	Assign the per-agency analyst to the partition. This analyst can only see d
3.4	Repeat for each agency	Create separate partitions for Agency B, Agency C, etc., each with its own
3.5	Create global partition (optional)	For CIO-level reporting, create a partition with no filter (includes all users)

Phase 4: Report Delivery

In the Isolation architecture, report delivery uses **Power BI workspaces** rather than the native Copilot Dashboard.

1. Each per-agency analyst opens their partition in the Viva Insights web app.
2. Creates a Copilot person query (or uses a pre-built template such as the M365 Copilot Adoption report).
3. Connects the query output to Power BI Desktop.
4. Publishes the report to a **dedicated Power BI workspace** for the agency (e.g., "Agency A — Copilot Analytics").
5. Shares the workspace with agency leadership (CEO, CIO, designated leaders).
6. Repeat for each agency.

WARNING: Avoid "Publish Reports" in Isolation Architecture

"**Publish Reports**" with a manager hierarchy filter grants automatic Copilot Dashboard access to all enabled managers in the scope. In an Isolation architecture, this may expose cross-agency data if managers have reporting chains that span agencies. Use **Power BI workspaces** instead for controlled, agency-specific report delivery.

Isolation Setup Complete

At this point, the dashboard is locked down, partitions enforce data boundaries, and each agency receives reports via Power BI workspaces. Continue to Section 3 — Ongoing Governance for maintenance procedures.

3. Ongoing Governance

Multi-agency configurations require ongoing attention. Use the table below as a maintenance schedule.

Frequency	Task	Architecture	Details
Monthly	Refresh org data	Both (Path A only for Isolation)	Re-upload CSV with current e
Monthly	Verify partition filters	Both (if using partitions)	Spot-check partition member
Monthly	Spot-check dashboard scope	Default Priority	Have one leader per agency v
Quarterly	Audit delegation list	Default Priority	Review who has been delegat
Quarterly	Verify VFAM policies unchanged	Isolation	Confirm the DisableForNonC
Quarterly	Review access logs in Purview	Both	Check Microsoft Purview aud
On org change	Update partitions	Both (if using partitions)	If agencies merge, split, or re
On org change	Update CSV	Path A (Isolation)	Re-upload CSV immediately v

4. CSV Templates

Path A: CSV with Agency Attribute

Use this format when agencies share a common email domain and you need a custom `Agency` attribute for partition filtering.

```
Microsoft_PersonEmail,Microsoft_ManagerEmail,Microsoft_Organization,EffectiveDate,Agency,FunctionType
alice@contoso.gov,bob@contoso.gov,Finance,2026-04-01,Agency A,Corporate
bob@contoso.gov,carol@contoso.gov,Finance,2026-04-01,Agency A,Leadership
dave@contoso.gov,eve@contoso.gov,Engineering,2026-04-01,Agency B,Technical
eve@contoso.gov,frank@contoso.gov,Engineering,2026-04-01,Agency B,Leadership
grace@contoso.gov,frank@contoso.gov,Operations,2026-04-01,Agency C,Operations
```

Column	Required	Description
<code>Microsoft_PersonEmail</code>	Yes	Employee's primary email address (must match Entra ID UPN)
<code>Microsoft_ManagerEmail</code>	Yes	Direct manager's email address (builds the reporting chain)
<code>Microsoft_Organization</code>	Yes	Department or business unit name
<code>EffectiveDate</code>	Yes	Date the record takes effect (ISO 8601: <code>YYYY-MM-DD</code>)
<code>Agency</code>	Custom	Agency identifier used as partition filter
<code>FunctionType</code>	Custom	Optional — functional classification for deeper analysis

Path B: Entra Domain Filter (Zero CSV)

No CSV is needed. The `Domain` attribute is automatically derived from each user's email address in Entra ID. Ensure each agency uses a distinct email domain:

Agency	Email Domain	Partition Filter
Agency A	<code>@agencyA.gov</code>	<code>Domain = "agencyA.gov"</code>
Agency B	<code>@agencyB.gov</code>	<code>Domain = "agencyB.gov"</code>
Agency C	<code>@agencyC.gov</code>	<code>Domain = "agencyC.gov"</code>

5. What to Read Next

Document	When to Read
Multi-Agency Architecture Decision Guide	If you haven't yet chosen between Default Priority and Isolation, start here.
Data Onboarding Guide	Detailed steps for CSV upload, Entra connection, attribute mapping, and more.
Admin Setup Guide	Complete base setup for all five analytics tiers (prerequisite for both setup guides).
Dashboard Guide	Understanding each dashboard page, metrics, and how to interpret scores.

Disclaimer: This document is provided for informational purposes only and reflects Microsoft 365 capabilities as of April 2026. Microsoft may change features, interfaces, and availability without notice. Always verify current guidance on Microsoft Learn. This document is not official Microsoft documentation and should not be treated as a definitive source for product capabilities or licensing requirements.