

Microsoft 365 Copilot Analytics

Multi-Agency Setup Guide

Step-by-step implementation for multi-agency Copilot Analytics in a shared M365 tenant

Document Property	Value
Section	Setup
Audience	IT Admin, Solution Architect
Version	4.2
Last validated	2 October 2026

How This Document Fits

This is a **Setup** guide. It provides the hands-on configuration steps for deploying Copilot Analytics across multiple agencies in a shared M365 tenant. You should have already chosen your architecture before arriving here.

Section	Purpose	Who Reads
Strategy	Decide what to implement	CIO, SA, Business Leaders
Setup (you are here)	Configure and deploy	IT Admin, Insights Admin
Operate	Use dashboards and reports daily	Leaders, Analysts, Managers
Reference	Look up details and fix issues	Everyone (as needed)

Read the Decision Guide First

Read the Multi-Agency Reporting Pattern Decision Guide first to choose between **Default Priority** and **Restricted Reporting**. These are this guide's author-created patterns, not Microsoft product or security architectures. This setup guide assumes you have documented the decision and accepted the residual risks. Jump to the section that matches your choice:

- Section 1 — Default Priority Pattern Setup (2–4 hours)
- Section 2 — Restricted Reporting Pattern Setup (1–3 days; legacy anchor retained)

THIS GUIDE'S AUTHOR-CREATED ARCHITECTURE PATTERNS

Default Priority and **Restricted Reporting** (formerly labelled "Isolation" in this guide and retained in existing URLs) are editorial names created by this guide. They are **not** Microsoft product, security, compliance, sovereignty, or licensing terms. Microsoft Learn documents the component capabilities; it does not document this guide's combined pattern as an end-to-end security boundary.

Table of Contents

1. Control Boundary and Go-Live Gates
2. Default Priority Pattern Setup
3. Restricted Reporting Pattern Setup
4. Ongoing Governance
5. CSV Templates
6. What to Read Next

O. Control Boundary and Go-Live Gates

Viva Insights partitions are controls for **analyst query workspaces**: they determine the rows and columns available to an assigned analyst in a partition. They do not, by themselves, govern the Copilot Dashboard, Analytics Reports, Agent Dashboard, metrics export, delegation, manager access, privileged roles, the global partition, downloaded results, or Power BI. Restricted Reporting is therefore a **defense-in-depth reporting-segmentation pattern**, not cryptographic, tenant, product-security, or certified compliance isolation. See Partitions in Viva Insights (last updated 14 September 2026).

Surface-by-Actor Boundary Matrix

Actor / surface	Primary control	Residual risk and mandatory action
Agency leader or manager — Copilot Dashboard and Analytics Reports	Access list, hierarchy-derived scope, AutoCxO and group-scoped VFAM	A shared executive or cross-agency manager can span agencies. Tenant-wide access sources remain broader. Test every leader and manager account. See Connect to the Microsoft Copilot Dashboard for Microsoft 365 customers (29 September 2026) and Configure manager settings (23 July 2026).

Delegate — Dashboard, Agent Dashboard, and Copilot insights	Delegation eligibility, delegator scope, and delegation audit	A senior leader who has company-level access and is a manager chooses each delegate's scope: Your group, Your company or Combined access. Combined access includes the Consumption Dashboard, and a delegate with it sees exactly what the delegator sees. A delegate can't delegate further, the maximum is 75 delegates, and delegates must also be permitted to use the dashboard. If the delegator has both company-level and group access, existing "Your company" delegates automatically become Combined access and might see the Consumption Dashboard; review delegate scopes after this change. Test delegated, scope-edited and revoked access. See Delegate access to the Copilot Dashboard, Agent Dashboard, and Copilot insights (16 September 2026).
Agency analyst — advanced query workspace	Insights Analyst role plus agency partition assignment	Wrong filters, overlap, multi-partition assignment, global-partition assignment, or a conflict-of-interest analyst can broaden query access. Roles are independent and non-cumulative. See Roles in Viva Insights (7 July 2026).
Global Administrator, globally assigned user, or global-partition analyst	Least-privilege role and assignment governance	Tenant-wide visibility can remain by design. Record owner, purpose, expiry, conflict-of-interest review, and quarterly recertification.
Leader or analyst — Agent Dashboard and metrics export	Separate feature/access policy and product eligibility	Partitions do not scope either surface. Both require independent negative tests; previews and cloud restrictions apply.

Leader, manager, global-partition analyst, or Global Administrator — Consumption Dashboard and identified outputs	Global-partition membership, Manager settings (separate Consumption insights option), delegation scope, and the Identification VFAM policy	Analysts in non-global partitions can't run queries with consumption metrics; global-partition analysts and Global Administrators see the whole organisation, and managers see their own group. Copilot Analytics outputs are de-identified by default; Identification lets authorised users see named employees. Microsoft lists it for Consumption Dashboard insights and data export, and lists Copilot Dashboard and Agent Dashboard data exports as private preview. For the Agent Dashboard export, Microsoft's articles disagree: Identification says private preview, while Export data from the Agent Dashboard says identifiable export "is for public preview customers only"; validate in the tenant. Access is governed by a dedicated VFAM policy, which only a Microsoft 365 Global Administrator or an AI Administrator can create; restrict it to an approved Central IT group and test it. Microsoft's articles disagree on whether the Consumption Dashboard can be delegated: How to use the Consumption Dashboard says access can't currently be delegated, while Delegate access describes a Combined access scope that includes it. Test in the tenant before relying on either, and review existing delegates' scopes. See Identification in Copilot Analytics.
Report viewer or workspace role — Power BI	Dedicated workspace/app audience, Viewer role, sharing settings, optional RLS, export/Build controls	Power BI is a separate authorization layer. Test Member/Contributor, Viewer, resharing, export, Analyze in Excel, subscriptions, and copied files.

Supported Environment and Licensing Gate

Do Not Proceed on Plan-Level Assumptions

Availability is feature- and cloud-specific. Supported Microsoft 365 environments for Viva Insights features (30 September 2026) lists availability feature by feature for GCC Moderate (GCC-M) and GCC High (GCC-H). The Agent Dashboard, Copilot Dashboard metric export, the Consumption Dashboard and the Copilot Dashboard Readiness page are not available in either. Delegate access to dashboards is not available in GCC-M and is partial in GCC-H. Of the Copilot Power BI templates, only the Copilot business impact report is supported (GCC-M: yes; GCC-H: partial). Check the matrix for each feature before planning a government-cloud rollout. Microsoft’s feature access management article states that its access controls aren’t available in GCC High or DoD. For GCC, check the documentation for the specific app. Connect to the Agent Dashboard (2 September 2026) says Agent Dashboard is unavailable in national and regional clouds. Base plan support in Environment requirements for Viva Insights (12 May 2026) does not establish feature parity. Record the exact cloud and verify every required surface in the tenant UI and Message Center before design.

For advanced access, Microsoft pages describe the threshold differently. The environment article explicitly gives **30 Microsoft 365 Copilot + 20 Viva Insights** as 50 assigned Viva Insights service plans; the Dashboard article describes 50 Copilot or 50 Viva Insights. Do **not** state that mixed licence assignments fail. Verify assigned service plans, feature presence, and processing state. For Agent Dashboard, use the conservative feature-specific prerequisite of **50 Microsoft Copilot licences plus agent activity**; a 50-Viva-Insights-only tenant must validate availability. Escalate a documented mismatch to Microsoft Support.

Organizational Data Source and Precedence Gate

Record Attribute Ownership Before Upload

Microsoft's articles differ on whether an upload replaces Entra data. The Copilot Dashboard article says an upload "permanently changes the source" of the dashboard data from Microsoft Entra ID to the file, including the Scope and Organization filters, while the parallel-ingestion article says Entra can remain the source for `ManagerId` and `Organization`. Do not describe either behaviour as universal; treat the tenant's Organizational data page as the authority. Uploaded data changes the source for supplied dashboard attributes; parallel ingestion can keep or restore Entra for `ManagerId` and `Organization`; Microsoft 365 Profile precedence is separate. Before change, record each required attribute, current source, owner, effective date, coverage, and target surface in Data Quality and Profile. Check **Setup → Migration and imports**, Message Center, and the actual tenant UI. Use Microsoft 365 Organizational Data Service (formerly Organizational Data in Microsoft 365) for new or edited uploads unless the tenant explicitly exposes a supported legacy path; use documented update/delete behavior, never a dummy-row workaround.

Source basis: Use your organizational data in Microsoft 365 and Microsoft Viva (1 September 2026); Upload and maintain data through the Microsoft 365 admin center (13 August 2026); Use Microsoft Entra plus .csv files for parallel data uploads (7 July 2026); and Import and manage your organizational data with a .csv file (27 August 2026). Workday import has a documented 100,000-user limit (Import organizational data from Workday, 27 August 2026), and API-based import remains preview (Import organizational data using API-based import (preview), 27 August 2026).

Change Control, Negative Tests, and Evidence

1. **Before change:** export or capture VFAM policies, access lists, role assignments, delegations, manager hierarchy, partition filters and analysts, org-data source/quality, query assets, and Power BI workspace/app/RLS/export settings. Define owner, maintenance window, approvers, success/failure criteria, and restoration sequence.
2. **Test cohort first:** use representative agency, shared-services, cross-agency, and privileged accounts. Treat enabling partitions as a high-impact tenant change; turning partitions off requires Microsoft Support. Export query assets before enabling, and confirm deletion impact before removing a partition.
3. **Mandatory actors:** agency leader, cross-agency manager, shared executive, delegate, agency analyst, multi-partition analyst, global-partition analyst, report Viewer, Power BI Member/Contributor, AI Administrator, Insights Administrator, Insights Analyst, and Global Administrator.
4. **Mandatory surfaces:** Copilot Dashboard, Analytics Reports, Agent Dashboard, Consumption Dashboard (including identified outputs), weekly/daily metrics export, advanced query workspace, query-result download, delegation, manager-published reports, Power BI workspace/app, report export, Analyze in Excel, subscriptions, and resharing.
5. **Evidence:** capture test date, tester identity/role, group/partition membership, policy export, org-data snapshot, expected denial or allowed result, observed result, screenshot/audit record, Power BI permissions, owner, and remediation ticket.

6. **Publication and go-live veto:** any failed or unexecutable negative test blocks publication and production rollout. Roll back the change or remove access, preserve evidence, and open Microsoft Support when documented and observed behavior differ.
7. **Approval:** obtain written Security, Compliance/Legal, Privacy/DPO, Viva Insights owner, and Power BI owner sign-off on tested behavior and residual risks. Product documentation is not a compliance attestation.
8. **Retest:** run the full suite quarterly and after any role, hierarchy, delegation, org-data, partition, VFAM, licence, cloud, preview-status, or Power BI sharing change.

1. Default Priority Pattern Setup

Estimated time: 2–4 hours | **PowerShell required:** No

This author-created pattern relies on native Copilot Dashboard scoping (“Your group”) driven by Entra ID manager hierarchy. An agency CEO can receive that scope **only when access, tenant, and reporting-line conditions are met** (see callout below). Cross-agency and tenant-wide visibility from other access sources is explicitly accepted in this model.

Automatic Access Has Hard Prerequisites

Per Microsoft Learn, *automatic* dashboard access for senior leaders is granted **only** when both tenant criteria are met:

- The tenant has **at least 2,500 users** with an Entra ID; *and*
- The **majority of users share a single reporting line** (e.g., report up to the same CEO).

Within a qualifying tenant, a leader is auto-identified only if they are in the **top three levels** with a significant portion of the org reporting to them. A separate agency’s top leader is identified as a senior leader **only if that agency’s hierarchy tree is at least 4% of the overall company size** (see Scope, organization, and job function).

Consequences for multi-agency tenants:

- **Tenant under 2,500 users** → *no* agency CEO gets automatic access. Use manual access grants + delegation (Phase 2).
- **Small agency (<4% of the tenant)** → its CEO is not auto-identified, even in a large tenant. Grant access manually.

The “Your group” scope still works once access is granted manually — these gates govern *automatic* identification only. Access is re-evaluated weekly.

Phase 0: Base Setup

Complete **all five steps in this guide’s implementation framework** in the Admin Setup Guide before proceeding. The five-step sequence is an author-created implementation aid, not Microsoft’s capability taxonomy. This establishes:

- Copilot and Viva Insights service-plan assignment using the conflict-safe licensing wording in Section 0; Agent Dashboard has a separate conservative preview prerequisite
- Insights Admin and Insights Analyst roles
- VFAM feature access policies (dashboard, advanced analytics, behavioural experiences)
- Org data upload (Entra connection or CSV)

- Default partition with analyst assignment

Verify Before Continuing

Run through the Global Admin Readiness Checklist in the Admin Setup Guide. All 8 checks must pass before you proceed to Phase 1.

Phase 1: Verify AutoCxO and Delegation

Step	Action	Where	Expected Result
1.1	Confirm Auto CxO Identification is on	On by default — there is no web-app “General” toggle. If it was previously disabled, an AI Administrator re-enables it via the <code>AutoCxoIdentification</code> VFAM policy in PowerShell (tenant-level only). See MS Learn.	Auto-enablement is active. Qualifying senior leaders are identified weekly from the Entra ID manager hierarchy (subject to the prerequisites above).
1.2	Confirm delegation is available	No admin “enable” step exists. Delegation is self-service for eligible Dashboard users once the tenant meets the applicable 50-assigned-service-plan gate. Apply the source-conflict and tenant-validation rule in Section O; do not reject a mixed assignment by shorthand. See Delegate access to the Copilot Dashboard, Agent Dashboard, and Copilot insights (last updated 16 September 2026).	Leaders with access can delegate to others from Viva Insights web app → Settings → Delegation .

1.3	Verify each agency CEO gets automatic “Your group” scope	Ask each agency CEO to open the Copilot Dashboard and check the scope selector (top of dashboard)	Each CEO sees “Your group” scoped to their direct + indirect reports. The population reflects Copilot-licensed employees only, and groups below the minimum group size (default 10) show “--” — so the count tracks licensed headcount, not raw agency headcount.
-----	--	---	---

If a CEO Doesn’t See “Your Group”

Check these causes in order:

1. **Automatic-access prerequisites not met** — tenant under 2,500 users, no single majority reporting line, or the agency tree is under 4% of the tenant (see the warning at the top of this section). In these cases the CEO is never auto-identified; grant access manually and use delegation.
2. **Incorrect or missing `ManagerId` data in Entra ID** — verify the CEO’s reporting chain: every employee in the agency must have a valid manager chain that terminates at the agency CEO. See the Data Onboarding Guide for manager hierarchy verification steps.
3. **Licence or processing delay** — data processing can take up to seven days after licences are assigned, and access is re-evaluated weekly.

Phase 2: Grant Additional Access

Step	Action	Where	Expected Result
2.1	Delegate to agency CIOs / senior leaders	Each agency CEO uses the Delegation feature (Viva Insights web app → Settings → Delegation) to grant access to their CIO or other leaders	Delegated leaders see the scope the CEO assigns. The CEO should select “Your group” when adding each delegate; “Your company” or “Combined access” widens it.

2.2	Grant Central IT “Your company” scope	A senior leader who already holds “ Your company ” scope delegates to the Central IT lead via Viva Insights web app → Settings → Delegation (the leader selects the “Your company” scope for the delegate when adding them). If no qualifying senior leader exists, add the Central IT lead through <i>Manage access to the Viva Insights web app</i> (admin access list).	Central IT lead sees “ Your company ” scope with tenant-wide data for cross-agency oversight.
-----	---------------------------------------	--	--

Phase 2.3: Enrich Org Data (Optional)

If the Entra ID connection provides sufficient attributes (`ManagerId` , `Organization`), no additional data upload is needed. If you require custom attributes (e.g., `Agency` , `FunctionType` , `CostCentre`), upload a CSV supplement:

1. Enable the Entra connection for `ManagerId` + `Organization` attributes (if not already done in Phase 0).
2. If custom attributes are needed, prepare a CSV file following the CSV Templates (Section 4).
3. Upload via the steps in the Data Onboarding Guide.

Phase 3: Create Partitions (Optional)

Partitions are **optional** in the Default Priority pattern. Use them when you want the rows and columns available in an analyst query workspace scoped to an agency; they do not scope the other surfaces listed in the boundary matrix.

1. Navigate to **Viva Insights web app → Admin → Settings → Partitions** (turn partitions on first from **Admin → Privacy settings**).
2. Select **Create new partition**.
3. Name the partition after the agency (e.g., “Agency A”).
4. Set the filter to the relevant attribute (e.g., `Organization = "Agency A"` or `Agency = "Agency A"`).
5. Assign the partition’s analyst(s).
6. Repeat for each agency.

Phase 4: Power BI Reports (Optional)

For deeper analysis beyond the native dashboard, analysts can create Power BI reports from partition-scoped queries.

1. The assigned analyst opens their partition in the Viva Insights web app.
2. Creates a Copilot person query (or uses a pre-built template).
3. Connects the query output to Power BI Desktop.
4. Publishes the report to a **Power BI workspace** dedicated to the agency.
5. Shares the workspace with agency leadership.

For step-by-step guidance on publishing to the Power BI service and assigning stakeholders by **workspace role** (Viewer, Member, etc.) — plus the per-viewer licensing implications — see Analyst Playbook — Share via Power BI (§7.2).

Default Priority Setup Complete

Configuration is complete only after the expected leader and delegate scopes, optional analyst query workspaces, and Power BI permissions pass the negative-test and evidence gate in Section O. Continue to Ongoing Governance.

2. Restricted Reporting Pattern Setup

Estimated time: 1–3 days | **PowerShell required:** Yes (group-scoped VFAM restrictions; partitions are created via the Viva Insights web app UI)

This author-created pattern combines group-scoped dashboard restrictions, partition-scoped analyst query workspaces, controlled privileged access, and dedicated Power BI delivery. A partition limits rows and columns in its assigned analyst workspace; it does not guarantee what that person can access through Dashboard, Agent, export, delegation, manager, global, administrative, downloaded-result, or Power BI surfaces. The design is defense in depth and reporting segmentation, not tenant or security isolation.

Phase 0: Prerequisites

Complete through **Tier 2, Step 3** in the Admin Setup Guide. This establishes:

- Copilot and Viva Insights service-plan assignment using the conflict-safe licensing wording in Section 0
- Insights Admin and Insights Analyst roles
- VFAM verification that the Viva Insights web app and Advanced insights controls are accessible

Do NOT Enable Broad Access

Stop after verifying VFAM in Tier 2, Step 3. Do **not** enable AutoCxO, delegation, or broad dashboard access for “Everyone”. Restricted Reporting applies group-scoped controls in Phase 1 and then verifies each surface independently.

Phase 1: Group-Scoped VFAM Restrictions

Target direct Viva Insights web-app and Copilot Dashboard access to the approved Central IT population, while agency leaders receive reports through separately governed Power BI delivery. This is one layer of the pattern and must be tested alongside all other surfaces. Microsoft’s feature access management article states that its access controls aren’t available in GCC High or DoD, so this phase can’t be applied as written there. For GCC, check the documentation for the specific app.

The Copilot Dashboard access control has been removed — re-validate this phase

Microsoft now states that the previous controls for managing dashboard access — the **Copilot Dashboard** control in the Microsoft 365 admin center *and* the equivalent PowerShell policy — are **no longer available**. Access is managed through the **Viva Insights web app** control instead, and policies previously created against the old control now apply to the entire web app.

Why this matters for this pattern: disabling the web-app control removes the targeted user’s access to the **Copilot Dashboard, Copilot Analytics reports, and advanced analysis and admin tools together**. Because the Agent Dashboard is enabled as part of the Viva Insights web app, it is lost as well. There is no documented way to remove only the Copilot Dashboard while leaving the rest of the web app available. Any negative test recorded against the old control is no longer evidence; re-run it against the current control before relying on the result.

The label and behaviour in a given tenant may differ from the documentation. Confirm the actual tenant label and effective policy before relying on it.

The Agent Dashboard has its own separate control (`FeatureId : AgentDashboard`). Both the Viva Insights web app control and the Agent Dashboard control must be enabled for a user to reach it, so disabling either control blocks it; still set the Agent Dashboard control explicitly so that removing the web-app policy later does not re-expose it.

Who manages the control: Microsoft’s sources differ. The Manage settings article names the AI Administrator and says Global Administrators can manage all settings; the feature access management table lists Global admin. Both are shown in this guide; confirm in the tenant.

Source: Manage settings for the Microsoft Copilot Dashboard, Agent Dashboard, Consumption Dashboard, and Viva Insights web app (13 August 2026).

Step	Action	Details

PowerShell only — there is no web-app “General” toggle (see

Section O). Run as an AI Administrator or Global Administrator (Microsoft’s sources differ on the role; see the callout above):

```
Add-VivaModuleFeaturePolicy -  
ModuleId VivaInsights -FeatureId  
AutoCxoIdentification -Name  
"DisableAutoCxo" -  
IsFeatureEnabled $false -  
Everyone
```

This control is tenant-level only — it cannot be scoped to an Entra group.

Microsoft states that user- and group-level policies aren’t supported for this feature and won’t take effect. Disabling it stops automatic senior-leader identification for *every* agency and for non-agency executives alike. Confirm that blast radius is acceptable before running it; if it is not, leave auto-identification on and rely on the admin-center access list in step 1.3 instead.

No admin enable/disable toggle exists in the web app; create the policy in the Microsoft 365 admin center (Feature access management) or with PowerShell.

Delegation is self-service for eligible Dashboard users (see Section O), so it is removed with a VFAM policy. Run as an AI Administrator or Global Administrator:

```
Add-VivaModuleFeaturePolicy -  
ModuleId VivaInsights -FeatureId  
CopilotDashboardDelegation -Name  
"DisableDelegation" -  
IsFeatureEnabled $false -  
GroupIds "group-id-here"
```

Use the Object ID of the

AgencyUsers-NoDashboard group, as in step 1.5. Microsoft's feature table lists this control as "Viva Insights Web App Delegation", while Microsoft's delegation article still shows FeatureId :

```
CopilotDashboardDelegation ;  
confirm the FeatureId with Get-  
VivaModuleFeature -ModuleId  
VivaInsights .
```

Scope the policy to the agency group so non-agency executives keep the ability to delegate.

1.3	Restrict admin-center access list to Central IT	Microsoft 365 admin center → Settings → Microsoft Viva → Viva Insights → Set up and management tab → under Microsoft Copilot Dashboard , select Manage access settings for Microsoft Copilot Dashboard → add the Central IT Entra group and remove all individual agency users. The admin-center grouping is still labelled “Microsoft Copilot Dashboard” even though the VFAM control now governs the whole Viva Insights web app.
1.4	Create Entra security group	Create a group named <code>AgencyUsers-NoDashboard</code> in Entra ID. Add all non-Central-IT users (or all agency users).
1.5	Apply group-scoped VFAM policy	Run the PowerShell command below to disable the entire Viva Insights web app (which includes the Copilot Dashboard) for the agency users group.
1.6	Disable Agent Dashboard for the agency group	Create an Agent Dashboard VFAM policy scoped to <code>AgencyUsers-NoDashboard</code> (Microsoft 365 admin center → Feature access management , or PowerShell). Both the Viva Insights web app control and the Agent Dashboard control must be enabled for access, so this is a second layer. Skip it where the Agent Dashboard is not available.
1.7	Disable metrics export for the agency group	Create Copilot Metrics Export (preview) and Agent Metrics Export (preview) VFAM policies scoped to <code>AgencyUsers-NoDashboard</code> . See the Restricted Reporting playbook, Phase 1, for the PowerShell reference.

PowerShell: Disable the Viva Insights Web App for Non-Central-IT Users

Run this in an elevated PowerShell session with ExchangeOnlineManagement module 3.5.1 or later installed (required for non-mail-enabled group support):

```
# Confirm the exact FeatureId first: Get-VivaModuleFeature -ModuleId VivaInsights
Add-VivaModuleFeaturePolicy `
  -ModuleId VivaInsights `
  -FeatureId VivaInsightsWebApp `
  -Name DisableForNonCentralIT `
  -IsFeatureEnabled $false `
  -GroupIds "group-id-here"
```

Replace group-id-here with the Object ID of the AgencyUsers-NoDashboard Entra security group. Changes take effect within 24 hours.

Note: The deprecated -FeatureId CopilotDashboard command no longer applies a policy — the feature was removed when access management moved to the Viva Insights web app toggle.

Why Group-Scoped — Not “Everyone”

Use **group-scoped policies**, not “Everyone”. A blanket “Everyone” disable would also block Central IT and non-agency executives who may legitimately need dashboard access. The group-scoped approach protects these users while locking out agency-level browsing. Because the VivaInsightsWebApp toggle disables the entire web app for the scoped users (Copilot Dashboard, Copilot Analytics reports, Agent Dashboard, and advanced analysis and admin tools), confirm your Central IT analysts and any executives who need direct dashboard access are explicitly added to the access list in Step 1.3 before applying this policy.

Phase 2: Data Strategy

Choose your data path based on whether your agencies have distinct email domains or you need a custom attribute for agency identification.

Choose Your Path

Criterion	Path A — CSV with Agency Attribute	Path B — Entra Domain Filter (Zero CSV)
When to use	Agencies share a common email domain, or you need custom grouping that doesn’t align with email domains	Each agency uses a distinct email domain (e.g., @agencyA.gov , @agencyB.gov)

Data upload	CSV with <code>Agency</code> attribute (see Section 4)	No upload needed — Domain is a system-generated attribute from email addresses
Partition filter	Filter by <code>Agency</code> attribute	Filter by <code>Domain</code> attribute
Maintenance	Re-upload CSV monthly or on org change	Zero maintenance — domain data is automatic

Path A: CSV with Agency Attribute

1. Prepare a CSV file with the following columns (see Section 4 for a template):
 - `Microsoft_PersonEmail` (required)
 - `Microsoft_ManagerEmail` (required)
 - `Microsoft_Organization` (required)
 - `EffectiveDate` (required)
 - `Agency` (custom attribute — this is the partition filter)
2. Follow the upload steps in the Data Onboarding Guide.
3. After upload, verify the `Agency` attribute appears in Viva Insights → Admin → Data quality.

Path B: Entra Domain Filter (Zero CSV)

1. No data upload is required.
2. Verify each agency has a distinct email domain in Entra ID (e.g., `@agencyA.gov` , `@agencyB.gov`).
3. The `Domain` attribute is system-generated from user email addresses and is automatically available for partition filtering.

Phase 3: Create Partitions

Create one partition per agency. The global partition already exists and cannot be edited; optionally assign an approved Central IT analyst to it for CIO-level cross-agency reporting.

Step	Action	Details
3.1	Navigate to partitions	Viva Insights web app → Admin → Settings → Partitions (turn partitions on first from Admin → Privacy settings)

3.2	Create agency partition	Select Create new partition. Name it after the agency (e.g., "Agency A"). Set the filter: • Path A: Agency = "Agency A" • Path B: Domain = "agencyA.gov"
3.3	Assign analyst(s)	Assign the per-agency analyst to the partition. In that partition's analyst query workspace, available rows and columns are scoped by the partition filter. Analysts who held the Insights Analyst role before partitions were turned on keep access to the global partition automatically, so remove each of them from the global partition unless they are approved Central IT analysts. Verify the analyst has no unintended global or multi-partition assignment and test their other access surfaces separately.
3.4	Repeat for each agency	Create separate partitions for Agency B, Agency C, etc., each with its own filter and analyst(s).
3.5	Assign Central IT analyst to the global partition (optional)	The global partition is created automatically and cannot be edited. For CIO-level reporting, assign the approved Central IT analyst to it (Partitions → Global partition).

Phase 4: Report Delivery

In Restricted Reporting, the recommended agency-facing delivery path uses **Power BI workspaces/apps** rather than direct Copilot Dashboard access. Power BI permissions are a separate control plane and require their own least-privilege design and negative tests.

1. Each per-agency analyst opens their partition in the Viva Insights web app.
2. Creates a Copilot person query (or uses a pre-built template such as the M365 Copilot Adoption report).
3. Connects the query output to Power BI Desktop.

4. Publishes the report to a **dedicated Power BI workspace** for the agency (e.g., “Agency A — Copilot Analytics”).
5. Shares the workspace with agency leadership (CEO, CIO, designated leaders).
6. Repeat for each agency.

For the detailed publish-and-assign steps (Power BI service, workspace roles such as Viewer, Entra-group access, and per-viewer Pro/PPU/Premium licensing), see Analyst Playbook — Share via Power BI (§7.2).

WARNING: Manager Publishing Can Broaden Access

Enabling managers in Manager settings (a prerequisite for “Publish Reports” with a manager hierarchy filter) gives those managers team-scoped access to the Copilot Dashboard and Copilot Analytics reports. Manager settings also has a separate Consumption insights option; Microsoft’s articles differ on whether it is on by default (Manage settings describes it as optional, while the Consumption Dashboard article says consumption insights are enabled for all managers by default), so confirm the setting in Manager settings. A shared executive or cross-agency manager hierarchy may span agencies. Use dedicated **Power BI workspaces/apps** as the primary agency delivery path and test manager publishing, Dashboard scope, export, and delegation before any exception.

Restricted Reporting Configuration Complete

Configuration is not approved for publication or go-live until every required actor and surface passes the negative-test suite, evidence is retained, residual risks are signed off, and rollback is ready. Continue to Ongoing Governance.

3. Ongoing Governance

Multi-agency configurations require ongoing attention. Use the table below as a maintenance schedule.

Frequency	Task	Architecture	Details
Monthly	Refresh org data	Both (Path A only for Restricted Reporting)	Re-upload CSV with current employee data. Path B (Domain filter) requires no action.
Monthly	Verify partition filters	Both (if using partitions)	Spot-check partition member counts in Viva Insights → Admin → Partitions. Counts should match expected agency headcount.
Monthly	Spot-check dashboard scope	Default Priority	Have one leader per agency verify their “Your group” scope shows the correct population.

Quarterly	Audit delegation list	Default Priority	There is no admin-side delegation list in the Viva Insights web app, but admins can search the Microsoft Purview audit log for the <code>AddDelegates</code> and <code>RemoveDelegates</code> operations — delegation is self-service from Viva Insights web app → Settings → Delegation and the delegate list is visible only to the delegating leader. Govern it with the <code>CopilotDashboardDelegation</code> VFAM policy (Phase 1, step 1.2), review the audit-log operations each quarter, and re-confirm the policy still applies after each Entra group membership change.
Quarterly	Repeat full boundary test and access recertification	Restricted Reporting	Re-run all actor/surface negative tests; recertify global, multi-partition, shared-executive, cross-agency-manager, delegation, VFAM, Agent/export, and Power BI access. A failure vetoes continued publication until remediated.
Quarterly	Review access logs in Purview	Both	Check Microsoft Purview audit logs for dashboard access events. Verify no unexpected users accessed analytics.

On org change	Update partitions	Both (if using partitions)	Use approved change control for agency merge, split, rename, shared-services reassignment, or analyst conflict-of-interest changes. Capture pre-change state, update filters/assignments, retest every surface, and retain evidence.
On org change	Update CSV	Path A (Restricted Reporting)	Re-upload CSV immediately when new hires join, employees transfer between agencies, or agencies restructure.

4. CSV Templates

Path A: CSV with Agency Attribute

Use this format when agencies share a common email domain and you need a custom `Agency` attribute for partition filtering. These headers are for uploads through the Microsoft 365 admin center, which Microsoft says is where organizational data is now added or edited. The legacy Viva Insights headers (`PersonId` , `ManagerId` , `Organization` , `EffectiveDate` , `FunctionType`) apply only where the tenant still has that upload.

```
Microsoft_PersonEmail,Microsoft_ManagerEmail,Microsoft_Organization,Agency,Microsoft_JobDiscipline
alice@contoso.gov,bob@contoso.gov,Finance,Agency A,Corporate
bob@contoso.gov,carol@contoso.gov,Finance,Agency A,Leadership
dave@contoso.gov,eve@contoso.gov,Engineering,Agency B,Technical
eve@contoso.gov,frank@contoso.gov,Engineering,Agency B,Leadership
grace@contoso.gov,frank@contoso.gov,Operations,Agency C,Operations
```

Column	Required	Description
Microsoft_PersonEmail	Yes	Employee’s primary email address (must match Entra ID UPN)
Microsoft_ManagerEmail	Yes	Direct manager’s email address (builds the reporting chain)
Microsoft_Organization	Yes	Department or business unit name
Agency	Custom	Agency identifier used as partition filter
Microsoft_JobDiscipline	Optional	Job function; needed for the dashboard’s Job function filter

Path B: Entra Domain Filter (Zero CSV)

No CSV is needed. The `Domain` attribute is automatically derived from each user’s email address in Entra ID. Ensure each agency uses a distinct email domain:

Agency	Email Domain	Partition Filter
Agency A	@agencyA.gov	Domain = "agencyA.gov"

Agency B

@agencyB.gov

Domain = "agencyB.gov"

Agency C

@agencyC.gov

Domain = "agencyC.gov"

5. What to Read Next

Document	When to Read
Multi-Agency Reporting Pattern Decision Guide	If you haven't yet chosen between Default Priority and Restricted Reporting, start here
Data Onboarding Guide	Detailed steps for CSV upload, Entra connection, attribute mapping, and verification
Admin Setup Guide	Complete all five steps in this guide's author-created implementation framework (prerequisite for both patterns)
Dashboard Guide	Understanding each dashboard page, metrics, and how to interpret scoped views

Source and status notice: Last validated 2 October 2026 against the dated Microsoft Learn sources linked next to each material claim, including Dashboard (29 September 2026), Agent Dashboard preview (2 September 2026), environment requirements (12 May 2026), supported environments (30 September 2026), dashboard settings (13 August 2026), roles (7 July 2026), delegation (16 September 2026), manager settings (23 July 2026), partitions (14 September 2026), privacy settings (20 November 2025), technical privacy (10 December 2025), and organizational-data sources (7 July–1 September 2026). This independent guide's named patterns are not Microsoft product or security terms. Verify current Learn, Message Center, Service Health, tenant UI, and Microsoft Support guidance before implementation.