

Copilot Analytics with Agency-Default Views for Multi-Agency Single Tenant

Version: 1.0 | **Author:** Sumit Sadhu | **Published:** March 2026

Which Guide Do I Need?

There are **two** multi-agency architecture guides. Choose based on your data-sharing posture:

► You are here

Default-Priority (Open)

Agencies see their own data by default; cross-agency visibility is acceptable

Go to

Isolation Architecture

Agency A *cannot* see Agency B’s data (regulatory/sovereign requirement)

Dimension	This Guide (Default-Priority)	Isolation Architecture
Core posture	 Open — agencies default to their own data but <i>may</i> see aggregate tenant data	 Locked — agencies see only their own data
VFAM features	AutoCxO, Delegation, Agent Dashboard — all enabled	AutoCxO, Delegation, Agent Dashboard — all disabled
Copilot Dashboard	Available to agency leaders (scoped to “Your group” by default)	Restricted to agency leaders only
Partitions	Optional — for deeper analyst-level analytics	Required
Complexity & time	Low — hours to configure	High — 1–2 weeks
Typical customer	Holding companies, universities, federated departments, conglomerates	Government agencies

Decision shortcut:

If any agency has stated “we must not see other agencies’ data” as a compliance or regulatory requirement, use the Isolation Architecture guide. If the requirement is “we want to see *our* data first and by default,” you are in the right place.

TL;DR — Agency-Default Views in Under a Day

Leverage native Copilot Dashboard scoping and delegation so each agency leader sees their own data by default — no lockdowns, no partitions required.

- 1. **Verify manager hierarchy** — ensure each agency CEO is the top-level manager for their agency in Entra ID (Section 4.1)
- 2. **Enable AutoCxO & Delegation** — agency CEOs auto-identified, then delegate down to VPs (Phase 1)
- 3. **Enrich org data** (optional) — CSV or Entra attributes for department/location filtering within each agency view (Section 4.2)
- 4. **Configure Publish Reports** — enable manager settings so filtered reports reach agency leaders automatically (Phase 3)
- 5. **Create partitions** (optional) — for analysts who need focused query access within a single agency (Phase 4)

Time estimate: 2–4 hours for core setup (Phases 0–2). Add half a day if using partitions or CSV enrichment.

Prerequisites & Licensing

Requirement
1+ assigned Copilot licences for core dashboard; for advanced features (benchmarks, Agent Dashboard, sentiment, dele
Insights Admin + AI Admin roles assigned
Clean manager hierarchy per agency

1. Executive Summary

This document provides a solution architecture for deploying Microsoft Copilot Dashboard and Copilot Analytics across a **single Microsoft 365 tenant** that hosts **multiple agencies**, where each agency wants to see its own Copilot adoption and impact data **by default**, but does not require hard data isolation between agencies.

Key Difference from the Isolation Architecture:

The Isolation Architecture disables native dashboard features (AutoCxO, Delegation, Agent Dashboard) to prevent cross-agency visibility. This guide **embraces** those features — they naturally scope data to the viewer’s management hierarchy, which is exactly the “agency-default” experience.

Recommended Approach: Native Scoping + Optional Partitions

1. **Copilot Dashboard with “Your group” default** — agency leaders auto-identified; see their own hierarchy's data by default.
2. **Dashboard Delegation** — CEOs delegate down to VPs and directors for cascading agency-scoped views.
3. **Publish Reports** — filtered by manager hierarchy for automatic agency-scoped delivery.
4. **Partitions (optional)** — for analyst-level deep dives scoped to a single agency; analysts may access multiple partitions if collaboration requires it.

2. Business Context & Requirements

2.1 Organizational Structure



2.2 Functional Requirements

ID	Requirement
FR-01	Agency leaders see their own agency’s Copilot data by default when opening the dashboard
FR-02	Agency leaders can delegate dashboard views to their direct reports
FR-03	Each agency CEO gets adoption, impact, and sentiment metrics for their agency
FR-04	Central IT retains tenant-wide visibility for licence management and governance
FR-05	Agency-level analysts can run custom Copilot queries scoped to their agency
FR-06	Cross-agency aggregate visibility (e.g., “Your company” toggle) is acceptable if available
FR-07	CIO / Secretary-General gets a consolidated cross-agency view comparing adoption, impact, and ROI across


Key distinction from Isolation Architecture:


FR-06 is explicitly “Acceptable.” In the Isolation guide, the equivalent requirement (FR-02) is “P0 — Must Have: Agency A leaders CANNOT see Agency B/C aggregate data.” This fundamental difference drives the entire architecture.

3. Solution Options Assessment

Option	Description
1. Dashboard + AutoCxO + Delegation	Enable native features. CEOs auto-get “Your group” as their default scope
2. Option 1 + Partitions for Analysts	Add partitions for analyst-level scoped queries alongside native dashboard
3. Full Isolation (Partitions + Lockdown)	Disable all native features, partition-only reporting.

4. Recommended Architecture





How “Your Group” Scoping Works

The Copilot Dashboard identifies senior leaders using the Entra ID manager hierarchy (Auto CxO Identification). Leaders automatically see two scopes:

Scope	What It Shows	Default?
“Your group”	Copilot data for all employees in the leader’s management chain	Yes — lands on this scope by c
“Your company”	Tenant-wide Copilot data across all agencies	No — available via toggle, but i

When each agency CEO is the top of their hierarchy, **“Your group” = their entire agency**. The dashboard opens to this view by default, immediately satisfying the “see my agency data first” requirement without any lockdown.

What about “Your company”?


Agency leaders *can* toggle to “Your company” and see aggregate data across all agencies. In this architecture, that is explicitly acceptable (FR-06). If it is not acceptable, use the Isolation Architecture instead.

4.1 Manager Hierarchy Setup

The entire default-priority architecture depends on a clean manager hierarchy in Entra ID. Each agency must form a self-contained tree.

Hierarchy Requirements

Requirement	Why It Matters
Each agency CEO has no manager set in Entra, or reports to a tenant-level admin outside all agencies	If CEO-A reports to a manager, that manager must be outside all agencies
All agency employees have a manager chain that terminates at their agency CEO	Broken chain if CEO-A reports to a manager
Shared-services staff report through a clear chain	If shared services reports to a manager, that manager must be outside all agencies



Common Pitfall: In some shared tenants, a "super admin" or "Secretary General" is set as the manager of all agency CEOs. This creates a single tree where that person's "Your group" covers the entire tenant. **Solution:** Leave the **Manager** field blank for all agency CEOs, or have them all report to a shared-services administrative account that is not a real user (and therefore will not access the dashboard).

4.2 Enrich with Organizational Data (Optional)

Org data enrichment adds **filter dimensions** within the dashboard and analytics views. This is not required for agency-default scoping (the hierarchy handles that), but enhances the analytics experience.

Enrichment Method	What It Adds
Entra ID Attributes (zero effort)	Organization (Department), ManagerId , Domain , TimeZ
CSV Org Data Upload	Custom attributes: Agency , FunctionType , Location , Lev
HRIS Connectors (SAP SuccessFactors, Workday)	Same attributes as CSV, pulled directly from source HRIS. Auto
API-Based Import (Preview)	Same attributes as CSV, pushed programmatically via REST AP

Key difference from Isolation Architecture: In the isolation guide, org data (CSV or Domain) is the **mechanism for partition filtering** — it determines which employees appear in each partition. Here, org data is purely for **enriching analytics** — the dashboard scoping is already handled by the manager hierarchy.

5. Implementation Runbook

0 Phase 0: Pre-Flight Verification

Audit the current state before configuring anything.

- **Verify manager hierarchy:** Confirm each agency CEO has no cross-agency manager relationship. Use Entra portal → Users → select each CEO → check Manager field. Run the PowerShell audit in Appendix A for bulk verification.
- **Confirm licence counts:** Verify Copilot licences are assigned (1+ for core dashboard; 50+ for advanced features). M365 Admin Center → Billing → Licences → Microsoft 365 Copilot.
- **Identify agency leaders:** List each agency's CEO and their direct reports (VPs). These will be the primary dashboard consumers and delegation targets.
- **Review current VFAM state:** Admin Center → Settings → Viva → Viva Insights → Turn Advanced Insights on or off. Document which features are currently enabled or disabled.
- **Check existing dashboard access:** Admin Center → Settings → Viva → Viva Insights → Manage user access for Copilot Dashboard. Note who currently has access.

1 Phase 1: Enable Native Features

Ensure all dashboard access features are enabled. This is the opposite of the Isolation Architecture's "lockdown" phase.

1.1 — Enable Auto CxO Identification

Admin Center → Settings → Viva → Viva Insights → Turn Advanced Insights on or off → **Auto CxO Identification** → ensure set to **On** for **Everyone** (or verify no disable policy exists).

This automatically identifies agency CEOs (and other senior leaders) based on the Entra ID hierarchy and grants them Copilot Dashboard access with the "Your group" scope.

1.2 — Enable Dashboard Delegation

Same page → **Copilot Dashboard Delegation** → ensure set to **On** for **Everyone**.

This allows agency CEOs to delegate their dashboard view to their direct reports (VPs, directors). Delegates see the same scope as their delegator — the agency's data.

1.3 — Enable Agent Dashboard

Same page → **Agent Dashboard** → ensure set to **On** for **Everyone**.

1.4 — Metrics Export (optional)

If you want agency leaders to export Copilot metrics, leave **CopilotMetricsReport** enabled. If you want a slightly more controlled experience, disable it and direct users to the dashboard and published reports instead.

After Phase 1 — Verification:

1. Wait 1–2 hours for AutoCxO to process.
2. Check **Manage user access for Copilot Dashboard** — agency CEOs should appear in the list as auto-identified.
3. Have an agency CEO navigate to **analysis.insights.cloud.microsoft** and confirm they see the Copilot Dashboard with "Your group" as the default scope.
4. Confirm the "Your group" employee count matches the agency's expected headcount.

2 Phase 2: Configure Delegation & Manager Settings

Set up the delegation chain so agency leaders can share their dashboard view with their teams.

2.1 — Agency CEO Delegates to VPs

Each agency CEO should:

1. Navigate to `analysis.insights.cloud.microsoft` → Copilot Dashboard.
2. Select the **Share** or **Delegate** option (top-right corner of the dashboard).
3. Add their direct reports (VPs, directors) as delegates.
4. Delegates will receive access and see the same agency-scoped view ("Your group" inheriting the CEO's scope).

2.2 — Enable Manager Settings for Publish Reports

Navigate to `analysis.insights.cloud.microsoft` → **Admin** → **Manager settings**.

- Enable managers to receive published reports.
- Set the minimum team size threshold (this is the same tenant-wide privacy setting).
- Agency CEOs with team sizes above the threshold will be eligible to receive published reports filtered to their hierarchy.

2.3 — Enrich Organizational Data (Optional)

- Navigate to Viva Insights → Organizational data → **Configure Entra connection** → enable `ManagerId` and `Organization` checkboxes → Save.
- If you need custom attributes: prepare and upload a CSV per the format in Appendix B. This enriches dashboard filters but does not change scoping.

After Phase 2 — Verification:

1. Have a VP who was delegated access navigate to the dashboard. Confirm they see their agency's data.
2. If org data was uploaded, verify filters (Department, Location, etc.) appear on the dashboard.

3 Phase 3: Publish Reports

Use Viva Insights Publish Reports to deliver curated analytics to agency leaders automatically.

3.1 — Run Copilot PBI Template Queries

- Insights analysts (Central IT or agency-level) navigate to `analysis.insights.cloud.microsoft` → Create analysis.
- Select a Copilot Power BI template (Copilot Adoption, Impact Explorer, Business Impact, etc.).
- Run the query. If partitions are enabled, run within the appropriate partition. If not, run against the global population.

3.2 — Publish with “Filter by Manager Hierarchy”

- After the query completes, select **Publish report**.
- Choose **“Filter report by manager hierarchy”**.
- Each enabled manager (CEO, VP) will receive a version of the report filtered to their team.
- Set an expiry date (up to 365 days) and republish monthly to keep data current.

Why this works in Default-Priority (but not in Isolation):

In the Isolation Architecture, enabling a manager grants them automatic Copilot Dashboard access, which shows “Your company” data — a problem when cross-agency visibility must be blocked. In this architecture, “Your company” visibility is acceptable (FR-06), so Publish Reports with manager filtering is a simple, effective delivery mechanism.

4 Phase 4: Partitions for Analyst Deep Dives (Optional — Mandatory for CIO Reporting)

If your organisation has designated analysts per agency who need to run custom queries, partitions provide focused workspaces. This phase is **optional for agency-level reporting** (dashboard views and published reports may suffice), but **mandatory if the CIO requires cross-agency comparison reports** — the global partition is the only way to query across all agencies. See Section 6.2.

Before Enabling Partitions:

- (a) Understand that enabling partitions is **irreversible without contacting Microsoft support** and will delete all partition configurations if disabled.
- (b) **Export all existing query results** before enabling partitions.
- (c) Partitions are only needed when analysts require scoped custom queries. Dashboard and published reports already provide agency-scoped views via the hierarchy.

- Navigate to `analysis.insights.cloud.microsoft` → Admin → Privacy settings → Partitions → Enable Partitions.
- Create a partition per agency (e.g., "Agency A"), filtered by `Agency` attribute (CSV) or `Domain` (Entra).
- Assign agency analysts to their primary partition.
- **Key difference from Isolation Architecture:** Analysts *may* be assigned to multiple partitions if cross-agency analysis is needed. There is no rule preventing an analyst from seeing multiple agencies' data.
- Assign Central IT analysts to the Global Partition for tenant-wide queries.

After Phase 4 — Verification:

1. Have an agency analyst sign in and confirm they see their agency's partition in the partition switcher.
2. Run a test person query and verify the employee count matches the expected agency headcount.
3. If a cross-agency analyst exists, confirm they can switch between partitions they are assigned to.

6. Analytics Surfaces per Role

Unlike the Isolation Architecture (where many surfaces are disabled for agency users), the Default-Priority approach keeps all analytics surfaces available. The scoping comes from the hierarchy, not from feature lockdowns.

Analytics Surface	Agency CEO / VP	Agency Analyst (with partition)
Copilot Dashboard — “Your group”	✔ Default view = their agency	—
Copilot Dashboard — “Your company”	✔ Available via toggle (acceptable)	—
Copilot Analytics Reports (OOB)	✔ Via Dashboard access	✔ Via global or partition
Agent Dashboard	✔ Available (“Your company” scope only)	—
Publish Reports (manager-filtered)	✔ Filtered to their hierarchy	—
Custom Person Queries	—	✔ Scoped to assigned partition
Power BI Templates	—	✔ Scoped to assigned partition
Dashboard Delegation	✔ Can delegate to direct reports	—
Copilot Metrics Export	✔ (if enabled)	—

Compare with Isolation Architecture: In the isolation guide, surfaces marked **✗** for agency users include: Copilot Dashboard (all scopes), Analytics Reports (OOB), Agent Dashboard, Copilot Metrics Export, and Delegation. Here, **all surfaces are available** — the only scoping is the natural hierarchy-based default view.

6.1 ROI Analysis per Agency: Capabilities & Gaps

Agency leaders asking “What is Copilot’s ROI for *my* agency?” will find that some metrics scope naturally to their hierarchy and some do not. Set expectations upfront using the matrix below.

Which ROI Metrics Are Agency-Scoped?

ROI Metric	Scoped to “Your group” (Agency)?	Notes
Copilot Assisted Hours	✓ Yes	Impact pa
Copilot Assisted Value	✓ Yes	Calculate
Adoption metrics (active users, usage intensity, consistent usage)	✓ Yes	Adoption
Sentiment (Glint / Pulse / CSV survey)	✗ No — tenant-level only	Sentimen
Agent usage (Agent Dashboard)	✗ No — “Your company” only	Agent Da
Licence cost data	✗ Not in dashboard	Licence c

Limitation: Single Tenant-Wide Hourly Rate

Copilot Assisted Value is calculated as $\text{Assisted Hours} \times \text{Hourly Rate}$. The hourly rate is configured **once** at [analysis.insights.cloud.microsoft → Admin → Impact settings](#) and applies to **all employees across all agencies**. There is no way to set different rates per agency, department, or role.

Impact: If Agency A’s average loaded labour rate is \$140/hr and Agency B’s is \$65/hr, the Assisted Value figure shown to both CEOs uses the same rate — making one agency’s ROI appear over- or under-stated.

Workaround: Use Power BI templates in partitions (Phase 4) to apply **agency-specific hourly rates in the Power BI calculation layer**. The raw Copilot Assisted Hours data flows into the PBI template; the analyst replaces the default rate with the agency’s actual loaded labour rate in a DAX measure or parameter. This produces accurate per-agency Assisted Value figures outside the dashboard.

Limitation: No Historical ROI Trending on the Dashboard

The Copilot Dashboard uses a **28-day rolling window** and provides **no before/after comparison or historical trendline**. Agency leaders who need to demonstrate ROI growth over quarters (e.g., “Agency B’s Copilot value grew from \$20K/month in Q1 to \$35K/month in Q3”) cannot do this from the dashboard alone.

Workaround — Recommended for ROI-focused agencies: Use Power BI templates within partitions (Phase 4). Run the Copilot Impact Explorer or Business Impact template **monthly**, each time capturing the month’s metrics. Publish each refresh as a new dataset snapshot in the agency’s Power BI workspace. Stack monthly snapshots in a summary report to build a quarter-over-quarter ROI trendline.

Implication: For agencies that need ROI trending, Phase 4 (partitions) is **not optional** — it becomes a required component of the architecture. Plan the partition and analyst setup accordingly.

Recommendation for ROI-Focused Multi-Agency Deployments

- **Page 4 — Trends:** Monthly adoption and Assisted Hours trendlines per agency (requires monthly query snapshots)

4. **Deliver via Power BI workspace** with CIO as Viewer. Refresh monthly.

Product Limitation: All CIO cross-agency views require a Central IT analyst to build custom PBI reports. The Copilot Dashboard itself has no “compare groups” or “segment by attribute” capability. This is a platform limitation, not a configuration gap.

7. Access Control Matrix

Role	Copilot Dashboard	Default Scope
Global / Insights Admin	✓ Full	“Your group” or “Your co
Agency CEO (auto-identified)	✓ Auto-granted	“Your group” = Agency
Agency VP (delegated by CEO)	✓ Via delegation	“Your group” = CEO’s sc
Agency Analyst	✓ If on global partition; ✗ if agency partition only	—
Central IT Analyst	✓ Via global partition	“Your company”
CIO / Secretary-General	✓ Auto-granted (if top of hierarchy) or via delegation	“Your company”

Flexible partition access: Unlike the Isolation Architecture (where assigning an agency analyst to the global partition is a critical violation), the Default-Priority approach allows analysts to be assigned to multiple partitions, including the global partition, based on their role requirements. There is no isolation to break.

8. Governance & Ongoing Operations

Ongoing Tasks

Cadence	Task
Monthly	Refresh Copilot PBI template queries and republish reports
Monthly (if CSV)	Upload updated org data CSV
Quarterly	Audit manager hierarchy — verify agency CEOs are still top-of-tree and new hires have correct ma
Quarterly	Review dashboard access list — confirm auto-identified leaders match expected agency leadershi
On change	When a new agency is added: verify CEO hierarchy, wait for AutoCxO identification, CEO delegate

Day 2 Operations

Scenario	Who	Action
Employee transfers from Agency A to Agency B	HR / Central IT	Update the employee’s manager in Entra ID to a r
New agency created	Central IT	Ensure the new CEO has no cross-agency manag
New agency CEO appointed	Central IT	Update Entra ID: set the new CEO as manager of
VP not seeing dashboard	Agency CEO	Check if the CEO has delegated access to the VP
“Your group” count seems wrong	Central IT	Audit the Entra ID hierarchy. Common causes: (a)

9. Risk Register

Risk	Impact
Manager hierarchy misconfigured — CEO-A’s “Your group” includes Agency B employees	Mediu
AutoCxO identifies unintended users as senior leaders	Low
Agency leader toggles to “Your company” and sees data they find confusing (not sensitive, but unexpected)	Low
Delegation chain extends too far — low-level managers get dashboard access	Low
Org data CSV not maintained — custom filters become stale	Low
Shared-services staff appear in an agency CEO’s “Your group”	Low
Agency later requires hard isolation (regulatory change)	Mediu

10. Discovery Questions for Customer

1. **Is cross-agency data visibility acceptable, or is hard isolation required?** (If isolation is required, use the Isolation Architecture instead.)
2. **How is the Entra ID manager hierarchy structured?** Does each agency CEO sit at the top of an independent tree, or is there a shared parent?
3. **How many agencies, and how many employees per agency?** (Each agency needs enough employees to meet the minimum group size threshold for “Your group” to display data.)
4. **Do agency CEOs want to delegate dashboard access to their VPs and directors?** (Determines whether to actively configure delegation in Phase 2.)
5. **Are there shared-services teams?** Where should they appear — in an agency's “Your group,” or only in the “Your company” view?
6. **Do you need custom analytical filters (Department, Location, Job Function)?** (Determines whether to enrich with CSV org data.)
7. **Will dedicated analysts per agency run custom queries?** (Determines whether to enable partitions in Phase 4.)
8. **Is there a risk that the cross-agency data-sharing posture might change (e.g., future regulation)?** (Plan for possible migration to the Isolation Architecture.)
9. **What is the minimum privacy threshold (minimum group size) acceptable to all agencies?** (Tenant-wide setting — all agencies must agree.)
10. **Are Copilot agents deployed across agencies?** With the Agent Dashboard enabled for everyone, all leaders see tenant-wide agent data. Confirm this is acceptable.

Appendix A: PowerShell Reference

A.1 Verify VFAM Feature Status

```
# Install required module
Install-Module -Name ExchangeOnlineManagement -Force -AllowClobber
Connect-ExchangeOnline -UserPrincipalName admin@tenant.com

# Audit current VFAM policies (should show all features ON or no disable policies)
Get-VivaModuleFeaturePolicy -ModuleId VivaInsights

# Verify specific features are enabled
Get-VivaModuleFeaturePolicy -ModuleId VivaInsights -FeatureId AutoCxoIdentification
Get-VivaModuleFeaturePolicy -ModuleId VivaInsights -FeatureId CopilotDashboardDelegation
Get-VivaModuleFeaturePolicy -ModuleId VivaInsights -FeatureId AgentDashboard
```

A.2 Audit Manager Hierarchy per Agency

```
# Requires Microsoft Graph PowerShell SDK
Install-Module Microsoft.Graph -Scope CurrentUser
Connect-MgGraph -Scopes "User.Read.All"

# Get all users and their managers – export to CSV for review
Get-MgUser -All -Property Id,DisplayName,UserPrincipalName,Department,Manager `
  -ExpandProperty Manager |
  Select-Object DisplayName, UserPrincipalName, Department,
    @{N='ManagerUPN';E={$_.Manager.AdditionalProperties.userPrincipalName}},
    @{N='ManagerName';E={$_.Manager.AdditionalProperties.displayName}} |
  Export-Csv -Path "HierarchyAudit.csv" -NoTypeInformation

# Find users with no manager set (potential tree breaks)
Get-MgUser -All -Property DisplayName,UserPrincipalName,Manager `
  -ExpandProperty Manager |
  Where-Object { $null -eq $_.Manager } |
  Select-Object DisplayName, UserPrincipalName |
  Format-Table -AutoSize
```

Appendix B: Organizational Data CSV Template

If using CSV org data for enrichment (not required for agency-default scoping):

```
EffectiveDate,PersonId,ManagerId,Organization,Agency,FunctionType,LevelDesignation,Location
2026-03-01,user1@tenant.com,ceo-a@tenant.com,Engineering,Agency A,Engineering,Director,Sydney
2026-03-01,user2@tenant.com,user1@tenant.com,Engineering,Agency A,Engineering,Manager,Melbourne
2026-03-01,ceo-a@tenant.com,,Executive,Agency A,Executive,CEO,Sydney
2026-03-01,user4@tenant.com,ceo-b@tenant.com,Operations,Agency B,Operations,Director,Brisbane
2026-03-01,ceo-b@tenant.com,,Executive,Agency B,Executive,CEO,Brisbane
```

Note: Unlike the Isolation Architecture where the **Agency** attribute is critical for partition filtering, here the **Agency** attribute is used for analytics enrichment only (e.g., filtering reports by agency name). Dashboard scoping is handled by the manager hierarchy.