

Experiment 6: touch, pwd, and wget

Commands in Kali Linux

AIM

To execute and display the results of the following commands in the Kali Linux operating system:

- touch command
- pwd command
- wget command

PROCEDURE

1. Open **Kali Linux**.
2. Open the **Terminal**.
3. Use the touch command to create a new file.
4. Use the pwd command to display the current working directory.
5. Use the wget command to download a file from the internet.
6. Use the ls command to verify the downloaded file.
7. Observe and record the output.

CODE / COMMANDS

i) touch Command

Purpose

The touch command is used to **create an empty file**.

Command

```
touch sample.txt
```

Verify the file:


ls

Sample Input

```
touch sample.txt
```

ls

Sample Output



ii) pwd Command

Purpose

The pwd command stands for **Print Working Directory**. It displays the complete path of the current directory.


Command

```
pwd
```

Sample Input

```
pwd
```

Sample Output



The screenshot shows a Kali Linux desktop environment with a terminal window open. The terminal displays the following commands and output:

```
kali@kali: ~  
$ touch simple.txt  
$ ls  
Desktop  f1.txt  Music  newfile.txt  Public  Templates  
Documents fdg.pcapng myfolder numbers.txt sample.txt Videos  
Downloads lab  myyfolder Pictures simple.txt vii_sample.txt  
$ pwd  
/home/kali  
$ ls  
Desktop  f1.txt  Music  newfile.txt  Public  Templates  
Documents fdg.pcapng myfolder numbers.txt sample.txt Videos  
Downloads lab  myyfolder Pictures simple.txt vii_sample.txt
```

iii) wget Command

Purpose

The **wget** command is used to **download files from the internet** using a URL.

Command


For a simple test download:

```
wget https://example.com/
```

Sample Input

```
wget https://example.com/
```

Sample Output



The screenshot shows a Kali Linux desktop environment with a terminal window open. The terminal displays the following commands and their outputs:

```
kali@kali:~$ wget https://example.com/
--2026-10-07 01:20:50-- https://example.com/
Resolving example.com (example.com)... 104.20.23.154, 172.66.147.243, 2606:47
00:10::6814:179a, ...
Connecting to example.com (example.com)[104.20.23.154]:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [text/html]
Saving to: 'index.html'

index.html [====>] 577 --KB/s in 0s

2026-10-07 01:20:50 (6.07 MB/s) - 'index.html' saved [577]

kali@kali:~$ ls
Desktop  fdg.pcapng  myfolder  Pictures  Templates
Documents index.html  myyfolder Public    Videos
Downloads lab        newfile.txt sample.txt vii_sample.txt
f1.txt   Music      numbers.txt simple.txt

kali@kali:~$ pwd
~
```

4. RESULT

The following commands were successfully executed in **Kali Linux**:

Command	Purpose
touch	Creates a new empty file
pwd	Displays the current working directory
wget	Downloads files from the internet

Result: The touch, pwd, and wget commands were executed successfully and their results were verified.