

Experiment: -4 `ls`, `cat`, and `mkdir` Commands in Kali Linux

AIM

To execute and display the results of the following commands in the Kali Linux operating system:

- `ls` command
- `cat` command
- `mkdir` command

PROCEDURE

1. Open **Kali Linux**.
2. Open the **Terminal**.
3. Use the `ls` command to display files and directories.
4. Create a text file and use the `cat` command to display its contents.
5. Use the `mkdir` command to create a new directory.
6. Use `ls` again to verify the newly created directory.
7. Observe and record the output.

CODE / COMMANDS

i) `ls` Command

Purpose

The `ls` command is used to **list files and directories** in the current directory.


Command

```
ls
```

Sample Input

```
ls
```

Sample Output



ii) cat Command

Purpose

The cat command is used to **display the contents of a file**.

Command

First create a sample file:

```
echo "Welcome to Kali Linux" > sample.txt
```


Then display its contents:

```
cat sample.txt
```

Sample Input

```
echo "Welcome to Kali Linux" > sample.txt  
cat sample.txt
```

Sample Output



iii) mkdir Command

Purpose

The mkdir command is used to **create a new directory (folder)**.

Command

```
mkdir myfolder
```


Verify the directory:

```
ls
```

Sample Input

```
mkdir myfolder  
ls
```

Sample Output



4. RESULT

The following commands were successfully executed in **Kali Linux**:

Command	Purpose
ls	Lists files and directories
cat	Displays the contents of a file
mkdir	Creates a new directory

Result: The `ls`, `cat`, and `mkdir` commands were executed successfully and their outputs were verified.