IT SUPPORT / SERVICE MANAGEMENT / LAB 02

Tier 2 Escalation & SLA Management

Microsoft 365 MFA incident management in Jira Service Management
A documented tabletop simulation of incident triage, customer updates, escalation coordination, and SLA review.

TRAINING SIMULATION | All users, technical findings, remediation actions, and verification outcomes in this case are fictional. Jira ticket administration and documentation were performed in a lab environment. No live Microsoft 365 tenant or real employee account was accessed.

PROJECT	PRIMARY RECORD	TIER 2 SUBTASK
IT Help Desk Support Lab	HDL-5 - Microsoft 365 MFA Failure	HDL-6 - Tier 2 Identity Investigation
WORK TYPE	PRIORITY	WORKFLOW STATE AT CAPTURE
Incident + subtask	Medium	Both observed Work in progress

Executive summary

The lab documents a fictional employee who cannot complete Microsoft 365 multifactor authentication and loses access to Outlook and Teams. As the service desk owner, I logged and assessed the incident, documented Tier 1 triage, drafted a customer-facing status update, created a linked Tier 2 investigation subtask, evaluated a hypothetical Microsoft Entra ID error, proposed secure remediation, and reviewed configured response and resolution SLAs.

Demonstrated skills

- Jira Service Management incident creation, prioritization, assignment, and audit-trail documentation.
- Tier 1 / Tier 2 handoff planning, identity-support investigation structure, and security-conscious verification.
- Distinguishing SLA targets from measured results; documenting unresolved tool/workflow limitations.


Outcome: The tabletop scenario and supporting Jira notes were documented. Actual technical restoration and SLA compliance were **not verified**. Parent HDL-5 remained Work in progress; HDL-6 closure in Jira was blocked by unavailable Resolution choices.

CASE STUDY / 01

Intake, triage & ownership

Incident overview

FIELD	OBSERVED / SCENARIO VALUE
Ticket	HDL-5: Microsoft 365 - MFA Authentication Failure
Service impact	One fictional employee cannot access Outlook or Teams; upcoming meeting
Urgency / Impact / Priority	High / Minor-Localized / Medium
Ownership	Assigned to lab owner; reporter also lab owner
Initial work	Tier 1 triage note; status advanced to Work in progress



Evidence A - Parent incident description with fictional user impact and planned Tier 1 actions.

Triage assessment

The support plan begins with identity verification before account changes, then reviews network availability, Authenticator notification settings, device time, and approved alternative authentication. The triage note explicitly marks troubleshooting as pending rather than claiming live tests were completed.


Scope control: A single-user incident was documented with High urgency but localized impact, while the Jira project displayed overall priority **Medium**. This avoids overstating the scope of a hypothetical outage.

CASE STUDY / 02

Tier 1 communications & escalation

Customer-facing response and internal audit trail

HDL-5 contains a public customer-status update acknowledging the MFA issue and setting expectations for investigation and follow-up. Separate private notes capture technical assessment, assumptions, escalation reason, requested Tier 2 checks, and the proposed receiving support function.



Evidence B - Public customer-status update in the parent incident Activity stream.

Escalation handoff

HANDOFF AREA	DOCUMENTED ACTION
Trigger	No resolution found within the fictional Tier 1 scenario
Receiving team	Tier 2 Identity & Access Management (proposed only)
Requested checks	Entra ID sign-in details, MFA registration, Conditional Access, service health
Routing evidence	Linked HDL-6 subtask created; no independent technician accepted the ticket

Evidence-based boundary: Creating a subtask and naming a receiving team documents escalation coordination, but does **not** prove an actual transfer to another support agent. The training owner remained assigned.


CASE STUDY / 03

Tier 2 analysis & safe remediation

Linked investigation record: HDL-6

The subtask was created below HDL-5 and populated with investigation objectives. It was moved to Work in progress, and internal notes record the fictional technical reasoning and proposed secure corrective actions.

HYPOTHETICAL FINDING	INTERPRETATION
Example code: AADSTS500121	MFA challenge not completed in the illustrative sign-in record
Potential contributors	Notification issue, registration mismatch, or interrupted sign-in
Root cause at analysis stage	Unconfirmed; no actual Entra ID logs examined
Security guardrail	Identity verification and administrator authorization before MFA changes



Evidence C - Tier 2 authentication analysis, clearly marked as an illustrative sign-in record, not a live log.

Remediation decision path


- Investigate real sign-in evidence and registered methods only when authorized.
- Confirm identity and organizational approval before initiating any MFA repair or re-registration.
- Preserve Conditional Access and MFA security requirements; verify account restoration only after approved changes.

CASE STUDY / 04

Simulation resolution & closure tracking

Fictional outcome - not an observed repair


For the tabletop exercise, an outdated Microsoft Authenticator registration following a hypothetical device change was chosen as the scenario root cause. The narrative assumes authorized re-registration and successful sign-in afterward. These results were intentionally labeled fictional and not represented as real authentication tests.



Evidence D - Scenario-based verification list and explicit statement that no live technical verification occurred.

Closure record and workflow limitation

HDL-6 contains an internal note stating that the tabletop investigation was completed. When a Mark as done transition was attempted, Jira showed **No matches found** under Resolution, so workflow closure could not be verified. The closure text was instead saved as an internal note. The parent ticket was deliberately left open for SLA review.



Evidence E - Saved training closure note; this is not proof of Jira workflow completion.


Closure distinction: Narrative outcome = simulated exercise complete. Jira system outcome = parent and subtask observed Work in progress. Actual Microsoft 365 repair = not performed.

CASE STUDY / 05

SLA monitoring & final assessment

Configured targets from HDL-5

SERVICE LEVEL	TARGET	DISPLAYED DEADLINE	EVIDENCED RESULT
First response	6 hours	Nov 6, 2026 at 3:00 PM	Not confirmed met / breached
Resolution	36 hours	Nov 12, 2026 at 1:00 PM	Not confirmed met / breached



Evidence F - Refreshed SLA panel on parent incident HDL-5; clock indicators visible, no clear completed/breached result.

What the evidence supports

- The project contains configured SLA metrics and displayed deadlines.
- A customer-facing Jira comment was written, but reporter and assignee were the same training account; first-response clock completion was not demonstrated.
- The parent incident stayed in progress. SLA success or breach was not established from the screenshots.

Recruiter takeaway

This case study demonstrates documentation discipline, escalation structuring, customer communication, secure handling of identity incidents, and careful interpretation of SLA evidence. It is a **Jira workflow and incident-management simulation**, not evidence of production Entra ID administration or live MFA troubleshooting.

Portfolio label recommendation: “Jira Service Management - Tier 2 Escalation & SLA Management (Tabletop Lab)”
Records: HDL-5 / HDL-6 | **Date:** November 6, 2026