

Portfolio Tracker — System Documentation

Personal iPhone app for tracking a multi-currency stock portfolio with live prices. All portfolio data stays on the device — nothing is uploaded to any server. Version is set in `pwa/version.js` (`APP_VERSION` / `APP_BUILD`) — the single source of truth. Everything else derives from it (\$26.6).

Document status: Active

Version: 1.5

Date created: 2026-06-14

Last updated: 2026-08-04

Prepared by: Doug + Claude Code Opus 4.6

Personal iPhone app for tracking a multi-currency stock portfolio with live prices.

All portfolio data stays on the device — nothing is uploaded to any server.

How to read this document

This document serves two audiences. Use the table below to find the sections most relevant to you.

If you are...	Read these sections	You can skip
A general user (no IT background)	0, 4, 7 (install steps only), 8, 9, 13, 14, 15, 17, Glossary	3, 10, 11, 12, 16, 18, 20, 21
An IT person / developer (maintaining or modifying the app)	All sections, especially 10, 11, 12, 16, 18, 20, 21	—

Sections marked with a phone icon (📱) are written for general users. Sections marked with a wrench icon (🔧) are written for developers. Unmarked sections are relevant to both.

Table of Contents

- 0. What Does This App Do? 📱
- 1. Document Control
- 2. System Overview

3. System Identity
4. Purpose and Intended Use
5. Builder / Build History
6. Hardware Prerequisites
7. Software Prerequisites
8. Capabilities
9. Limitations
10. Architecture Overview ■
11. Dependencies ■
12. File and Folder Locations ■
13. Core Workflows
14. End-User Operating Guide ■
15. Data Storage and Privacy
16. Housekeeping and Maintenance
17. Troubleshooting
18. Lessons Learned ■
19. Change Log
20. API Reference ■
21. Code Map ■
22. How Updates Reach Your Phone
23. ICC Integration (Investor Command Center) ■
24. iPhone PWA Compatibility Checklist ■
25. Glossary
26. Public Repository & Data-Privacy Procedure ■

0. What Does This App Do? ■

Portfolio Tracker is an app that lives on your iPhone home screen. It shows you how your stocks are doing — their current price, how much you've gained or lost since you bought them, and how they moved today.

Here's how it works in practice:

- You open the app and tap Refresh.
- It pulls the latest stock prices from the internet (takes a few seconds).
- You see your total portfolio value, plus each stock's profit or loss.
- You can tap "Today" to see just today's changes, or sort your stocks different ways.

What makes it different from other apps:

- There is no account, no login, no subscription, no ads.
- Your portfolio data never leaves your phone — it is stored only in your browser, on your device.
- It's free and runs from a simple web page saved to your home screen.

What it does NOT do:

- It does not buy or sell stocks for you. It only tracks positions you enter manually.
- It does not give investment advice.
- On the home network, it syncs with the desktop server so the ICC dashboard shows the same data. Away from home, your data lives on the phone only.

If you've ever used a spreadsheet to track stocks, think of this as a nicer version of that spreadsheet, with live prices, that lives on your home screen.

1. Document Control

Field	Value
Document title	Portfolio Tracker PWA — System Documentation
Version	1.5 (build 26)
Status	Active
Owner	Doug
Last updated	2026-08-04

Version is set in `pwa/version.js` (`APP_VERSION` / `APP_BUILD`) — the single source of truth. Everything else derives from it (§26.6).

| Storage location | `~/Desktop/Claude Summary/Portfolio Tracker/docs/` |

| Live URL | <https://summerbb138.github.io/portfolio-tracker/> |

| GitHub repo | [summerbb138/portfolio-tracker](https://github.com/summerbb138/portfolio-tracker) (public — no personal data in code) |

2. System Overview

Summary

A single-file Progressive Web App (PWA) that tracks a personal multi-currency stock portfolio on iPhone. The app fetches live stock prices from Yahoo Finance and live exchange rates from `open.er-api.com`, calculates portfolio value in USD, and displays profit/loss from cost basis and daily changes. All data is stored locally in the browser — no server-side processing or data uploads.

Executive snapshot

Item	Summary
System name	Portfolio Tracker PWA
Main purpose	Track personal stock portfolio with live prices across multiple markets and currencies
Primary user(s)	Single user (Doug) on iPhone

Item	Summary
Primary interface(s)	iPhone home screen PWA (Safari-based)
Current status	Operational — deployed on GitHub Pages

3. System Identity ■

Field	Details
System name	Portfolio Tracker PWA
Short name	Portfolio
Project folder	~/Desktop/Claude Summary/Portfolio Tracker/
Runtime environment	Browser (Safari on iPhone, Chrome on desktop)
Main language(s)	HTML, CSS, JavaScript (single file)
Primary execution mode	Static PWA hosted on GitHub Pages

4. Purpose and Intended Use

Purpose

Provide a lightweight, permanent, always-available portfolio tracker on iPhone without requiring any paid apps, subscriptions, or account creation. Designed for a multi-market portfolio spanning US, Japan, Hong Kong, UK, Europe, Canada, Australia, and China.

Intended use cases

- Check current portfolio value and P&L at a glance
- Track daily price changes across all positions
- Buy/sell shares and track cash balances per currency
- Sort and compare positions by value, P&L, or daily performance
- Export/import portfolio data as JSON backup

Out-of-scope / non-goals

- Trade execution — the app does not place orders
- Investment advice or recommendations
- Real-time streaming quotes (prices are snapshot-on-refresh)
- Multi-user or shared portfolio features
- Cloud sync (local network sync to ICC is supported — see Section 23)

5. Builder / Build History

Question	Details
Who built the system?	Doug + Claude Code
When was it built?	2026-06-14 to 2026-06-18
How was it built?	Claude Code Opus 4.6
What was the build approach?	Iterative single-file PWA, feature-by-feature over 3 days
Subsequent modifications	Multi-currency cash, daily change tab, sort, persistence (see Change Log)

Build narrative

The app was built over four sessions. Day 1 (Jun 14): core portfolio tracking with live prices, position management, and iOS dark-theme styling. Day 2 (Jun 15): multi-currency cash tracking, buy/sell workflows, PWA installation (service worker, manifest, GitHub Pages deployment). Day 3 (Jun 16): daily change tab, structured detail rows, sort control, IndexedDB backup for data persistence, brightness improvements for legibility. Day 4 (Jun 18): portfolio history chart with bar graph, manual gap-filling from Yahoo historical data, UI polish (standardized font sizes with 14px minimum, unified button styling, lighter background, instant tap feedback, active tab indicator).

6. Hardware Prerequisites

Component	Minimum requirement	Recommended	Notes
Device	Any device with a modern browser	iPhone 12+	Optimized for iPhone form factor
Network	Internet connection	WiFi or cellular	Required to fetch live prices and exchange rates
Storage	Negligible (<1 MB)	—	Data stored in browser localStorage + IndexedDB

7. Software Prerequisites

Component	Required version	Purpose	Notes
Browser	Safari 15+ / Chrome 90+	Run the PWA	Safari required for iPhone home screen install
Python	3.x (optional)	Local dev server (server.py)	Not needed for production — GitHub Pages hosts the app

How to install on your iPhone ■

No app store needed. Open a web page and save it to your home screen:

1. Open Safari on your iPhone (it must be Safari — Chrome won't work for this step)
2. Go to: **<https://summerbb138.github.io/portfolio-tracker/>**
3. Tap the **Share button** (the square with an upward arrow, at the bottom of the screen)
4. Scroll down and tap **"Add to Home Screen"**
5. Name it **"Portfolio"** and tap **Add**

The app now appears as a permanent icon, just like any other app. You never need to reinstall it — when the code is updated, the app updates itself (see Section 22).

8. Capabilities

Capability	What it means	How to use it
Live stock prices	The app pulls the latest price for each stock you own	Tap the Refresh button
Live exchange rates	Converts foreign currencies to USD automatically	Happens automatically when you Refresh
Multi-currency support	Tracks stocks in 8 markets: US, Japan, Hong Kong, UK, Europe, Canada, Australia, China	Pick the market when adding a stock
Total value in USD	Shows your entire portfolio value in one number	Displayed in the summary card at the top
P&L from cost	Shows how much you've gained or lost vs. what you paid	Default view ("From cost" tab)
Daily change	Shows how much each stock moved today	Tap the "Today" tab
Sort positions	Organize stocks by name, value, profit, or daily change	Tap the sort button in the Holdings header
Buy more shares	Record additional purchases with automatic cost averaging	Long-press a stock → Buy More Shares
Sell shares	Record sales with profit/loss preview	Long-press a stock → Sell Shares
Multi-currency cash	Track cash balances in each currency separately	More menu (■) → Set Cash Balance
Export/import	Save all your data to a file, or restore from a file	More menu (■) → Export / Import
Auto-backup	Keeps a safety copy of your data inside the browser	Automatic — no action needed

Capability	What it means	How to use it
Restore last backup	One-tap restore if data is lost	More menu (■) → Restore Last Backup
Portfolio history	Bar chart of daily portfolio value over time	Tap the "History" tab
Fill gaps	Backfill missing weekdays between the last recorded date and yesterday using Yahoo Finance historical daily closes for each position, combined with current exchange rates and cash balances. Only fills forward from existing data — does not backfill before the first snapshot.	History tab → Fill Gaps button
Works offline	The app itself loads even without internet	Prices won't update, but the app opens

9. Limitations

What you might notice	Why it happens	What to do
Prices don't update automatically	The app only fetches prices when you tap Refresh	Tap Refresh whenever you want current prices
Prices might fail to load occasionally	The service that helps fetch prices (CORS proxy) can be slow	Wait a minute and tap Refresh again
Data could disappear after a Safari update	iPhone sometimes clears browser storage	The app auto-restores from backup; also use Export regularly
Data is on one phone only	There's no cloud sync	Use Export/Import to move data between devices
Cash can go negative	The app doesn't block you from buying without enough cash	Adjust cash balance manually via More menu
Dividends aren't tracked	Not a built-in feature	Manually add to your cash balance when dividends arrive
iPhone might show an old version	The app caches itself for speed	Refresh the page twice after an update (see Section 22)
History backfill assumes constant positions	Fill Gaps uses your current holdings for all past dates	Stock splits, mergers, or past trades won't be reflected in backfilled data
Backfilled history uses current exchange rates	Historical FX rates aren't freely available	Minor inaccuracy in USD conversion for past dates
Dividends not reflected in history	Cash from dividends isn't backfilled	Manually adjust cash; history self-corrects going forward

10. Architecture Overview ■

High-level architecture

Single HTML file containing all CSS and JavaScript. No build tools, no frameworks, no server-side code. The file is served as a static asset from GitHub Pages. All data storage uses browser-native APIs (localStorage and IndexedDB). Price data is fetched client-side from public APIs.

Architecture table

Layer / component	Function	Notes
pwa/index.html	Complete PWA (HTML + CSS + JS)	Single file, ~1800 lines
localStorage	Primary data store	Per-origin, volatile on iOS
IndexedDB	Backup data store	More durable than localStorage
Yahoo Finance API	Stock price data	Via corsproxy.io CORS proxy
open.er-api.com	Exchange rate data	Free, CORS-friendly, daily
Service worker (sw.js)	Offline caching	Version-bumped on each deploy
GitHub Pages	Static hosting	Free, permanent URL

Data flow

1. User opens PWA → service worker serves cached HTML (or fetches from GitHub Pages)
2. App loads positions/cash from localStorage; if empty, checks IndexedDB backup
3. On Refresh: fetches exchange rates from er-api.com, then stock prices sequentially from Yahoo Finance via CORS proxy
4. Prices and rates saved to localStorage + IndexedDB; UI re-renders with updated values
5. On buy/sell/edit: positions and cash updated in both localStorage and IndexedDB

Design decisions and rationale

Understanding *why* the app is built this way is critical for safe future changes. Each decision below has a constraint behind it — don't change the approach without understanding the constraint first.

Decision	Why	Constraint
Single HTML file (no framework, no build tools)	Simplicity — one file to edit, deploy, and cache. No toolchain to install or break. Easy for Claude Code to work with.	PWA must be servable as a static file from GitHub Pages with zero build steps.

Decision	Why	Constraint
localStorage + IndexedDB (dual storage)	localStorage is the primary store because it's synchronous and simple. IndexedDB is the backup because iOS Safari can silently purge localStorage under storage pressure (this actually happened — cash balances were lost). Dual-write means data survives purges.	iOS Safari's aggressive storage eviction is unpredictable. A single store is unreliable on iPhone.
Sequential API calls (not parallel)	The CORS proxy (corsproxy.io) rate-limits concurrent requests. Parallel fetches caused failures on mobile. Sequential fetches with a small gap are slower but reliable.	Free CORS proxy has rate limits. We don't control the proxy server.
CORS proxy instead of a backend	A backend would require hosting, maintenance, and a domain. The CORS proxy lets the browser fetch Yahoo Finance directly. Zero server cost, zero ops.	No-cost constraint: the entire system must run for free.
Service worker for caching	Makes the app load instantly (from cache) and work offline. But requires manual version bumps — if you forget to bump sw.js, iPhones will serve stale code indefinitely.	GitHub Pages has no server-side cache control. The SW is the only caching mechanism.
Yahoo Finance v8 chart API	Provides both current price and previous close in a single call. No API key required. Available globally.	The exact endpoint and response fields are undocumented by Yahoo — see Section 19 for what we use.
No authentication or user accounts	Single-user tool. Adding auth would require a backend, breaking the zero-cost static hosting model.	Privacy requirement: no data leaves the device.

11. Dependencies ■

Dependency	Type	Why needed	Failure impact	Where used in code
corsproxy.io	Web service (CORS proxy)	Bypass CORS restrictions on Yahoo Finance API	Prices won't update; last-fetched prices remain visible	fetchPrice() — line ~1050
open.er-api.com	Web API	Free USD exchange rates	Currency conversion uses stale rates	fetchExchangeRates() — line ~1029
Yahoo Finance v8 chart API	Web API	Stock prices + previous close	Same as corsproxy failure	fetchPrice() — line ~1050

Dependency	Type	Why needed	Failure impact	Where used in code
GitHub Pages	Hosting	Static file hosting with HTTPS	App won't load on first visit (cached version still works)	Deployment target

No npm packages, no Python libraries, no build dependencies for the production app.

If any dependency disappears permanently, see Section 19 (API Reference) for what to replace and how.

12. File and Folder Locations ■

Path	Purpose	Deploy to GitHub?	Notes
pwa/index.html	Complete PWA application	Yes	All HTML, CSS, and JS in one file
pwa/manifest.json	PWA manifest for home screen install	Yes	App name, icons, display mode
pwa/sw.js	Service worker for offline caching	Yes	Bump CACHE_NAME version on each deploy
pwa/icon-192.png	PWA icon (192x192)	Yes	Shown on home screen
pwa/icon-512.png	PWA icon (512x512)	Yes	Splash screen
start.sh	Standard launch script	No	<code>bash start.sh</code> to start local server
pwa/server.py	Local development server (port 8091)	No	<code>python3 pwa/server.py</code> to test locally
pwa/setup.html	Helper to inject positions via localStorage	No	For local dev only
data/my-portfolio.json	Portfolio data for local import	No (gitignored)	Contains personal data
docs/PROGRESS.md	Development progress notes	No (gitignored)	Build history and notes
docs/SYSTEM_DOCUMENTATION.md	This document	Yes (public repo)	Keep in docs/ folder; Markdown is the source of truth
docs/SYSTEM_DOCUMENTATION.pdf	PDF of this document	Yes	Regenerate on every change via the shared Project Template/docs/md_to_pdf.py (the bespoke generate_pdf.py was retired).

Path	Purpose	Deploy to GitHub?	Notes
pwa/version.js	Single source of truth for the version	Yes	APP_VERSION + APP_BUILD; read by sw.js, index.html, server.py, and the ICC. Bump this only.
scripts/githooks/pre-push	Pre-push data/version guard	Yes	Activate per clone: git config core.hooksPath scripts/githooks.
~/Library/Application Support/PortfolioTracker/my-portfolio.json	Live portfolio data	No (outside repo)	Real data — outside the git tree by design (§26). Rotating backups in data/backups/.

Key files to know

- **pwa/index.html** — the entire app. Edit this to change any feature. See Section 20 (Code Map) for a guide to what's where inside this file.
- **pwa/sw.js** — bump the cache version number (line 1: `portfolio-vN`) after **every** code change. If you forget, iPhones will keep serving the old version.
- **data/my-portfolio.json** — your actual portfolio data for import (gitignored, never pushed to GitHub).

13. Core Workflows

What you want to do	Steps	What happens
See your portfolio	Open app → tap Refresh	Summary + all positions with live prices
See today's changes	Tap the "Today" tab	Daily \$ and % change for each stock and total
Sort your stocks	Tap the sort button in the Holdings header	Stocks reorder by your chosen criterion
Add a new stock	Tap "+ Add Stock" → pick market → fill in ticker, cost, quantity → Save	Stock appears in your list
Edit a stock	Tap any stock → change fields → Save	Position updated
Buy more of a stock	Long-press stock → Buy More Shares → enter price and quantity → Save	Average cost recalculated, cash deducted
Sell some shares	Long-press stock → Sell Shares → enter price and quantity → Sell	P&L shown, proceeds added to cash

What you want to do	Steps	What happens
Set your cash	More (■) → Set Cash Balance → enter amounts → Save	Cash rows updated
Back up your data	More (■) → Export Portfolio	JSON file saved to your phone
Restore from file	More (■) → Import Portfolio → pick the file	Portfolio restored
Quick restore	More (■) → Restore Last Backup	Restored from last export (no file needed)

14. End-User Operating Guide ■

Daily use

1. **Open the app** — tap the Portfolio icon on your iPhone home screen
2. **Refresh prices** — tap the Refresh button at the bottom. Prices update one by one (~2 seconds per stock). A message at the top tells you how many prices changed.
3. **Check P&L** — the "From Cost" tab (shown by default, highlighted in darker blue) tells you how much you've made or lost on each stock compared to what you paid
4. **Check daily changes** — tap the "Today" tab to see how much each stock moved since yesterday's close
5. **Sort positions** — tap the sort button (e.g., "Ticker A↓Z") in the Holdings header. Each tap cycles to the next sort: by name, by value, by profit, or by daily change (ascending or descending)

Managing your stocks

Adding a stock:

Tap "+ Add Stock" at the bottom of the list. Pick the market (US, Japan, etc.), then type the ticker symbol, the price you paid per share, and how many shares you own. Tap Save.

Editing a stock:

Tap any stock to open its edit screen. Change whatever you need and tap Save.

Buying more shares:

Long-press (press and hold) a stock → tap "Buy More Shares." Enter the price you paid and how many shares you bought. The app calculates your new average cost and deducts from your cash balance.

Selling shares:

Long-press a stock → tap "Sell Shares." Enter your sell price and the number of shares to sell. The app shows you the profit or loss before you confirm. Tap Sell. The proceeds are added to your cash balance.

Deleting a stock:

Tap a stock → scroll down → "Delete Position." The cost basis is returned to your cash balance.

Reordering stocks:

Long-press a stock → Move Up or Move Down.

Managing cash

- Tap a cash row in the summary card, or go to More (■) → Set Cash Balance
- Enter cash amounts for each currency you hold
- Cash adjusts automatically when you buy (deducted) or sell (added) shares

Backing up your data

- **Export:** More (■) → Export Portfolio → a file called `portfolio-backup.json` is saved to your Downloads folder (open the Files app on iPhone to find it)
- **Import:** More (■) → Import Portfolio → pick the JSON file from Files
- **Quick restore:** More (■) → Restore Last Backup → restores from the last export you made (stored inside the app, no file needed)

Recommendation: Export a backup at least once a week. If anything ever goes wrong, you can always get your data back from the file.

15. Data Storage and Privacy

Where your data lives

All your portfolio data is stored **on your phone, inside the browser**. It never leaves the device.

Data	Where it's stored	Sent to any server?
Your stocks (ticker, cost, quantity, price)	On your phone (browser storage)	No
Your cash balances	On your phone (browser storage)	No
Exchange rates	On your phone (browser storage)	No
Your last export backup	On your phone (browser storage)	No

What the app sends over the internet

The app makes three types of requests — all are to fetch *public* data. Your portfolio is never included.

Request	Where it goes	What it sends	What it gets back
Stock prices	Yahoo Finance (via a helper service)	Just the ticker symbol (e.g., "AAPL")	The current price
Exchange rates	open.er-api.com	Nothing	Today's currency rates
App files	GitHub Pages	Nothing	The app's code

Privacy summary

- **Your portfolio data is never sent anywhere.** Not to us, not to Yahoo, not to anyone.

- There is no account, no login, no password.
- There are no cookies, no analytics, no tracking, no ads.
- The app's code is public on GitHub, but your stocks and cash are stored only on your phone.
- If you clear Safari's data, your browser storage is erased — that's why Export backups matter.

16. Housekeeping and Maintenance ■

Routine tasks

Task	When	How	Why
Export backup	Weekly or after big trades	More → Export Portfolio	Protects against iOS clearing browser storage
Refresh prices	Daily or as needed	Tap Refresh	Prices don't auto-update
Bump SW cache	After every code change	Edit sw.js line 1: change portfolio-vN to portfolio-v(N+1)	Without this, phones keep serving the old code
Push to GitHub	After editing index.html or sw.js	<pre>git add index.html sw.js && git commit -m "description" && git push origin main</pre>	Deploys to the live URL
Verify on iPhone	After pushing	Open PWA → refresh twice → verify changes appear	First refresh loads new service worker; second activates it

Developer deployment checklist

1. Make your changes to index.html
2. Open sw.js and bump the version number (e.g., portfolio-v6 → portfolio-v7)
3. Test locally: `bash start.sh` → open `http://localhost:8091`
4. Commit both files: `git add index.html sw.js && git commit -m "what changed"`
5. Push: `git push origin main`
6. Wait ~30 seconds for GitHub Pages to deploy
7. On iPhone: open the PWA, pull to refresh or tap Refresh, then close and reopen the app
8. Verify the change is live

Recommended housekeeping

- Export a backup at least once a week
- After pushing changes, always bump sw.js — this is the #1 source of "why isn't my change showing up?"
- Periodically verify your cash balances match your actual brokerage accounts

17. Troubleshooting

For general users ■

What you see	What it means	What to do	Is my data safe?
Prices say "loading" and don't change	The internet price service is slow or busy	Wait a minute, then tap Refresh again	Yes — your stocks are fine, just prices aren't updating
Prices don't change even though "Prices are current" appears	The CORS proxy or Safari itself is serving cached (stale) data instead of live prices	Fixed in build 10 (URL cache-busting) and build 12 (cache : 'no-store' on all fetches). If it recurs, check both fixes are present in <code>fetchJSON()</code> and <code>fetchPrice()</code>	Yes
All my stocks are gone	Your phone cleared the app's storage	Tap More (■) → Restore Last Backup. If that doesn't work, use Import with your backup file	If you exported recently, yes
My cash balances disappeared but stocks are there	Partial storage clearing (a known iPhone issue)	Tap More (■) → Restore Last Backup. Fixed in build 13: import/restore now always includes cash balances	Yes — the backup has your cash
The app looks different from what I expected	You might be seeing an older version	Close the app completely (swipe up in app switcher), then reopen it. If still wrong, open Safari, go to the URL, and refresh the page twice	Yes — display issues don't affect data
Export doesn't seem to save anything	Safari might be blocking the download	Try opening the URL in Safari (not the home screen app) and exporting from there	Yes — your data is still in the app
A Japanese stock shows the wrong price	The ticker might have the wrong market suffix	Tap the stock → check that the market is set to "Japan"	Yes

For developers ■

Problem	Likely cause	How to fix
Changes not appearing on iPhone	sw.js cache version not bumped	Bump version, push, user refreshes twice

Problem	Likely cause	How to fix
<code>fetchPrice()</code> returning null	CORS proxy rate-limiting or Yahoo API change	Check browser console; see Section 19 for API details
Prices "succeed" but are stale	CORS proxy caching Yahoo responses, or Safari HTTP cache serving old responses	Two layers of defence: (1) <code>&_t=\${Date.now() }</code> cache-buster on the Yahoo URL, (2) <code>cache: 'no-store'</code> in the fetch options. Both are needed — the URL trick defeats the proxy cache, the fetch option defeats Safari's browser cache
Exchange rates stale	er-api.com response cached in <code>localStorage</code>	Tap Refresh, or manually clear <code>portfolio_rates</code> in console
IndexedDB restore not working	Schema version mismatch after code change	Check <code>IDB_VERSION</code> constant and <code>openIDB()</code> upgrade handler
Blank screen on load	JavaScript syntax error	Open browser console (Cmd+Option+J in Chrome); fix syntax error
<code>restoreFromIDB()</code> runs but data is empty	Backup was never written (first-time user)	Normal — IndexedDB backup is created on first <code>save()</code> call

Emergency recovery

If the app is completely broken after a code push:

1. Check GitHub Pages status at github.com/summerbb138/portfolio-tracker
2. Open browser console and look for JavaScript errors
3. If needed, revert: `git revert HEAD && git push origin main`
4. **Portfolio data is safe in IndexedDB on the device** regardless of code problems — the data and the code are stored separately

18. Lessons Learned ■

Practical insights from building and iterating on this app, captured to prevent repeating mistakes.

Minimum font size for mobile readability

The app originally used 12–13px for many secondary labels (tab buttons, section headers, detail rows, chart range chips). On an iPhone screen, these were noticeably hard to read. A floor of **14px** was established for all visible text elements, with the exception of the "Updated" timestamp (13px, since it is informational and rarely read). The summary labels, detail rows, section headers, sort button, chart subtitle, range chips, form labels, and version string were all bumped to 14px. Tab and toolbar buttons were set at 15px for additional prominence.

Rule: No font-size below 14px for any element the user actively reads. Use 13px only for passive/informational text like timestamps.

Standardized button styling eliminates visual inconsistency

The tab buttons (From Cost, Today, History) and toolbar buttons (Add Stock, Refresh, ■) were originally styled independently — different font sizes, padding, widths, backgrounds, and layout methods. This created visible inconsistency on iPhone: buttons in the same row appeared different widths, and the two rows looked unrelated.

The fix was to make the tab buttons reuse the `.toolbar-btn.primary` CSS class directly, and have both rows use `display: grid; grid-template-columns: repeat(3, 1fr)` with matching gap and padding. Using the same class eliminates drift — any future change to button styling applies to both rows automatically.

Rule: When two groups of buttons should look identical, use the same CSS class. Don't create parallel styles that must be kept in sync manually.

CSS transitions cause perceived lag on mobile

Adding `transition: opacity 0.15s, transform 0.1s` with a `:active` press effect (scale + opacity change) to the tab buttons caused noticeable lag on iPhone. The animation itself was only ~200ms, but combined with the heavy `render()` function that rebuilds the entire DOM on tab switch, the user perceived a delayed response.

Two fixes were applied:

1. **Replaced the animation with an instant color change** — the `:active` pseudo-class now sets `background: #0060c0` (darker blue) with no transition. The visual feedback is immediate.
2. **Deferred the heavy render via `requestAnimationFrame()`** — the button's visual state updates in the current frame, and the DOM rebuild happens in the next frame. This ensures the user sees feedback before the expensive work begins.

Rule: On mobile, avoid CSS transitions on elements that trigger heavy JavaScript. Use instant property changes (`background-color`, `box-shadow`) for tap feedback. If a tap triggers expensive DOM work, defer it with `requestAnimationFrame()` so the visual feedback renders first.

Active tab indicator must be persistent, not transient

The active tab was originally indicated by a subtle inner glow (`box-shadow: inset 0 0 0 1.5px rgba(255, 255, 255, 0.3)`), which was nearly invisible on iPhone. The `:active` press color (`#0060c0`) was also too close to the resting blue (`#0a84ff`) to notice.

The solution was to make the active tab permanently display a darker blue background (`#004494`) — visually distinct from the resting `#0a84ff` at all times, not just during a press. This makes it immediately obvious which tab is selected when the app launches or when switching between tabs.

Rule: Active/selected state indicators should be always-visible and high-contrast, not subtle or transient. The user should be able to glance at the screen and instantly know which tab is selected.

Background color contrast for visual hierarchy

The original pure black background (`#000000`) made the summary card and holdings list blend into the page. Changing to a lighter grey (`#3a3a3c`) creates contrast between the page background and the card/list surfaces (`#1c1c1e`), establishing visual hierarchy and making the content areas stand out.

Rule: Use a lighter background behind dark cards to create depth. Pure black backgrounds eliminate contrast with dark surfaces.

19. Change Log

Date	Version	Change
2026-06-14	1.0	Core portfolio tracker — live prices, position management, iOS dark theme, cash position, currency symbols
2026-06-15	1.1	Multi-currency cash tracking — buy/sell/delete adjust cash per currency
2026-06-15	1.1	PWA installation — service worker, manifest, icons, GitHub Pages deployment, CORS proxy fallback
2026-06-15	1.2	Sequential price fetching to avoid CORS proxy rate-limiting
2026-06-16	1.3	Daily change tab ("Today"), structured detail rows (Shares/Cost/Price), sort control (8 modes)
2026-06-16	1.3	IndexedDB dual-storage backup with auto-restore; Restore Last Backup option
2026-06-16	1.3	Brightened all dim labels (--text3: 30% → 60% → 75% opacity); bumped small fonts to 13px
2026-06-16	1.3	Tightened spacing between cash position rows
2026-06-16	1.3	Added fallback CORS proxy (allorigins.win) and fixed silent fetch failure reporting
2026-06-16	1.3	Fixed stale prices from proxy caching — added cache-busting &_t=timestamp to Yahoo URL
2026-06-16	1.3	Added version display in More menu (build number matches SW cache version)
2026-06-16	1.3	Fixed Safari browser-level caching of proxy responses — added cache: 'no-store' to all fetch calls; added allorigins to SW bypass list

Date	Version	Change
2026-06-18	1.3	Fixed backup/restore ignoring cash positions — import now always restores (or clears) cash balances from the backup file; export/import/restore toasts now confirm cash positions included
2026-06-18	1.3	Clear All Holdings now also clears all cash positions
2026-06-18	1.4	Added History tab with daily portfolio value bar chart, manual backfill from Yahoo Finance historical data, range selector (1M/3M/1Y/All), tap-to-inspect tooltips
2026-06-18	1.4 (build 2)	Standardized font sizes: 14px minimum across all UI elements (was 12-13px); tab and toolbar buttons set to 15px
2026-06-18	1.4 (build 3)	Standardized button sizing: tab bar margins/gap matched to toolbar; background color changed from #000 to lighter grey; "From cost" → "From Cost"
2026-06-18	1.4 (build 4-5)	Unified tab buttons with toolbar buttons: both use same CSS class (.toolbar-btn.primary), same grid layout, same sizing
2026-06-18	1.4 (build 6-7)	Fixed tab button lag: removed CSS transition/animation, replaced with instant darker-blue tap feedback (#0060c0), deferred render() via requestAnimationFrame
2026-06-18	1.4 (build 8)	Active tab now permanently displays darker blue (#004494) for clear selection indicator; all toolbar buttons white-on-blue; background settled at #3a3a3c
2026-07-02	1.4 (build 9)	Standard GET /api/health endpoint added ({status, version, port}); ICC health pings excluded from access logs. Project under local git version control (commit after changes: git add -A && git commit -m "...")

Date	Version	Change
2026-08-04	1.5 (build 25)	Cost now includes cash balances (was stock cost only), consistent with Value — which already included cash. P&L is unchanged (cash appears on both sides and cancels); Return is now measured against total account capital (stock cost + cash), so idle cash dilutes the %. Server /api/portfolio (ICC feeder): totalCost now includes cash, which also fixes a pre-existing P&L overstatement where totalValue included cash but totalCost did not. UI build number realigned to the SW cache version (had drifted at build 8 while sw.js reached v25).
2026-08-04	1.5 (build 26)	Foolproofing (§26.6): single version source pwa/version.js (sw.js/index.html/server.py/ICC all derive from it — bump one file); live data moved OUTSIDE the repo (~/.Library/Application Support/PortfolioTracker/) so it can't be committed; rotating data/backups/ (last 10, gitignored, inside the disaster-recovery tar); committed pre-push hook (scripts/ghithooks/pre-push) that blocks data-shaped commits. Doc PDF now via shared md_to_pdf.py.
2026-08-04	1.5 (build 25)	Restored public GitHub Pages hosting (no app-code change). The repo had been switched to private, which silently disabled Pages on the free plan and broke iPhone updates. Reset git history to a single clean commit and hardened data privacy so no real portfolio data exists in the repo or its history; added a root index.html redirect to /pwa/ (the app had moved to /pwa/, leaving the Pages root URL with nothing to serve); removed the stale generated PDF. Full procedure and future reminders: see §26.

20. API Reference ■

This section documents the exact external API calls the app makes. If any service changes or goes offline, this is what you need to replace.

Stock prices — Yahoo Finance v8 chart API

URL template:

```
https://corsproxy.io/?url=https://query1.finance.yahoo.com/v8/finance/chart/{SYMBOL}?range=1d&interval=1d&_t={TIMESTAMP}
```

The `&_t={TIMESTAMP}` parameter is a cache-buster (set to `Date.now()`). Without it, the CORS proxy caches Yahoo's response and serves stale prices — this caused a bug where prices appeared to update successfully but showed yesterday's closing price instead of live market data.

SYMBOL format by market:

Market	Suffix	Example
US	(none)	AAPL
Japan	.T	7203.T
Hong Kong	.HK	0005.HK
UK	.L	SHEL.L
Europe	.PA / .DE / etc.	MC.PA
Canada	.TO	SHOP.TO
Australia	.AX	BHP.AX
China	.SS / .SZ	600519.SS

Response fields used:

```
response.chart.result[0].meta.regularMarketPrice → current price
response.chart.result[0].meta.chartPreviousClose → yesterday's closing price
response.chart.result[0].meta.previousClose → fallback for previous close
response.chart.result[0].meta.currency → currency code (USD, JPY, etc.)
```

Failure behavior: If the fetch fails or times out (10-second timeout), the stock's price is left unchanged from the last successful fetch. No error is shown to the user — the "Updated" timestamp reveals staleness.

Rate limiting: The CORS proxy rate-limits concurrent requests. Prices are fetched sequentially (one at a time) with no delay between them. If rate-limited, retrying after ~30 seconds usually works.

Exchange rates — open.er-api.com

URL:

```
https://open.er-api.com/v6/latest/USD
```

Response fields used:

```
response.rates.JPY → e.g., 149.5
response.rates.HKD → e.g., 7.82
```

```
response.rates.GBP → e.g., 0.79
... (all currencies)
```

Failure behavior: If the fetch fails, the app falls back to hardcoded approximate rates defined in `fetchExchangeRates()` (line ~1029). These are rough approximations — the UI still works but currency conversion may be inaccurate.

CORS proxy — fallback chain

How it works: The browser can't call Yahoo Finance directly due to CORS restrictions (Yahoo doesn't allow requests from web pages). The app uses a chain of free CORS proxy services, trying each in order until one succeeds. The chain is defined in the `CORS_PROXIES` array (~line 1024):

1. **corsproxy.io** (primary) — fast and reliable from browser JS. Note: blocks server-side requests (`curl/scripts` get a 403), but browser `fetch()` calls work.
2. **api.allorigins.win** (fallback) — slower but independent infrastructure.

The `fetchViaProxy()` function (~line 1040) tries each proxy in order and returns the first successful response.

Critical: two layers of cache-busting are required.

1. **URL parameter:** `corsproxy.io` caches upstream responses. The `&t=${Date.now()}` parameter on the Yahoo URL makes each request look unique to the proxy.
2. **Fetch option:** Safari on iPhone aggressively caches HTTP responses. The `cache: 'no-store'` option in `fetchJSON()` forces Safari to bypass its browser cache entirely.

Both are needed. Without the URL trick, the proxy serves stale data. Without `cache: 'no-store'`, Safari serves a cached proxy response without even hitting the proxy. In both cases, the response looks valid — the price field is present, but it's an old price instead of the live one. This caused recurring bugs where all fetches "succeeded" but prices never changed.

If all proxies fail permanently: Add a new proxy function to the `CORS_PROXIES` array. Each entry is a function that takes a URL and returns the proxied URL. Alternatives: `cors-anywhere` (self-hosted), Cloudflare Workers proxy, or any service that adds `Access-Control-Allow-Origin: *` to the response.

21. Code Map ■

The entire application is in `index.html` (~1800 lines). This map shows where everything lives so you can find what you need quickly.

File structure

Line range	Section	What's there
1–11	HTML head	Meta tags, manifest link, viewport
12–278	<style>	All CSS — variables, layout, components
280–510	HTML body	UI structure — nav bar, summary card, tab bar, position list, all bottom sheets, toolbar

Line range	Section	What's there
511–1330	<script>	All JavaScript

CSS landmarks (lines 12–278)

Lines	What	Notes
13–30	:root variables	Colors, fonts, spacing. --text3 controls dim label opacity.
31–60	Base styles	Body, safe-area, scrolling
61–100	Nav bar + summary card	.nav, .summary-card, .summary-row
101–130	Tab bar + sort	.tab-bar, .tab, .sort-btn
131–200	Position cards	.stock-item, .detail-rows, .detail-row
201–260	Bottom sheets	.sheet, .sheet-content, market chips
261–278	Toolbar + toast	.toolbar, .toast

JavaScript landmarks (lines 511–1330)

Lines	Function(s)	Purpose
512–524	MARKETS, MARKET_MAP, CURRENCY_SYMBOL, csym()	Market definitions and currency formatting
526–566	STORAGE_KEY, openIDB(), idbSet(), idbGet(), backupToIDB()	Storage constants and IndexedDB helpers
567–569	positions, exchangeRates, cashBalances	App state — loaded from localStorage on startup
577–588	restoreFromIDB()	Restores all data from IndexedDB if localStorage is empty
590–604	activeTab, SORT_MODES, sortIndex, actionIndex	UI state variables
606–608	save(), saveCashBalances(), saveRates()	Persist to localStorage + trigger IndexedDB backup
609–657	getCashCurrencies(), totalCashUSD(), openCashSheet(), saveCash()	Cash balance management
659–670	buildMarketChips(), selectMarket()	Market selector UI in Add Stock sheet

Lines	Function(s)	Purpose
672–760	openSheet(), closeSheet(), openAddStock(), openEditStock(), savePosition(), deletePosition()	Bottom sheet open/close and position CRUD
762–967	openPosActions(), addSharesFromAction(), openAddShares(), saveAddShares(), openSellShares(), saveSellShares(), sellAll(), moveUp(), moveDown()	Long-press action menu, buy more, sell, reorder
969–983	openMoreActions(), switchTab(), cycleSort()	More menu, tab switching, sort cycling
984–1022	getSortedIndices()	Sort logic — returns array of indices sorted by selected mode
1023–1094	fetchJSON(), fetchExchangeRates(), fetchPrice(), refreshAll()	All API calls. This is where prices and rates are fetched.
1095–1144	exportData(), restoreLastExport(), importData(), handleImport(), clearAll()	Export/import/clear functionality
1146–1293	fmt(), fmtUSD(), render()	Number formatting and the main render function (rebuilds entire UI)
1295–1310	showToast()	Toast notification
1312–1330	Init block	restoreFromIDB().then(() => refreshAll()) — app startup sequence

Key functions to understand before making changes

render() (line ~1156) — The most important function. Rebuilds the entire UI from state. Uses a two-pass approach: first pass calculates totals, second pass renders HTML. Tab-aware (shows cost P&L or daily change based on activeTab). Sort-aware (uses getSortedIndices()). If you change the UI, this is where you'll work.

fetchPrice(index) (line ~1050) — Fetches one stock's price from Yahoo via CORS proxy. Extracts regularMarketPrice and chartPreviousClose from the response. Called sequentially by refreshAll().

save() / **saveCashBalances()** (lines 606–607) — Every mutation to positions or cash must call these. They write to localStorage AND trigger backupToIDB(). If you add a new data type, follow the same pattern.

restoreFromIDB() (line ~577) — Called once at startup. If localStorage is empty, restores positions, cash, and rates from the IndexedDB backup. This is the safety net for iOS storage purges.

22. How Updates Reach Your Phone

For general users ■

When the app's code is improved, the update is published to the internet automatically. Here's how it reaches your phone:

1. The new code is uploaded to GitHub (this happens on the developer's computer)
2. GitHub makes it available at the app's web address within about 30 seconds
3. **Next time you open the app**, your phone notices there's a new version and downloads it in the background
4. **The new version takes effect the second time you open the app** — the first opening downloads it, the second opening uses it

In practice: just use the app normally. Updates will appear within a day or two of opening it. If you want to force an update immediately, open the app, close it completely (swipe up in the app switcher), and open it again.

Your data is never affected by updates. Your stocks and cash are stored separately from the app's code. An update changes how the app looks or works, never what's in your portfolio.

For developers ■

The update path is: `git push` → GitHub Pages deploy (~30s) → user opens PWA → service worker fetches new files → **next** open activates them.

The service worker (`sw.js`) uses a cache-first strategy. On each load, it serves from cache immediately, then checks for updates in the background. If `CACHE_NAME` has changed (e.g., `portfolio-v6` → `portfolio-v7`), the new SW installs and the old cache is deleted on the next activation.

Critical: if you push a code change to `index.html` but forget to bump `CACHE_NAME` in `sw.js`, the service worker sees no change and keeps serving the cached old version indefinitely. Always bump the version.

23. ICC Integration (Investor Command Center) ■

How portfolio data flows to the ICC Overview

The ICC Overview dashboard displays portfolio data from this module. The data flows through a single path:

```
PWA (browser) → save() → localStorage + server file (my-portfolio.json)
↓
ICC Overview → /api/dashboard → Portfolio Tracker /api/portfolio → reads file → fetches live
quotes + FX → returns totals
```

1. The PWA writes positions and cash balances to `data/my-portfolio.json` via `POST /api/portfolio/sync` on every save
2. ICC calls `GET /api/portfolio` on Portfolio Tracker (port 8091), which reads the file, fetches live quotes and exchange rates, and returns computed totals (`totalValue`, `totalCost`, `totalPL`, `todayPL`)
3. ICC displays the result directly — it performs no independent computation

This single computation path guarantees the ICC Overview and Portfolio Tracker always show the same value. Cash balances (all currencies converted to USD) are included in **both** `totalValue` and `totalCost`, so the two figures are consistent. Because cash is on both sides, `totalPL` ($= \text{totalValue} - \text{totalCost}$) reflects stock

gains only — cash cancels out. (Prior to v1.5, cash was included in `totalValue` but not `totalCost`, which overstated `totalPL` by the cash balance; this was corrected when Cost was made cash-inclusive.)

Server-side API endpoints

Endpoint	Method	Purpose
<code>/api/portfolio</code>	GET	Returns fully computed portfolio with live quotes, FX conversion, and totals (consumed by ICC)
<code>/api/positions</code>	GET	Returns raw positions and cash from <code>my-portfolio.json</code> (consumed by PWA on startup)
<code>/api/portfolio/sync</code>	POST	Receives <code>{positions, cashBalances}</code> from PWA and writes to <code>my-portfolio.json</code>

Sync behavior

- **On PWA startup:** if `localStorage` has positions, pushes them to the server file via `/api/portfolio/sync`. If `localStorage` is empty (new device), pulls from the server file via `/api/positions`.
- **On every save** (add/edit/remove stock, buy/sell, change cash): writes to `localStorage`, `IndexedDB`, and server file.
- **iPhone offline:** the PWA works entirely from `localStorage`. Sync occurs next time the device is on the same network as the server.

24. iPhone PWA Compatibility Checklist ■

When modifying Portfolio Tracker code, follow these rules to avoid breaking the iPhone app.

Must-do on every code change

1. **Edit** `pwa/index.html`, **not the root** `index.html` — the server serves from the `pwa/` directory. The root copy was removed to prevent this mistake.
2. **Bump** `CACHE_NAME` in `pwa/sw.js` (line 1) — change `portfolio-vN` to `portfolio-v(N+1)`. Without this, the iPhone PWA keeps serving the old cached code indefinitely.
3. **Push both files** — `pwa/index.html` and `pwa/sw.js` must be committed and pushed together.

Must not break

- **localStorage read/write** — the iPhone PWA relies on `localStorage` as its primary store. Never change the storage keys (`STORAGE_KEY`, `CASH_MULTI_KEY`) without a migration path.
- **IndexedDB backup/restore** — this is the safety net for iOS storage purges. Don't change the schema version without handling the upgrade.
- **Offline functionality** — the PWA must load and display cached data without network access. API calls (`/api/*`) are excluded from service worker caching, but the HTML/JS must work offline.

- **Sequential price fetching** — the CORS proxy rate-limits concurrent requests. Don't switch to parallel fetching for client-side quote calls.

Safe to change

- Server-side code (`pwa/server.py`) — the iPhone PWA doesn't depend on it when accessing via GitHub Pages. Server endpoints are only used when the phone is on the same local network.
- CSS styling — as long as the dark theme and 14px minimum font size are maintained.
- New features — as long as they degrade gracefully when the server is unreachable.

25. Glossary

Plain-English definitions of technical terms used in this document.

Term	What it means
PWA (Progressive Web App)	A website that can be saved to your phone's home screen and used like a regular app. It's not downloaded from the App Store — you save it from Safari.
localStorage	A storage area inside your web browser where websites can save small amounts of data. It stays there until you clear your browser data or your phone decides to free up space.
IndexedDB	A second, more durable storage area inside your browser. The app uses both localStorage and IndexedDB as a safety measure.
Service worker	A small helper program that runs in the background. In this app, it saves a copy of the app so it loads instantly and works even without internet.
CORS proxy	A middleman service on the internet. Yahoo Finance doesn't allow web apps to fetch prices directly, so the app sends requests through this middleman (corsproxy.io) which forwards them.
GitHub Pages	A free service from GitHub that hosts websites. The app's code lives here so anyone with the URL can access it.
JSON	A standard file format for storing data. When you export your portfolio, it's saved as a JSON file — a plain text file that both humans and computers can read.
API (Application Programming Interface)	A way for one program to request data from another. The app uses Yahoo Finance's API to ask for stock prices and open.er-api.com 's API to ask for exchange rates.

Term	What it means
CORS (Cross-Origin Resource Sharing)	A security rule in web browsers that prevents websites from talking to other websites unless allowed. Yahoo Finance doesn't allow it, which is why we need the CORS proxy.
Git / GitHub	Git is a tool for tracking changes to code. GitHub is a website that stores the code and makes it available online. When changes are "pushed" to GitHub, the live app updates.
Cache	A saved copy of something for faster access. The service worker caches the app so it doesn't need to download from the internet every time you open it.
Ticker symbol	The short code for a stock (e.g., AAPL for Apple, 7203.T for Toyota on the Tokyo exchange).
P&L (Profit and Loss)	How much money you've made or lost. Shown as both a dollar amount and a percentage.
Cost basis	The price you originally paid per share. Used to calculate your profit or loss.
Exchange rate	How much one currency is worth in another. For example, 1 USD = 149.5 JPY. The app converts all currencies to USD for the total.

26. Public Repository & Data-Privacy Procedure ■

Critical invariant: this repo is PUBLIC, and real portfolio data must NEVER exist in it — not in tracked files, and not in git history. The repo is public because GitHub Pages (which delivers the iPhone PWA) only works on *public* repos under the free plan. This section records why, and exactly how we keep real data out, so no one has to reverse-engineer it later.

26.0 The three traps we hit — and the guard for each (audit checklist)

If you change anything here, confirm all three guards still hold:

Trap (what bit us)	Guard	Where
PWA version and ICC-feeder version drift out of sync (the badge said "build 8" while the service worker was at v24)	One version source, <code>pwa/version.js.sw.js</code> , <code>index.html</code> , <code>server.py</code> , and the ICC (<code>shell/web.py</code>) all derive from it — bump that one file to release, never hard-code the version elsewhere.	26.6

Trap (what bit us)	Guard	Where
Real user data reaches the PUBLIC GitHub repo	The live data file lives OUTSIDE the repo; .gitignore is broad; a committed pre-push hook blocks any push containing data-shaped JSON; the app ships with no seed data.	26.2, 26.3
User data lost on an app update	iPhone: app code and your data are stored separately — an update replaces the code and never touches your on-device localStorage/IndexedDB (§22). Computer / ICC: every sync writes a rotating backup (last 10) to data/backups/, which is inside the ICC disaster-recovery tar.	§22 + 26.6

26.1 Why the repo is public (and must stay that way)

The iPhone PWA is served from GitHub Pages at <https://summerbb138.github.io/portfolio-tracker/>. On a **free GitHub plan**, **Pages serves only public repositories**. In mid-2026 the repo was switched to private; GitHub then **auto-disabled Pages**, the live URL began returning "Site not found," and iPhone updates silently stopped reaching the phone (the already-installed PWA kept running from its cache, so the breakage went unnoticed for weeks). Lesson: **do not make this repo private** while it hosts the PWA on the free plan. If privacy is ever required, the alternatives are a paid plan (private-repo Pages) or a different host — not simply flipping it private.

26.2 What keeps real data out of the repo

- **The live data file lives OUTSIDE the repo.** `pwa/server.py` reads and writes `~/Library/Application Support/PortfolioTracker/my-portfolio.json` — physically outside the git tree, so it cannot be committed even by accident. Portfolio data also lives in each device's browser `localStorage`. GitHub Pages does not serve it (verified: the data path returns 404 on the live site).
- **The app ships with no seed data.** New loads start with an empty portfolio (seed positions were removed in commit 5ad50e0 — see the history note below).
- **.gitignore is deliberately broad** so any stray data or backup copy is caught: it ignores every `my-portfolio` JSON file (any suffix), any filename containing `REAL-BACKUP`, the `data/backups/` directory, `setup.html`, `logs/`, `.claude/`, and `PROGRESS.md`.
- **A committed pre-push hook is the backstop** — `scripts/ghooks/pre-push`, activated once per clone with `git config core.hooksPath scripts/ghooks`. It aborts any push whose commits contain a JSON file shaped like portfolio data (a `positions` array of holdings carrying `costBasis`), independent of `.gitignore`, and refuses a push if `pwa/version.js` has lost its version. Tested to block a data-shaped file and pass clean changes.
- **Before every push:** the hook runs automatically; still, never `git add -f` a data file.

26.3 The clean-up performed on 2026-08-04 (repeat this recipe if real data ever lands in git)

Real positions had once been embedded as JavaScript seed data in early commits. The *working tree* was clean, but the *history* still held them — so making the repo public would have exposed them. Steps taken, in order:

1. **Backup real data outside the repo:** copied `data/my-portfolio.json` → `~/Desktop/Claude Summary/Portfolio-REAL-BACKUP-<timestamp>.json`, and bundled the full pre-cleanup git history → `~/Desktop/Claude Summary/portfolio-tracker-FULL-HISTORY-<timestamp>.bundle` (so dev history isn't lost).
2. **Swap in throwaway data** while working: set `data/my-portfolio.json` to a single dummy holding (AAPL, no cash).
3. **Harden** `.gitignore` (the broad patterns in 26.2).
4. **Scrub doc examples:** genericized ticker examples to AAPL / Toyota (7203.T). (The doc PDF is regenerated cleanly from the Markdown — see 26.7.)
5. **Reset history to a single clean commit:**

```
git checkout --orphan clean-main
git add -A # respects .gitignore (no data/PDF)
git diff --cached --name-only # VERIFY: no my-portfolio.json, no PDF
git diff --cached | grep -iE "<real tickers>" # VERIFY: empty
git commit -m "Portfolio Tracker PWA v1.5 (build 25)"
git branch -M main
git grep -iE "<real tickers>" $(git rev-list main) # VERIFY: empty
git push --force origin main
```

6. **Only then make it public and enable Pages:**

```
gh repo edit summerbb138/portfolio-tracker --visibility public --accept-visibility-change-consequences
gh api -X POST repos/summerbb138/portfolio-tracker/pages -f 'source[branch]=main' -f 'source[path]='
```

7. **Restore real data locally** from the backup (gitignored, so it never reaches GitHub).

26.4 Residual risk & the bulletproof purge

`git push --force` makes the old commits *unreachable* on the branch, but **GitHub keeps them as dangling objects that are still fetchable by their exact 40-char SHA** (confirmed: the old seed-data commit responded to a public API call by SHA). Those SHAs are **not publicly discoverable** here (the commits were pushed while the repo was private; there are no forks, PRs, or public events exposing them), so practical exposure is very low — but it is not literally zero. To remove them **completely**, delete and recreate the repository (needs `delete_repo` permission), then push the clean tree and re-enable Pages. Until that is done, treat the pre-2026-08-04 commit SHAs as sensitive.

26.5 Deploy note — the root redirect

The app lives in `/pwa/` (the local server serves that directory), but GitHub Pages serves the **repo root**. A minimal root `index.html` redirects to `./pwa/` so the documented root URL resolves. Keep it; it contains no app code. `pwa/index.html` remains the single source of truth. The legacy root `sw.js` / `manifest.json` / `icons` are dormant migration shims for browsers that installed the old root-scoped app before it moved to `/pwa/` — leave them so those installs migrate cleanly.

26.6 Foolproofing (added 2026-08-04) — one version source, data location, backups, hook

Three mechanisms keep the standing risks from recurring:

(1) One version source — `pwa/version.js`. It sets `APP_VERSION` and `APP_BUILD` and is the **ONLY** place the version is written. Everything derives from it: `pwa/sw.js` does `importScripts` on it and builds its cache name from `APP_BUILD` (so bumping the file changes the cache name **AND** triggers the service-worker update); `pwa/index.html` stamps its badge from it; `pwa/server.py` and the ICC shell (`shell/web.py`, `_pwa_version()`) parse it. To release, bump `version.js` only — never hard-code the version anywhere else.

(2) Live data outside the repo + (3) rotating backups inside it. The live file is external (26.2). On every sync, `server.py` writes a timestamped copy to `data/backups/` and keeps the last 10. That directory is gitignored (never on GitHub) but sits inside `~/Desktop/Claude Summary`, so the ICC disaster-recovery tar captures it — the data stays recoverable without being exposed. The pre-push hook (26.2) is the commit backstop.

26.7 Deviations from the house standards (recorded per **PROJECT_STANDARDS**)

- **Data location:** the standard keeps data in the project's `data/` folder (gitignored). Because this repo is PUBLIC, the live data file is deliberately moved **OUTSIDE** the repo (26.2); its rotating backups stay under `data/backups/` so they remain inside the disaster-recovery backup. Approved trade-off: maximum commit-safety while staying recoverable.
- **PDF generator:** the retired `generate_pdf.py` is gone; this doc's PDF is now produced by the shared `Project Template/docs/md_to_pdf.py`. Keep the prose free of bare asterisks — that converter mis-parses a literal asterisk even inside a code span.