ARMSTRONG G1000B

FRU PARTS IDENTIFIER



NWR-MC1B SYSTEM CONTROLLER
(ARB-MC1B)

NWR-TX000 TRANSMITTER
(ARB-TX1000)

NWR-IP1B INTERFACE PANEL
(ARB-WR995001)

NWR AUXILIARY PANEL
(AR-WR996001)

AUDIO SURGE PROTECTOR
(AR-WR991501)

MODEM
(900872)
(900872-PS) POWER SUPPLY

ROAMS UNIT
(B345)



G1000B COAX RELAY
(ARB-WR101201)

G1000B DIRECTIONAL COUPLER
(ARB-WR107201)



G1000B DIRECTIONAL COUPLER

CABLE 53 – CAVITY OUTPUT TO DIRECTIONAL COUPLER INPUT (ARB-CA1053)

CABLE 18 – TX1 TO COAX RELAY PORT 2 (ARB-CA1018)

CABLE 15 – TX2 TO COAX RELAY PORT 4 (ARB-CA1018)

CABLE 16 – CAVITY INPUT TO COAX RELAY PORT 1 (ARB-CA1016)

COAX RELAY – (ARB-WR101201)

CABLE 17 – DUMMY LOAD TO COAX RELAY PORT 3 (ARB-CA1017)

G1000B BANDPASS CAVITY (ARB-WR997101-1)

MAINTENANCE PARTS

AIR FILTER
(ARB-WRFM0100)

AIRFLOW



PA Fan

Power Supply Fan

NWR-TX300 OR NWR-TX1000 FAN LOCATION

PA FAN – (B120M24DC181)

PS FAN – (B120M24DC140)

ARMSTRONG

G300B AND G1000B FUSE CHART

FUSE LOCATION	REF DES	FUSE SIZE FOR 120 VAC MAINS	FUSE SIZE FOR 240 VAC MAINS	FUSE TYPE	CENTURIA PART NUMBER
NWR-TX300 MAIN AC FUSE	F2, F3	16A	16A	GL (10x38mm) SLOW BLOW, CERAMIC	F41600-C
NWR-TX300 POWER AMPLIFIER (INTERNAL)	F1, F2	16A	16A	GL (10x38mm) SLOW BLOW, CERAMIC	F41600-C
NWR-TX300 EXCITER (INTERNAL)	F3	2A	2A	218 (5x20mm) SLOW BLOW 250 VAC, GLASS	F30200
NWR-TX1000 MAIN AC FUSE	F2, F3	240 VAC ONLY	25A	GL (10x38mm) SLOW BLOW, CERAMIC	F42500-C
NWR-TX1000 POWER AMPLIFIER (INTERNAL)	F1, F2	240 VAC ONLY	16A	GL (10x38mm) SLOW BLOW, CERAMIC	F41600-C
NWR-TX1000 EXCITER (INTERNAL)	F3	240 VAC ONLY	2A	218 (5x20mm) SLOW BLOW 250 VAC, GLASS	F30200
TX300B/TX1000B LOW VOLTAGE PS (INTERNAL)	FS2	3.15A	3.15A	218 (5x20mm) SLOW BLOW 250 VAC, GLASS	F30315
NWR-MC1B MAIN AC FUSE (INTERNAL)	F1	2A	120 VAC ONLY	218 (5x20mm) SLOW BLOW 250 VAC, GLASS	F30200
NWR-MC1B POWER SUPPLY (INTERNAL)	F1	1.6A	1.6A	218 (5x20mm) SLOW BLOW 250 VAC, GLASS	F30160
NWR-AUX PANEL MAIN AC FUSE	F1	1A	120 VAC ONLY	218 (5x20mm) SLOW BLOW 250 VAC, GLASS	F30100
AC SWITCHOVER RELAY FUSE	F1	1A	1A	218 (5x20mm) SLOW BLOW 250 VAC, GLASS	F30100
NWR-IP1B MAINS METERING (INTERNAL)	F1, F2	1A	1A	218 (5x20mm) SLOW BLOW 250 VAC, GLASS	F30100