# **Filesystems**

Sumner Evans and Sam Sartor

November 9, 2017

Mines Linux Users Group

# Introduction

### What are Filesystems?

- Filesystems manage the storage and retrieval of files from storage media.
- Filesystems are an abstraction layer between storage media (SSDs, HDDs, disk drives, even tape drives).
- Filesystems exist on partitions, physically contiguous segments of the disk.

## Filesystems are Responsible for...

- Space management: filesystems allocate and manage space in discrete chunks. Filesystems must keep track of what data is stored at each chunk.
- **Filenames:** identify a storage location in the file system. Can be case sensitive (ext4) or case insensitive (HFS, NTFS).
- **Directories (folders):** group files into separate collections. Modern filesystems allow arbitrary nesting of directories.
- Metadata: filesystems store book-keeping information about their contents (e.g. file sizes, last accessed date, owner and permissions, etc.).
- Access Control: prevent unauthorized access to files on disk.
- Data Integrity: filesystems must be resilient to failure, some are better at this than others.

# **Current Filesystems**

# Linux

### ext4

# Windows & mac

### **NTFS**

### **HFS and HFS+**

Apple has made a ton of filesystems with varying degrees of terribleness.

- HFS: Hierarchical File System Introduced in 1985 with the first Apple computer with a hard drive. Had a limitation of 65,535 files and every file had to take up at least 1 / 65,535th of the disk.
- HFS+: Released in 1998 to fix some of the issues with HFS.
  the core of the filesystem uses case-insensitive NFD Unicode
  strings, which led Linus Torvalds to say that "HFS+ is
  probably the worst file-system ever".

#### **APFS**

**APFS:** Apple Filesystem — Introduced in June 2016 to replace HFS+ and is optimized for SSDs. It fixes some of the problems of HFS+. Basically it replicates the work of other modern filesystems which are actually maintained by large communities.

Apple forcibly upgraded all computers to APFS in macOS High Sierra.

# **Flashdrives**

#### FAT32

FAT is an ancient family of filesystems, going back to floppy disks in 1977. FAT32 allows for largish files (up to 4GiB) and storage devices. It is mainly used on portable storage devices such as flash drives.

#### **Pros**

- Works anywhere
- Works on anything

#### Cons

- Annoying size limitations
- Very inflexible

#### **exFAT**

exFAT is the latest variation of the FAT family. Although it is far from being fully featured, it is a significant improvement on FAT32.

#### **Pros**

- Newer
- Supports larger files size
- Supports larger storage devices

#### Cons

- No journaling
- Not as ubiquitus

# **Other Options**

# Alternative Filesystems

### **Btrfs**

**B-tree file system** (Btrfs) pronounced "Butter FS" or "better FS" or "b-tree FS" was developed starting in 2007 by Oracle.

#### **Pros**

- Copy on Write
- Mostly self-healing
- Can convert from etx\* to Btrfs

#### Cons

 It's being depricated by Oracle. RHEL 7.4 includes it, but they are transitioning away. The SUSE project will still use and maintain it.

### **ZFS**

ZFS is file system designed by Sun Microsystems for long-term, performant, and reliable data storage.

#### **Pros**

- Corruption detection and self-healing
- Integrates well with RAID
- Builtin shapshotting and rollback
- Highly configurable

#### Cons

- Not for day-to-day use
- Main fork is closed source

#### **TFS**

TFS is a work-in-progress filesystem for the Redox operating system. Intended as a modern alternative to ZFS, the feature list is mouth-watering.

#### **Pros**

- Concurrent & non-blocking
- Lightweight full-disk compression
- Zero-overhead revision history
- Automatic corruption detection
- O(1) recursive directory copies
- Designed for solid state drives
- Perfectly resilient to sudden power loss

#### Cons

• Not implemented yet

# Network Filesystems



You can access remote storage devices over the internet using a network filesystem.

#### NFS

NFS is a common network filesystem protocol for \*Nix.

#### **Pros**

- Fast
- Mature
- Cross platform

#### Cons

- Requires setup on both host and client
- Server is (relatively) complex to setup

### Samba

Samba includes a network filesystem that interpolates between windows network drives and \*Nix systems.

#### **Pros**

Talk to Windows networks without having to use them

#### Cons

Windows

# Virtual Filesystems

### What is a virtual filesystem?

A *virtual filesystem* is an abstraction layer that takes in some other source of data and represents it as a mountable structure of files and directories.

Colloquially, any filesystem that is associated with a physical disk is called a virtual filesystem. These might still be backed by other kind of storage, or they might be purely procedural.

### tmpfs

tmpfs is a filesystem stored in RAM. It appears as a mounted filesystem, but all data is stored in volatile memory. By default, the /tmp directory is a tmpfs.

#### **Pros**

- Useful for storing temporary files such as downloads and program files
- Saves unnecessary disk I/O
- Secure storage for decrypted data, since files are never written to disk

#### Cons

• Everything in a tmpfs will be "deleted" on reboot.

### procfs

In \*Nix, everything is a file. This includes things such as process information. The way to access this data is through the proc filesystem which provides a convenient and standardized method for dynamically accessing process data held in the kernel.

In Linux, procfs contains more than just process information including memory information, network utilization statistics, etc.

### **FUSE**

Filesystem in Userspace (FUSE) is an interface for creating filesystems without writing any kernel-level code, which makes it incredibly useful for creating virtual filesystems. It is an available in Linux, FreeBSD, OpenBSD, NetBSD, OpenSolaris, Minix 3, Android, and macOS.

#### libfuse...

- is a C library
- provides a high-level interface for FUSE
- makes creating new filesystems really easy
- has bindings for Python, Rust, etc

#### sshfs

sshfs is a network filesystem implemented through libfuse. You can use it to mount remote directories via ssh.

#### **Pros**

- Very easy & quick to setup (one command)
- Remote machine only needs ssh installed

#### Cons

- Intended to be temporary
- Generally slower than NFS

**Questions?** 

#### References

- https://en.wikipedia.org/wiki/File\_system
- http://www.tldp.org/LDP/sag/html/filesystems.html
- https://arstechnica.com/gadgets/2008/03/ past-present-future-file-systems/2/

### Copyright Notice

This presentation was from the **Mines Linux Users Group**. A mostly-complete archive of our presentations can be found online at https://lug.mines.edu.

Individual authors may have certain copyright or licensing restrictions on their presentations. Please be certain to contact the original author to obtain permission to reuse or distribute these slides.



Colorado School of Mines Linux Users Group