## **Universal Packages**

Sumner Evans and Robby Zampino

February 1, 2018

Mines Linux Users Group

# Introduction

### What are packages?

A **package** is an archive containing a collection of executable files or source code, along with metadata, which represent a computer program.

What is a package format?

A **package format** is an organizational structure for delivering packages to users.

### Why do we need package formats?

- They provide a common way to bundle executables, libraries, assets, etc. for deployment on user machines.
- They provide metadata about programs for use in package managers.
- It would suck if we had to go find the source code for every single program we want to use and compile from source.<sup>1</sup>

 $<sup>^1</sup>$ Actually, some package formats do require compilation from source (for example some AUR packages) but at least it helps automate this process.

# Appimage

# ${\sf snapd}$

flatpak

## nix

# Love to Hate Them

## Proprietary enterprise apps are coming to Linux

Canonical snap sprint

Currently, when enterprises want to target a platform, they see this:

```
macOS .dmg
Windows .exe
Android .apk
Linux .deb, .rpm, PKGBUILD, ...
```

**Live Demo** 

**Questions?** 

#### Resources

https://

#### Copyright Notice

This presentation was from the **Mines Linux Users Group**. A mostly-complete archive of our presentations can be found online at https://lug.mines.edu.

Individual authors may have certain copyright or licensing restrictions on their presentations. Please be certain to contact the original author to obtain permission to reuse or distribute these slides.



Colorado School of Mines Linux Users Group