

UE19CS353

Prof. Sudeepa Roy Dey and Prof. Sindhu R PaiDepartment of Computer Science and Engineering

Acknowledgements: Significant portions of the information in the slide sets presented through the course in the class, are extracted from the prescribed text books, information from the Internet. Since these are only intended for presentation for teaching within PESU, there was no explicit permission solicited. We would like to sincerely thank and acknowledge that the credit/rights remain with the original authors/creators only



UE19CS353: Object Oriented Analysis and Design using Java

Object Oriented Concepts

Prof. Sudeepa Roy Dey and Prof. Sindhu R Pai

Department of Computer Science and Engineering

Agenda

- ☐ Introduction to OOP
- ☐ Pillars of OOP
- ☐ References



Introduction to OOP



Old style programming:

- data, which was completely passive
- functions, which could manipulate any data

Object Oriented Programming:

- An object contains data and methods that manipulate the data
- An object is active, not passive; it does things
- An object is responsible for its own data. It can expose the data to other objects

Pillars of OOP







ABSTRACTION




INHERITANCE



POLYMORPHISM





Data Encapsulation

- The wrapping up of data and functions into a single unit is known as encapsulation.
- The data is not accessible to the outside world, only those function which are wrapped in it can access it.
- These functions provide the interface between the object's data and the program.
- This usage of data from direct access by the program is called data hiding or information hiding.






Fig: Encapsulation

Data Abstraction

- PES UNIVERSITY ONLINE
- Act of representing essential features without including the background details or explanations.
- Since classes use the concept of data abstraction, they are known as **Abstract Data Types** (ADT)






Polymorphism




- A Greek term means to ability to take more than one form.
- An operation may exhibits different behaviors in different instances. The behavior depends upon the type of data used in the operation.
- The process of making an operator to exhibit different behavior in different instances is known operator overloading



Inheritance




- The process by which objects of one class acquire the properties of objects of another class.
- Provides the idea of reusability. Implies that we can add additional features to an existing class without modifying it.
- Concept of super class/parent class and sub class/child class



Composition



- To design or implement the "has-a" relationship.
- Composition and Inheritance both are design techniques.
- The Inheritance is used to implement the "is-a" relationship. The "has-a" relationship is used to ensure the code reusability in our program.
- In Composition, we use an instance variable that refers to another object.





THANK YOU

Sudeepa Roy Dey and Sindhu R Pai

Department of Computer Science and Engineering

sudeepar@pes.edu

sindhurpai@pes.edu

+918277606459