



This product uses up to 500 bar of pressure to remove even the most stubborn dirt. The robust cage design provides all-round protection and enables safe crane loading. With sack-trolley principle for easy transportation.



1 High-performance crankshaft pump

- Reliable and durable Kärcher high-performance crankshaft pump ensures optimal pressure.

2 Safe storage

- Accessories and tools are stored in a protected compartment. This means that everything is always in its place.



HD 9/50-4 Cage

- Robust industrial gun
- Low-water cut-out (optional)

Technical data

Order No.	1.367-156.0	
EAN code	4039784731011	
Working pressure	bar / MPa	150–500 / 15–50
Flow rate	l/h	500–900
Max. water inlet temperature	°C	60
Pump type	Kärcher high-performance crankshaft pump	
Drive	E-Motor 400 V / 50 Hz	
Motor rating	kW	15
Weight	kg	190
Dimensions (L x W x H)	mm	930 × 800 × 920

Equipment

High-pressure hose	m	10 / Heavy duty
Spray gun	Industrial trigger gun	
Stainless steel spray lance	mm	700
Flat jet nozzle	■	
Water filter	■	
Safety valve	■	
Operating hour counter	■	

■ Included in delivery.

Accessories for HD 9/50-4 Cage 1.367-156.0



		Order No.	Length					Price	Description	
High-pressure hoses										
High pressure hose	1	6.391-848.0							640 bar, M 22 x 1,5	■
High-pressure hose	2	6.391-856.0								☐
	3	6.391-857.0								☐
	4	6.391-846.0								☐
	5	6.391-847.0								☐
Trigger gun and spray lances										
Spray lance	6	4.760-679.0							With nozzle adapter.	■
Kärcher industry gun	7	4.775-824.0								■
Spray lance	8	4.760-653.0							With nozzle adapter.	☐
	9	4.760-675.0								☐
	10	4.760-677.0								☐
Power nozzles										
Flat jet nozzle	11	5.765-164.0							15°, 500 bar, 900 l/h (electr.)	■
Detail nozzle	12	5.765-159.0							500 bar, 900 l/h (electr.)	☐
Attachment kits										
ABS protection against water short- age	13	2.641-922.0								☐
	14	2.851-028.0								☐
Rotary nozzles										
F3 power rotary jet	15	6.415-915.0								☐
Power rotary jet										
Tool for changing rotor seat	16	6.025-233.0								☐
Abrasive sprayers										
Required adapter for abrasive blast- ers	17	5.401-325.0								☐
Abrasive blaster	18	6.025-253.0								☐
Suction lance	19	6.025-258.0								☐
Abrasive material hose	20	6.025-308.0								☐
Nozzles set F98	21	6.025-434.0								☐
F98 nozzle for abrasive blasters	22	6.025-256.0								☐
Mounting tool for nozzle set	23	6.025-257.0								☐
Abrasive	24	6.025-309.0								☐
	25	6.025-310.0								☐

■ Included in delivery. ☐ Available accessories.

Accessories for HD 9/50-4 Cage 1.367-156.0



		Order No.					Price	Description	
Coupling									
Coupling	1	4.403-002.0						Brass double connector for connecting and extending high-pressure hoses. With rubber protection. Connector: 2x M 22 x 1.5 m.	☐

☒ Included in delivery.
 ☐ Available accessories.

Authorized Distributor



Cleaning solutions for every need

A : 712 Ansal Chamber II, 6 , Bhikaji Cama Place, New Delhi -110066
T : 9311677446/9350735062 **W :** www.delta-solutions.in **E :** contact@delta-solutions.in