



A commercial, twin-engined upright vacuum cleaner with innovative, patented centrifugal clutch, 480 mm working width, stretch hose and telescopic tube to clean, comb and refresh the textile floors/ piles in hotels, boutiques, shops, showrooms, offices, stores, shopping centers and households.



1 Indicator light

- The indicator light shows when the roller brush needs to be adjusted to achieve optimum cleaning results.



2 Highflex power cord

- The yellow Highflex cord is extremely tough, flexible and anti-twist. It can be securely attached to the machine.



3 Flexible cleaning option

- The stretchable suction hose can be removed easily, meaning that blockages can be removed quickly and effortlessly.



4 Patented centrifugal coupling

- For longer service life: the innovative patented centrifugal coupling protects the whole brush head from being overloaded, thereby avoiding high service costs.



CV 48/2

- Visual brush adjustment aid
- Electronic brush overload protection
- Two motors

Technical data

Order No.	1.057-309.0	
EAN code	4039784817197	
Working width	mm	480
Air flow rate	l/s	48
Vacuum	mbar / kPa	250 / 25
Container capacity	l	5.5
Max. power rating	W	1200
Standard nominal width	mm	35
Cord length	m	12
Sound level	dB(A)	67
Sound power level	dB(A)	80
Quantity of motors		2
Brush motor power rating	W	150
Weight	kg	10
Dimensions (L x W x H)	mm	350 x 485 x 1215
Energy efficiency class		B

Equipment

Crevice nozzle	■
Upholstery nozzle	■
Suction tube, detachable	■
Corrugated suction hose	■
Filter bag	Fleece
Filter status indicator	■
Handle	■
Height-adjustable handle	■
Roller brush	piece(s) 1

■ Included in delivery.

Accessories for CV 48/2

1.057-309.0



		Order No.	Quantity	ID	Length	Width	Price	Description	
Fleece filter bags (three-ply)									
Fleece filter bags	1	6.904-305.0	10 piece(s)					3-ply tear-resistant fleece filter bags, dust class M, standard for CV 30/1 and CV 38/1. Contents: x10.	■
	2	6.904-309.0	300 piece(s)					Fleece filter bag, 3-ply, tear-proof, dust class M, large-scale consumer pack.	□
Crevice nozzles									
Crevice nozzle	3	6.906-240.0	1 piece(s)	35 mm	250 mm			Plastic crevice tool (DN 35) for vacuuming in crevices and corners. Length: 250 mm.	■
Stretch suction hose									
Stretch suction hose CV 38/2	4	4.440-782.0	1 piece(s)	DN 32 mm				Stretch suction hose with spiral.	■
Roller brushes for upright vacuum cleaners									
Roller brush	5	4.762-489.0	1 piece(s)					Roller brush with standard bristles.	■
	6	4.762-488.0	1 piece(s)					Roller brush with stronger bristles in red.	□
HEPA, dust class H filter									
HEPA flat pleated filter	7	6.414-760.0	1 piece(s)					HEPA filter cassette, glass fibre in plastic frame, Dust class H 12	□
Paper filter bags (two-ply)									
Paper filter bags	8	6.904-294.0	10 piece(s)					Paper filter bags, dust class M suitable for all CV 30/1 and CV 38/1 models. Contents: x10.	□
Paper filter bags, bulk pack	9	6.904-303.0	300 piece(s)					Dust class M / large-scale consumer pack	□
Fabric filter bag									
Fabric filter bag	10	6.904-301.0	1 piece(s)					Cotton, washable (40°C)	□
Combi-nozzles, dry									
Combi-nozzle (dry)	11	6.906-511.0	1 piece(s)	DN 35 mm		270 mm		Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	□
Suction brushes									
Suction brush, ID 35, natural bristles	12	6.903-862.0	1 piece(s)	DN 35 mm		70 mm		Rotatable suction brush (DN 35) with natural bristles (cow hair). Bristle size 70x45 mm. Only CV and NT vacuum cleaners.	□
Reducers (pipe -> nozzle)									
Reducer from ID 35 to ID 32	13	6.902-072.0	1 piece(s)	DN 35 mm				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	□

■ Included in delivery. □ Available accessories.

Authorized Distributor



Cleaning solutions for every need

A : 712 Ansal Chamber II, 6 , Bhikaji Cama Place, New Delhi -110066

T : 9311677446/9350735062

W : www.delta-solutions.in

E : contact@delta-solutions.in